AUTHOR INDEX TO VOLUME 18

All authors of papers published in Volume 18 are listed alphabetically with the issue and page number following the dash. References with (L) are Communications. References with (E) are Errata. References with (A) are Addenda. References with (R) are Commentaries and Reviews. References with (C) are Comments and Reply.

A

Abis, S.–Joint differential scanning calorimetry, electrical resistivity, and microhardness study of aging in two AlCuMg alloys.–G. Riontino, M. Massazza, and S. Abis; **18**(7), 1522–1527.

Abramov, A.S.–Effect of hydrogen dilution on electronic properties of a-SiH_x films deposited by low-frequency plasma.–A.I. Kosarev, A.J. Torres, C. Zuniga, A.S. Abramov, P. Rosales, and A. Sibaja; **18**(8), 1918–1925.

Adachi, Yutaka–Thermal diffusivity of $(Ca_{1-x}Sr_x)_3Co_4O_9$ thin films using transient grating configuration.–Yoshiaki Takata, Yutaka Adachi, Hajime Haneda, Yoshiki Wada, Takefumi Mitsuhashi, Kenji Itaka, and Hideomi Koinuma; **18**(10), 2473–2477.

Agrawal, Dinesh–Ultralow dielectric constant nickel–zinc ferrites using microwave sintering.–Ramesh Peelamedu, Craig Grimes, Dinesh Agrawal, Rustum Roy, and Purushotham Yadoji; **18**(10), 2292–2295(L).

Ahn, K.–Dielectric properties of plasma-spray-deposited $BaTiO_3$ and $Ba_{0.68}Sr_{0.32}TiO_3$ thick films.–K. Ahn, B.W. Wessels, and S. Sampath; **18**(5), 1227–1231.

Aindow, Mark–Characterization of the microstructure and phase equilibria calculations for the powder metallurgy superalloy IN100.–Agnieszka M. Wusatowska-Sarnek, Gautam Ghosh, Gregory B. Olson, Martin J. Blackburn, Mark Aindow; **18**(11), 2653–2663.

Ajayan, Pulickel M.–Spectral fingerprinting of structural defects in plasma-treated carbon nanotubes.–Nirupama Chakrapani, Seamus Curran, Bingqing Wei, Pulickel M. Ajayan, Alvaro Carrillo, and Ravi S. Kane; **18**(10), 2515–2521.

–Tellurium nanowire arrays synthesized by electrochemical and electrophoretic deposition.–A.W. Zhao, C.H. Ye, G.W. Meng, L.D. Zhang, P.M. Ajayan; **18**(10), 2318–2322.

Akaishi, Minoru–Characterizing high-pressure compressed C_{60} whiskers and C_{60} powder.–Kun'ichi Miyazawa, Minoru Akaishi, Yusuke Kuwasaki, and Tadatomo Suga; **18**(1), 166–172.

Akatsu, T.–Linear strain hardening in elastoplastic indentation contact.–M. Sakai, T. Akatsu, S. Numata, and K. Matsuda; **18**(9), 2087–2096.

Aksay, I.A.–Micropatterned lead zirconium titanate thin films.–J.S. Vartuli, M. Özenbaş, C-M. Chun, M. Trau, and I.A. Aksay; **18**(5), 1259–1265.

Al-Hajji, Latifa A.–Kinetic and characterization studies of the formation of barium monomolybdate in equimolar powder mixture of $BaCO_3$ and MoO_3.–Latifa A. Al-Hajji, Muhammad A. Hasan, and Mohamed I. Zaki; **18**(10), 2339–2349.

Alcalá, J.–Mechanical property evaluation through sharp indentations in elastoplastic and fully plastic contact regimes.–M. Mata and J. Alcalá; **18**(7), 1705–1709.

Ali, N.–Promoting secondary nucleation using methane modulations during diamond chemical vapor deposition to produce smoother, harder, and better quality films.–N. Ali, V.F. Neto, and J. Gracio; **18**(2), 296–304.

Alleman, J.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

Allen, Andrew–Agglomerate formation during drying.–Alejandro Vertanessian, Andrew Allen, and Merrilea J. Mayo; **18**(2), 495–506.

–Small-angle neutron scattering study of the role of feedstock particle size on the microstructural behavior of plasma-sprayed yttria-stabilized zirconia deposits.–Hacène Boukari, Andrew J. Allen, Gabrielle G. Long, Jan Ilavsky, Jay S. Wallace, Christopher C. Berndt, and Herbert Herman; **18**(3), 624–634.

Allen, S.L.–Nanoindentation measurements on Cu–Sn and Ag–Sn intermetallics formed in Pb-free solder joints.–R.R. Chromik, R.P. Vinci, S.L. Allen, and M.R. Notis; **18**(9), 2251–2261.

Allison, Francis J.–Evolution of microstructure during the thermal processing of titania and vanadium-modified titania gels.–Francis J. Allison, David M. Grant, Karen McKinlay, Craig Bailey, and Philip G. Harrison; **18**(3), 594–603.

Anderson, Peter M.–Processing and microstructural characterization of sputter-deposited Ni/Ni_3Al multilayered thin films.–Evan A. Sperling, Rajarshi Banerjee, Gregory B. Thompson, Jason P. Fain, Peter M. Anderson, and Hamish L. Fraser; **18**(4), 979–987.

Anderson, Philip–Microstructural evolution of low-dose separation by implanted oxygen materials implanted at 65 and 100 keV.–Jun Sik Jeoung, Philip Anderson, and Supapan Seraphin; **18**(9), 2177–2187.

Anderson, R.A.–Current concentration at defects in ZnO varistor material.–R.A. Anderson and G.E. Pike; **18**(4), 994–1002.

Andou, Yoshinori–Chemical bonding characteristics and dielectric properties of $Nd_2(Ba_{1-x}Sr_x)ZnO_5$ solid solutions.–Akinori Kan, Hirotaka Ogawa, Kenkichi Mori, Hitoshi Ohsato, Yoshinori Andou; **18**(10), 2427–2434.

Andrews, Rodney–Observation and formation mechanism of stable face-centered-cubic Fe nanorods in carbon nanotubes.–Hansoo Kim, Michael J. Kaufman, Wolfgang M. Sigmund, David Jacques, and Rodney Andrews; **18**(5), 1104–1108.

Anilkumar, Gopinathan M.–Influence of nanoparticle seeding on the phase formation kinetics of sol-gel-derived $Sr_{0.7}Bi_{2.4}Ta_2O_9$ thin films.–Yun-Mo Sung, Gopinathan M. Anilkumar, and Seung-Joon Hwang; **18**(2), 387–395.

Anselmi-Tamburini, U.–Self-propagating high-temperature synthesis microalloying of $MoSi_2$ with Nb and V.–F. Maglia, C. Milanese, U. Anselmi-Tamburini, and Z.A. Munir; **18**(8), 1842–1848.

Antoniou, Antonia–Deformation characteristics of tin-based solder joints.–Antonia Antoniou and Ashraf F. Bastawros; **18**(10), 2304–2309.

Antonova, K.–Morphology and electronic properties of carbon nanotubes grown with Fe catalyst.–E. Kowalska, J. Radomska, P. Byszewski, P. Kowalczyk, K. Antonova, R. Diduszko, H. Lange, and P. Dłużewski; **18**(10), 2451–2458.

Aoi, Yoshifumi–Synthesis of mesoscopic hollow spheres and inner surface functionalized hollow spheres of titanium dioxide by the liquid phase deposition method.–Yoshifumi Aoi, Hisae Kambayashi, Eiji Kamijo, and Shigehito Deki; **18**(12), 2832–2836.

Aravind, M.–Formation of $Mg–Mg_2Cu$ nanostructured eutectic in Mg-based metal matrix composite.–N.G. Ma, C.J. Deng, P. Yu, W.Y. Kwok, M. Aravind, D.H.L. Ng, and S.L.I. Chan; **18**(8), 1934–1942.

–Tensile strength of zinc oxide films measured by a microbridge method.–C.W. Ong, D.G. Zong, M. Aravind, C.L. Choy, and D.R. Lu; **18**(10), 2464–2472.

Arendt, P.N.–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Arias, V.–Porous silica derived from chitosan-containing hybrid composites.–J. Retuert, R. Quijada, V. Arias, and M. Yazdani-Pedram; **18**(2), 487–494.

Arita, M.–Study on the nature of the electrochemically synthesized hard Fe–15.4 mass% Ni–0.70 mass% C alloy film.–A.S.M.A. Haseeb, Y. Hayashi, M. Masuda, and M. Arita; **18**(4), 840–847.

AUTHOR INDEX TO VOLUME 18

All authors of papers published in Volume 18 are listed alphabetically with the issue and page number following the dash. References with (L) are Communications. References with (E) are Errata. References with (A) are Addenda. References with (R) are Commentaries and Reviews. References with (C) are Comments and Reply.

A

Abis, S.–Joint differential scanning calorimetry, electrical resistivity, and microhardness study of aging in two AlCuMg alloys.–G. Riontino, M. Massazza, and S. Abis; **18**(7), 1522–1527.

Abramov, A.S.–Effect of hydrogen dilution on electronic properties of a-SiH_x films deposited by low-frequency plasma.–A.I. Kosarev, A.J. Torres, C. Zuniga, A.S. Abramov, P. Rosales, and A. Sibaja; **18**(8), 1918–1925.

Adachi, Yutaka–Thermal diffusivity of $(Ca_{1-x}Sr_x)_3Co_4O_9$ thin films using transient grating configuration.–Yoshiaki Takata, Yutaka Adachi, Hajime Haneda, Yoshiki Wada, Takefumi Mitsuhashi, Kenji Itaka, and Hideomi Koinuma; **18**(10), 2473–2477.

Agrawal, Dinesh–Ultralow dielectric constant nickel–zinc ferrites using microwave sintering.–Ramesh Peelamedu, Craig Grimes, Dinesh Agrawal, Rustum Roy, and Purushotham Yadoji; **18**(10), 2292–2295(L).

Ahn, K.–Dielectric properties of plasma-spray-deposited $BaTiO_3$ and $Ba_{0.68}Sr_{0.32}TiO_3$ thick films.–K. Ahn, B.W. Wessels, and S. Sampath; **18**(5), 1227–1231.

Aindow, Mark–Characterization of the microstructure and phase equilibria calculations for the powder metallurgy superalloy IN100.–Agnieszka M. Wusatowska-Sarnek, Gautam Ghosh, Gregory B. Olson, Martin J. Blackburn, Mark Aindow; **18**(11), 2653–2663.

Ajayan, Pulickel M.–Spectral fingerprinting of structural defects in plasma-treated carbon nanotubes.–Nirupama Chakrapani, Seamus Curran, Bingqing Wei, Pulickel M. Ajayan, Alvaro Carrillo, and Ravi S. Kane; **18**(10), 2515–2521.

–Tellurium nanowire arrays synthesized by electrochemical and electrophoretic deposition.–A.W. Zhao, C.H. Ye, G.W. Meng, L.D. Zhang, P.M. Ajayan; **18**(10), 2318–2322.

Akaishi, Minoru–Characterizing high-pressure compressed C_{60} whiskers and C_{60} powder.–Kun'ichi Miyazawa, Minoru Akaishi, Yusuke Kuwasaki, and Tadatomo Suga; **18**(1), 166–172.

Akatsu, T.–Linear strain hardening in elastoplastic indentation contact.–M. Sakai, T. Akatsu, S. Numata, and K. Matsuda; **18**(9), 2087–2096.

Aksay, I.A.–Micropatterned lead zirconium titanate thin films.–J.S. Vartuli, M. Özenbaş, C-M. Chun, M. Trau, and I.A. Aksay; **18**(5), 1259–1265.

Al-Hajji, Latifa A.–Kinetic and characterization studies of the formation of barium monomolybdate in equimolar powder mixture of $BaCO_3$ and MoO_3.–Latifa A. Al-Hajji, Muhammad A. Hasan, and Mohamed I. Zaki; **18**(10), 2339–2349.

Alcalá, J.–Mechanical property evaluation through sharp indentations in elastoplastic and fully plastic contact regimes.–M. Mata and J. Alcalá; **18**(7), 1705–1709.

Ali, N.–Promoting secondary nucleation using methane modulations during diamond chemical vapor deposition to produce smoother, harder, and better quality films.–N. Ali, V.F. Neto, and J. Gracio; **18**(2), 296–304.

Alleman, J.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

Allen, Andrew–Agglomerate formation during drying.–Alejandro Vertanessian, Andrew Allen, and Merrilea J. Mayo; **18**(2), 495–506.

–Small-angle neutron scattering study of the role of feedstock particle size on the microstructural behavior of plasma-sprayed yttria-stabilized zirconia deposits.–Hacène Boukari, Andrew J. Allen, Gabrielle G. Long, Jan Ilavsky, Jay S. Wallace, Christopher C. Berndt, and Herbert Herman; **18**(3), 624–634.

Allen, S.L.–Nanoindentation measurements on Cu–Sn and Ag–Sn intermetallics formed in Pb-free solder joints.–R.R. Chromik, R.P. Vinci, S.L. Allen, and M.R. Notis; **18**(9), 2251–2261.

Allison, Francis J.–Evolution of microstructure during the thermal processing of titania and vanadium-modified titania gels.–Francis J. Allison, David M. Grant, Karen McKinlay, Craig Bailey, and Philip G. Harrison; **18**(3), 594–603.

Anderson, Peter M.–Processing and microstructural characterization of sputter-deposited Ni/Ni_3Al multilayered thin films.–Evan A. Sperling, Rajarshi Banerjee, Gregory B. Thompson, Jason P. Fain, Peter M. Anderson, and Hamish L. Fraser; **18**(4), 979–987.

Anderson, Philip–Microstructural evolution of low-dose separation by implanted oxygen materials implanted at 65 and 100 keV.–Jun Sik Jeoung, Philip Anderson, and Supapan Seraphin; **18**(9), 2177–2187.

Anderson, R.A.–Current concentration at defects in ZnO varistor material.–R.A. Anderson and G.E. Pike; **18**(4), 994–1002.

Andou, Yoshinori–Chemical bonding characteristics and dielectric properties of $Nd_2(Ba_{1-x}Sr_x)ZnO_5$ solid solutions.–Akinori Kan, Hirotaka Ogawa, Kenkichi Mori, Hitoshi Ohsato, Yoshinori Andou; **18**(10), 2427–2434.

Andrews, Rodney–Observation and formation mechanism of stable face-centered-cubic Fe nanorods in carbon nanotubes.–Hansoo Kim, Michael J. Kaufman, Wolfgang M. Sigmund, David Jacques, and Rodney Andrews; **18**(5), 1104–1108.

Anilkumar, Gopinathan M.–Influence of nanoparticle seeding on the phase formation kinetics of sol-gel-derived $Sr_{0.7}Bi_{2.4}Ta_2O_9$ thin films.–Yun-Mo Sung, Gopinathan M. Anilkumar, and Seung-Joon Hwang; **18**(2), 387–395.

Anselmi-Tamburini, U.–Self-propagating high-temperature synthesis microalloying of $MoSi_2$ with Nb and V.–F. Maglia, C. Milanese, U. Anselmi-Tamburini, and Z.A. Munir; **18**(8), 1842–1848.

Antoniou, Antonia–Deformation characteristics of tin-based solder joints.–Antonia Antoniou and Ashraf F. Bastawros; **18**(10), 2304–2309.

Antonova, K.–Morphology and electronic properties of carbon nanotubes grown with Fe catalyst.–E. Kowalska, J. Radomska, P. Byszewski, P. Kowalczyk, K. Antonova, R. Diduszko, H. Lange, and P. Dłużewski; **18**(10), 2451–2458.

Aoi, Yoshifumi–Synthesis of mesoscopic hollow spheres and inner surface functionalized hollow spheres of titanium dioxide by the liquid phase deposition method.–Yoshifumi Aoi, Hisae Kambayashi, Eiji Kamijo, and Shigehito Deki; **18**(12), 2832–2836.

Aravind, M.–Formation of $Mg–Mg_2Cu$ nanostructured eutectic in Mg-based metal matrix composite.–N.G. Ma, C.J. Deng, P. Yu, W.Y. Kwok, M. Aravind, D.H.L. Ng, and S.L.I. Chan; **18**(8), 1934–1942.

–Tensile strength of zinc oxide films measured by a microbridge method.–C.W. Ong, D.G. Zong, M. Aravind, C.L. Choy, and D.R. Lu; **18**(10), 2464–2472.

Arendt, P.N.–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Arias, V.–Porous silica derived from chitosan-containing hybrid composites.–J. Retuert, R. Quijada, V. Arias, and M. Yazdani-Pedram; **18**(2), 487–494.

Arita, M.–Study on the nature of the electrochemically synthesized hard Fe–15.4 mass% Ni–0.70 mass% C alloy film.–A.S.M.A. Haseeb, Y. Hayashi, M. Masuda, and M. Arita; **18**(4), 840–847.

Asami, Katsuhiko–Formation, corrosion behavior, and mechanical properties of bulk glassy Zr–Al–Co–Nb alloys.–Shujie Pang, Tao Zhang, Katsuhiko Asami, and Akihisa Inoue; **18**(7), 1652–1658.

Asoka-Kumar, P.–Temperature dependence of positron annihilation in a Zr–Ti–Ni–Cu–Be bulk metallic glass.–Daewoong Suh, Reinhold H. Dauskardt, P. Asoka-Kumar, Philip A. Sterne, and Richard H. Howell; **18**(9), 2021–2024(L).

Atzmon, M.–Rate dependence of serrated flow in a metallic glass.–W.H. Jiang and M. Atzmon; **18**(4), 755–757(L).

Aulbach, Emil–Viscous Poisson's coefficient determined by discontinuous hot forging.–Ruzhong Zuo, Emil Aulbach, and Jürgen Rödel; **18**(9), 2170–2176.

Awatsu, Satoshi–Photoinduced hydrophilicity and photocatalytic decomposition of endocrine-disrupting chemical pentachlorophenol on hollandite.–Toshiyuki Mori, Mamoru Watanabe, Hiromitsu Nakajima, Masaru Harada, Kenjiro Fujimoto, Satoshi Awatsu, and Yoshio Hasegawa; **18**(5), 1046–1053.

Aymard, L.–Enhanced hydrogen sorption capacities and kinetics of Mg_2Ni alloys by ball-milling with carbon and Pd coating.–R. Janot, L. Aymard, A. Rougier, G.A. Nazri, and J.M. Tarascon; **18**(8), 1749–1752(L).

Aytug, T.–High critical current density $YBa_2Cu_3O_{7-\delta}$ coatings on $LaMnO_3$-buffered biaxially textured Cu tapes for coated conductor applications.–T. Aytug, A. Goyal, N. Rutter, M. Paranthaman, J.R. Thompson, H.Y. Zhai, and D.K. Christen; **18**(4), 872–877.

–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Azim, A.–High-temperature deformation of mullite and analysis of creep curves.–H. Rhanim, C. Olagnon, G. Fantozzi, and A. Azim; **18**(8), 1771–1776.

B

Babu, S.V.–Effects of process variables on properties and composition of a-Si:C:H films.–I.L. Moskowitz, W.A. Lanford, and S.V. Babu; **18**(1), 129–138.

–Mechanism and an empirical model of the fixed abrasive polishing process on a web-format tool.–Rajasekhar Venigalla, Laertis Economikos, and S.V. Babu; **18**(7), 1659–1667.

–Effects of mixed abrasives in chemical mechanical polishing of oxide films.–Zhenyu Lu, Seung-Ho Lee, Venkata R.K. Gorantla, S.V. Babu, and Egon Matijević; **18**(10), 2323–2330.

Babushok, Valeri I.–Cosolvent-assisted spray pyrolysis for the generation of metal particles.–Jung Hyeun Kim, Valeri I. Babushok, Thomas A. Germer, George W. Mulholland, and Sheryl H. Ehrman; **18**(7), 1614–1622.

Bae, Byeong-Soo–Photoluminescence of mesoporous silica films impregnated with an erbium complex.–Oun-Ho Park, Se-Young Seo, Ji-In Jung, Jae Young Bae, and Byeong-Soo Bae; **18**(5), 1039–1042(L).

–Effect of organic modifiers on the thermo-optic characteristics of inorganic–organic hybrid material films.–Eun-Seok Kang, Jang-Ung Park, and Byeong-Soo Bae; **18**(8), 1889–1894.

Bae, D.H.–Synthesis of Ni-based bulk metallic glass matrix composites containing ductile brass phase by warm extrusion of gas atomized powders.–M.H. Lee, D.H. Bae, D.H. Kim, and D.J. Sordelet; **18**(9), 2101–2108.

Bae, Jae Young–Photoluminescence of mesoporous silica films impregnated with an erbium complex.–Oun-Ho Park, Se-Young Seo, Ji-In Jung, Jae Young Bae, and Byeong-Soo Bae; **18**(5), 1039–1042(L).

Bahr, D.F.–Influence of structure and chemistry on piezoelectric properties of lead zirconate titanate in a microelectromechanical systems power generation application.–L.M.R. Eakins, B.W. Olson, C.D. Richards, R.F. Richards, and D.F. Bahr; **18**(9), 2079–2086.

–Strength enhancement of single crystal laser components.–K.E. Shafer, D.E. Eakins, D.F. Bahr, M.G. Norton, and K.G. Lynn; **18**(11), 2537–2539(L).

Bai, Hai Yang–Formation, properties, thermal characteristics, and crystallization of hard magnetic Pr–Al–Fe–Cu bulk metallic glasses.–Zheng Li, Hai Yang Bai, Ming Xiang Pan, De Qian Zhao, Wan Lu Wang, and Wei Hua Wang; **18**(9), 2208–2213.

Bai, Y.L.–Effects of nanostructures on the fracture strength of the interfaces in nacre.–F. Song and Y.L. Bai; **18**(8), 1741–1744(L).

Bailey, Craig–Evolution of microstructure during the thermal processing of titania and vanadium-modified titania gels.–Francis J. Allison, David M. Grant, Karen McKinlay, Craig Bailey, and Philip G. Harrison; **18**(3), 594–603.

Baker, Shefford P.–Effect of oxygen on the thermomechanical behavior of passivated Cu thin films.–Jonathan B. Shu, Susan B. Clyburn, Thomas E. Mates, and Shefford P. Baker; **18**(9), 2122–2134.

Balmori-Ramírez, H.–Mechanical properties and low-temperature aging of tetragonal zirconia polycrystals processed by hot isostatic pressing.–J. Muñoz-Saldaña, H. Balmori-Ramírez, D. Jaramillo-Vigueras, T. Iga, and G.A. Schneider; **18**(10), 2415–2426.

Banerjee, Rajarshi–Processing and microstructural characterization of sputter-deposited Ni/Ni_3Al multilayered thin films.–Evan A. Sperling, Rajarshi Banerjee, Gregory B. Thompson, Jason P. Fain, Peter M. Anderson, and Hamish L. Fraser; **18**(4), 979–987.

Banno, Kouichi–Synthesis of a $KNbO_3$ particle/polymer hybrid from metalorganics.–Toshinobu Yogo, Kouichi Banno, Wataru Sakamoto, and Shin-ichi Hirano; **18**(7), 1679–1685.

Bao, Chunyan–Synthesis of hyperbranched poly(amine–ester)-protected noble metal nanoparticles in aqueous solution.–Chunyan Bao, Ming Jin, Ran Lu, Pengchong Xue, Tierui Zhang, Changhui Tan, and Yingying Zhao; **18**(6), 1392–1398.

Barnes, P.N.–New approach to depositing yttria-stabilized zirconia buffer layers for coated conductors.–S. Sambasivan, I. Kim, S. Barnett, M.A. Zurbuchen, J. Ji, B.W. Kang, A. Goyal, P.N. Barnes, and C.E. Oberly; **18**(4), 919–928.

–Partial melt processing of solid-solution $Bi_2Sr_2CaCu_2O_{8+\delta}$ thick-film conductors with nanophase Al_2O_3 additions.–T. Haugan, W. Wong-Ng, L.P. Cook, M.D. Vaudin, L. Swartzendruber, and P.N. Barnes; **18**(5), 1054–1066.

–Island growth of Y_2BaCuO_5 nanoparticles in $(211_{\sim 1.5\ nm}/123_{\sim 10\ nm})\times N$ composite multilayer structures to enhance flux pinning of $YBa_2Cu_3O_{7-\delta}$ films.–T. Haugan, P.N. Barnes, I. Maartense, C.B. Cobb, E.J. Lee, and M. Sumption; **18**(11), 2618–2623.

Barnett, S.–New approach to depositing yttria-stabilized zirconia buffer layers for coated conductors.–S. Sambasivan, I. Kim, S. Barnett, M.A. Zurbuchen, J. Ji, B.W. Kang, A. Goyal, P.N. Barnes, and C.E. Oberly; **18**(4), 919–928.

Barta, Čestmír–Casting properties of the high-strength AlZnMgCuNiSi alloys.–Dalibor Vojtěch, Elšad Tagiev, Čestmír Barta, Čestmír Barta, Jr., Jan Šerák, Petr Janda, and Ondřej Eckert; **18**(3), 635–641.

Barta, Jr., Čestmír–Casting properties of the high-strength AlZnMgCuNiSi alloys.–Dalibor Vojtěch, Elšad Tagiev, Čestmír Barta, Čestmír Barta, Jr., Jan Šerák, Petr Janda, and Ondřej Eckert; **18**(3), 635–641.

Bastawros, Ashraf F.–Deformation characteristics of tin-based solder joints.–Antonia Antoniou and Ashraf F. Bastawros; **18**(10), 2304–2309.

Basu, Bikramjit–Unlubricated tribological performance of advanced ceramics and composites at fretting contacts with alumina.–Bikramjit Basu, Jozef Vleugels, and Omer Van Der Biest; **18**(6), 1314–1324.

Baumann, Theodore F.–Fabrication of activated carbon fibers/carbon aerogels composites by gelation and supercritical drying in isopropanol.–Ruowen Fu, Bo Zheng, Jie Liu, Steve Weiss, Jackie Y. Ying, Mildred S. Dresselhaus, Gene Dresselhaus, Joe H. Satcher, Jr., and Theodore F. Baumann; **18**(12), 2765–2773.

Baunack, S.–Stability of the $Mg_{65}Y_{10}Cu_{15}Ag_{10}$ metallic glass in neutral and weakly acidic media.–R.V. Subba Rao, U. Wolff, S. Baunack, J. Eckert, and A. Gebert; **18**(1), 97–105.

Be'ery, Ilan–Shape and energies of a dynamically propagating crack under bending.–Dov Sherman and Ilan Be'ery; **18**(10), 2379–2386.

Beag, Y.W.–An approach to durable poly(vinylidene fluoride) thin film loudspeaker.–C.S. Lee, J.Y. Kim, D.E. Lee, J. Joo, S. Han, Y.W. Beag, and S.K. Koh; **18**(12), 2904–2911.

Belevtsev, B.I.–Structural, magnetic, and transport properties of pulsed-laser deposition $La_{0.65}Ca_{0.35}MnO_3$ films grown under different substrate arrangements in the laser plume.–B.I. Belevtsev, D.G. Naugle, K.D.D. Rathnayaka, I.N. Chukanova, J.H. Ross, and V.M. Ishchuk; **18**(10), 2406–2414.

Belova, L.M.–Imaging of piezoelectric activity in laser-ablated c-axis-oriented $LiNbO_3$/ZnO thin film multilayer on glass using atomic force microscopy.–Parmanand Sharma, K. Sreenivas, L.M. Belova, and K.V. Rao; **18**(9), 2025–2028(L).

Benavídez, Edgardo–Nanostructural study of sol-gel-derived zirconium oxides.–María C. Caracoche, Patricia C. Rivas, Mario M. Cervera, Ricardo Caruso, Edgardo Benavídez, Oscar de Sanctis, and Sergio R. Mintzer; **18**(1), 208–215.

Benčan, Andreja–Subsolidus phase equilibria in the RuO_2–Bi_2O_3–CeO_2 system.–Marko Hrovat, Andreja Benčan, Janez Holc, Tadej Rojac, and Marija Kosec; **18**(6), 1297–1300(L).

Bérces, G.–Dynamic characterization of Portevin–Le Chatelier instabilities occurring in depth-sensing microhardness tests.–G. Bérces, J. Lendvai, A. Juhász, and N.Q. Chinh; **18**(12), 2874–2881.

Berenov, A.–Surface-oxidation studies of cube-textured, pure nickel to form NiO as a potential $YBa_2Cu_3O_{7-x}$-coated conductor buffer layer.–Z. Lockman, A. Berenov, W. Goldacker, R. Nast, B. de-Boer, B. Holzapfel, and J.L. MacManus-Driscoll; **18**(2), 327–337.

–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky, L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Bernard, F.–Investigation of mechanically activated field-activated pressure-assisted synthesis processing parameters for producing dense nanostructured FeAl.–S. Paris, Ch. Valot, L. Gosmain, E. Gaffet, F. Bernard, and Z. Munir; **18**(10), 2331–2338.

Berndt, Christopher C.–Small-angle neutron scattering study of the role of feedstock particle size on the microstructural behavior of plasma-sprayed yttria-stabilized zirconia deposits.–Hacène Boukari, Andrew J. Allen, Gabrielle G. Long, Jan Ilavsky, Jay S. Wallace, Christopher C. Berndt, and Herbert Herman; **18**(3), 624–634.

Bernik, S.–Compositional homogeneity of ferroelectric (Pb,La)$(Ti,Zr)O_3$ thick films.–S. Bernik, R.B. Marinenko, J. Holc, Z. Samardžija, M. Čeh, and M. Kosec; **18**(2), 515–523.

Bertolino, N.–Self-propagating high-temperature synthesis of functionally graded materials as thermal protection systems for high-temperature applications.–N. Bertolino, M. Monagheddu, A. Tacca, P. Giuliani, C. Zanotti, F. Maglia, and U. Anselmi Tamburini; **18**(2), 448–455.

Bhattacharya, S.K.–Strong green and red emission of a newly developed calcium fluoroaluminate: Eu^{3+} phosphor.–R. Sahoo, S.K. Bhattacharya, and R. Debnath; **18**(3), 609–615.

Bilodeau, Steven M.–Structural analysis of coexisting tetragonal and rhombohedral phases in polycrystalline $Pb(Zr_{0.35}Ti_{0.65})O_3$ thin films.–Maxim B. Kelman, Paul C. McIntyre, Bryan C. Hendrix, Steven M. Bilodeau, Jeffrey F. Roeder, and Sean Brennan; **18**(1), 173–179.

Blackburn, Martin J.–Characterization of the microstructure and phase equilibria calculations for the powder metallurgy superalloy IN100.–Agnieszka M. Wusatowska-Sarnek, Gautam Ghosh, Gregory B. Olson, Martin J. Blackburn, and Mark Aindow; **18**(11), 2653–2663.

Blanchart, Philippe–Structural transformation of a kaolinite and calcite mixture to gehlenite and anorthite.–Karfa Traoré and Philippe Blanchart; **18**(2), 475–481.

Blobaum, K.J.–Sputter-deposition and characterization of paramelaconite.–K.J. Blobaum, D. Van Heerden, A.J. Wagner, D.H. Fairbrother, and T.P. Weihs; **18**(7), 1535–1542.

Boerio-Goates, Juliana–Grain-growth kinetics of rutile TiO_2 nanocrystals under hydrothermal conditions.–Guangshe Li, Liping Li, Juliana Boerio-Goates, and Brian F. Woodfield; **18**(11), 2664–2669.

Bolduc, M.–Optimum tribological improvement of aluminum using oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, and R.G. St-Jacques; **18**(8), 1761–1764(L).

–Selective modification of the tribological properties of aluminum through temperature and dose control in oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, and R.G. St-Jacques; **18**(12), 2779–2792.

Boschi, T.M.–Structural phase evolution of strontium-doped lead titanate thin films prepared by the soft chemical technique.–F.M. Pontes, S.H. Leal, P.S. Pizani, M.R.M.C. Santos, E.R. Leite, E. Longo, F. Lanciotti, Jr., T.M. Boschi, and J.A. Varela; **18**(3), 659–663.

Boschini, F.–Preparation of $BaZrO_3$ powders by a spray-drying process.–B. Robertz, F. Boschini, A. Rulmont, R. Cloots, I. Vandriessche, S. Hoste, and J. Lecomte-Beckers; **18**(6), 1325–1332.

Boukari, Hacène–Small-angle neutron scattering study of the role of feedstock particle size on the microstructural behavior of plasma-sprayed yttria-stabilized zirconia deposits.–Hacène Boukari, Andrew J. Allen, Gabrielle G. Long, Jan Ilavsky, Jay S. Wallace, Christopher C. Berndt, and Herbert Herman; **18**(3), 624–634.

Brandt, Oliver–Photoluminescence intensity of GaN films with widely varying dislocation density.–Yue Jun Sun, Oliver Brandt, and Klaus H. Ploog; **18**(5), 1247–1250.

Brennan, Sean–Structural analysis of coexisting tetragonal and rhombohedral phases in polycrystalline $Pb(Zr_{0.35}Ti_{0.65})O_3$ thin films.–Maxim B. Kelman, Paul C. McIntyre, Bryan C. Hendrix, Steven M. Bilodeau, Jeffrey F. Roeder, and Sean Brennan; **18**(1), 173–179.

Brokken-Zijp, José C.M.–Subsurface cracking during indentation on hybrid coatings on polycarbonate.–Victor A. Soloukhin, José C.M. Brokken-Zijp, and Gijsbertus de With; **18**(2), 507–514.

Brüning, R.–Thermal and structural properties of B_2O_3–H_2O glasses.–R. Brüning and S. Patterson; **18**(10), 2494–2500.

Buchheit, T.–Nanoindentation study of plasticity length scale effects in LIGA Ni microelectromechanical structures.–J. Lou, P. Shrotriya, T. Buchheit, D. Yang, and W.O. Soboyejo; **18**(3), 719–728.

Buchholz, D.B.–Solid-state synthesis of multiwalled carbon nanotubes.–S.P. Doherty, D.B. Buchholz, B-J. Li, and R.P.H. Chang; **18**(4), 941–949.

Bugoslavsky, Y.–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky,

L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Bujdák, Juraj–Molecular orientation of methylene blue intercalated in layer-charge-controlled montmorillonites.–Yoshiro Kaneko, Nobuo Iyi, Juraj Bujdák, Ryo Sasai, and Takektoshi Fujita; **18**(11), 2639–2643.

Burns, George R.–Field-induced strain associated with polarization reversal in a rhombohedral ferroelectric ceramic.–Pin Yang, George R. Burns, and Mark A. Rodriguez; **18**(12), 2869–2873.

Buscaglia, M.T.–Synthesis and characterization of $BaSn(OH)_6$ and $BaSnO_3$ acicular particles.–M.T. Buscaglia, M. Leoni, M. Viviani, V. Buscaglia, A. Martinelli, A. Testino, and P. Nanni; **18**(3), 560–566.

Buscaglia, V.–Synthesis and characterization of $BaSn(OH)_6$ and $BaSnO_3$ acicular particles.–M.T. Buscaglia, M. Leoni, M. Viviani, V. Buscaglia, A. Martinelli, A. Testino, and P. Nanni; **18**(3), 560–566.

Byrd, Eric–Quantitative study of water transport during the hydrolysis of polymer coatings exposed to water vapor.–Sanboh Lee, Tinh Nguyen, Eric Byrd, and Jon Martin; **18**(9), 2268–2275.

Bysakh, Sandip–Evolution of metastable phases during crystallization of pulsed laser deposited amorphous Al–Fe films.–Sandip Bysakh, Puspendu Kumar Das, and Kamanio Chattopadhyay; **18**(2), 284–295.

Byszewski, P.–Morphology and electronic properties of carbon nanotubes grown with Fe catalyst.–E. Kowalska, J. Radomska, P. Byszewski, P. Kowalczyk, K. Antonova, R. Diduszko, H. Lange, and P. Dłużewski; **18**(10), 2451–2458.

C

Cai, Bing-Chu–Giant magnetoimpedance and stress-impedance effects in multilayered FeSiB/Cu/FeSiB films with a meander structure.–Xin-Hui Mao, Yong Zhou, Ji-An Chen, Jin-Qiang Yu, and Bing-Chu Cai; **18**(4), 868–871.

Calvo-Dahlborg, M.–Amorphous alloy composition with high glass-formation ability in the pseudoternary Zr–[IQC-$Al_{62}Cu_{25.5}Fe_{12.5}$]–[DQC-$Al_{70}Co_{15}Ni_{15}$] alloy system.–Yi Lei, M. Calvo-Dahlborg, J.M. Dubois, Zukun Hei, P. Weisbecker, and Chuang Dong; **18**(7), 1588–1593.

Cammarata, R.C.–Bulk processing of high-performance nanocrystalline intermetallics.–C.H. Shang, R.C. Cammarata, C. Van Heerden, T.P. Weihs, and C.L. Chien; **18**(9), 2017–2020(L).

Cann, David P.–Perovskite phase formation and ferroelectric properties of the lead nickel niobate–lead zinc niobate–lead zirconate titanate ternary system.–Naratip Vittayakorn, Gobwute Rujijanagul, Tawee Tunkasiri, Xiaoli Tan, David P. Cann; **18**(12), 2882–2889.

Cantoni, C.–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$/$LaMnO_3$/MgO/TiN heterostructures on Cu metal substrates for development of coated conductors.–C. Cantoni, D.K. Christen, M. Varela, J.R. Thompson, S.J. Pennycook, E.D. Specht, and A. Goyal; **18**(10), 2387–2400.

Cao, P.J.–High-density aligned carbon nanotubes with uniform diameters.–P.J. Cao, Y.S. Gu, H.W. Liu, F. Shen, Y.G. Wang, Q.F. Zhang, J.L. Wu, and H.J. Gao; **18**(7), 1686–1690.

Capehart, T.W.–Determining constitutive models from conical indentation: Sensitivity analysis.–T.W. Capehart and Y-T. Cheng; **18**(4), 827–832.

Caracoche, María C.–Nanostructural study of sol-gel-derived zirconium oxides.–María C. Caracoche, Patricia C. Rivas, Mario M. Cervera, Ricardo Caruso, Edgardo Benavídez, Oscar de Sanctis, and Sergio R. Mintzer; **18**(1), 208–215.

Carmel, Yuval–Microwave sintering and properties of AlN/TiB_2 composites.–Geng-fu Xu, Yuval Carmel, Tayo Olorunyolemi, Isabel K. Lloyd, and Otto C. Wilson, Jr.; **18**(1), 66–76.

Carrillo, Alvaro–Spectral fingerprinting of structural defects in plasma-treated carbon nanotubes.–Nirupama Chakrapani, Seamus Curran, Bingqing Wei, Pulickel M. Ajayan, Alvaro Carrillo, and Ravi S. Kane; **18**(10), 2515–2521.

Carrillo, Anna Esther–Identification of Nd163 phase in melt-textured $NdBa_2Cu_3O_{7-\delta}$ bulk samples.–Marcello Gombos, Vicente Gomis, Anna Esther Carrillo, Antonio Vecchione, Sandro Pace, and Xavier Obradors; **18**(9), 2050–2054.

Caruso, Ricardo–Nanostructural study of sol-gel-derived zirconium oxides.–María C. Caracoche, Patricia C. Rivas, Mario M. Cervera, Ricardo Caruso, Edgardo Benavídez, Oscar de Sanctis, and Sergio R. Mintzer; **18**(1), 208–215.

Cavalieri, A.L.–Mechanical evaluation at high temperatures of hot gunning refractory mixtures.–G.I. Gasillón, A.G. Tomba Martinez, A.L. Cavalieri, M. de Córdova, and R. Topolevsky; **18**(2), 524–530.

Čeh, M.–Compositional homogeneity of ferroelectric (Pb,La)$(Ti,Zr)O_3$ thick films.–S. Bernik, R.B. Marinenko, J. Holc, Z. Samardžija, M. Čeh, and M. Kosec; **18**(2), 515–523.

Cervera, Mario M.–Nanostructural study of sol-gel-derived zirconium oxides.–María C. Caracoche, Patricia C. Rivas, Mario M. Cervera, Ricardo Caruso, Edgardo Benavídez, Oscar de Sanctis, and Sergio R. Mintzer; **18**(1), 208–215.

Cha, Seung I.–Generalized shear-lag model for load transfer in SiC/Al metal-matrix composites.–Ho J. Ryu, Seung I. Cha, and Soon H. Hong; **18**(12), 2851–2858.

Chaim, R.–Grain-growth kinetics in a nanocrystalline 2 yttria-stabilized tetragonal zirconia polycrystals ceramic with a silica-based glassy phase.–O. Markhsev and R. Chaim; **18**(4), 950–955.

Chakrapani, Nirupama–Spectral fingerprinting of structural defects in plasma-treated carbon nanotubes.–Nirupama Chakrapani, Seamus Curran, Bingqing Wei, Pulickel M. Ajayan, Alvaro Carrillo, and Ravi S. Kane; **18**(10), 2515–2521.

Chan, S.L.I.–Formation of Mg–Mg_2Cu nanostructured eutectic in Mg-based metal matrix composite.–N.G. Ma, C.J. Deng, P. Yu, W.Y. Kwok, M. Aravind, D.H.L. Ng, and S.L.I. Chan; **18**(8), 1934–1942.

Chandra, Amreesh–Evolution of crystallographic phases in the system $(Pb_{1-x}Ca_x)TiO_3$: A Rietveld study.–Amreesh Chandra and Dhananjai Pandey; **18**(2), 407–414.

Chandrasekar, S.–Semi-inverse method for predicting stress–strain relationship from cone indentations.–A. DiCarlo, H.T.Y. Yang, and S. Chandrasekar; **18**(9), 2068–2078.

Chang, Hsiu-yu–Determination of reactive wetting properties of Sn, Sn–Cu, Sn–Ag, and Sn–Pb alloys using a wetting balance technique.–Hsiu-yu Chang, Sinn-wen Chen, David Shan-hill Wong, and Hsiu-Feng Hsu; **18**(6), 1420–1428.

Chang, R.P.H.–Solid-state synthesis of multiwalled carbon nanotubes.–S.P. Doherty, D.B. Buchholz, B-J. Li, and R.P.H. Chang; **18**(4), 941–949.

Chang, Shou-Yi–Investigation on the arc erosion behavior of new silver matrix composites: Part I. Reinforced by particles.–Shou-Yi Chang, Chia-Jung Hsu, Cher-Hao Hsu, and Su-Jien Lin; **18**(4), 804–816.

–Investigation on the arc erosion behavior of new silver matrix composites: Part II. Reinforced by short fibers.–Chia-Jung Hsu, Shou-Yi Chang, Liang-Yu Chou, and Su-Jien Lin; **18**(4), 817–826.

Chattopadhyay, Kamanio–Evolution of metastable phases during crystallization of pulsed laser deposited amorphous Al–Fe films.–Sandip Bysakh, Puspendu Kumar Das, and Kamanio Chattopadhyay; **18**(2), 284–295.

Chattopadhyay, Soma–Growth, characterization, and electrical properties of $PbZr_{0.52}Ti_{0.48}O_3$ thin films on buffered silicon substrates using pulsed laser deposition.–Walter M. Gilmore, III, Soma Chattopadhyay, Alex Kvit, A.K. Sharma, C.B. Lee, Ward J. Collis, J. Sankar, and J. Narayan; **18**(1), 111–114.

Chayahara, Akiyoshi–X-ray absorption fine structure study on the formation of Cu–Br bonds in (Br + Cu) ion implanted silica glass.–Kohei Fukumi, Akiyoshi Chayahara, Atsushi Kinomura, Hiroyuki Kageyama, Kohei Kadono, Naoyuki Kitamura, Junji Nishii, and Yuji Horino; **18**(4), 885–894.

Chen, Alex Minhua–Electrodeposition of diamondlike carbon films on nickel substrates.–Alex Minhua Chen, Charoendee Pingsuthiwong, and Teresa Diane Golden; **18**(7), 1561–1565.

Chen, Biao–Radiative properties of $Eu(DBM)_3Phen$-doped poly(methyl methacrylate).–Hao Liang, Zhiqiang Zheng, Qijin Zhang, Hai Ming, Biao Chen, Jie Xu, and Hui Zhao; **18**(8), 1895–1899.

Chen, Chih-ming–Electromigration effects upon the low-temperature Sn/Ni interfacial reactions.–Chih-ming Chen and Sinn-wen Chen; **18**(6), 1293–1296(L).

Chen, Chuangtian–Growth and properties of $KBe_2BO_3F_2$ crystal.–Jiyang Wang, Chenqian Zhang, Yaogang Liu, Jianxiu Zhang, Xiaobo Hu, Minhua Jiang, Chuangtian Chen, Yicheng Wu, and Zuyan Xu; **18**(10), 2478–2485.

Chen, Guangming–Preparation and characterization of poly(tetramethyl-*p*-phenylenediamine)/clay hybrids via intercalative polymerization.–Guangming Chen, Nobuo Iyi, and Taketoshi Fujita; **18**(2), 482–486.

Chen, Haydn–Synthesis and structural characterization of rutile SnO_2 nanocrystals.–Zhiwen Chen, J.K.L. Lai, C.H. Shek, and Haydn Chen; **18**(6), 1289–1292(L).

Chen, Hong-Yuan–Controllable synthesis of palladium nanoparticles via a simple sonoelectrochemical method.–Xiao-Feng Qiu, Jin-Zhong Xu, Jian-Ming Zhu, Jun-Jie Zhu, Shu Xu, and Hong-Yuan Chen; **18**(6), 1399–1404.

Chen, I-Cherng–Low-temperature growth of ZnO nanowires.–Yung-Kuan Tseng, I-Nan Lin, Kuo-Shung Liu, Tzer-Shen Lin, and I-Cherng Chen; **18**(3), 714–718.

–Two-step oxygen injection process for growing ZnO nanorods.–Yung-Kuan Tseng, Hsu-Cheng Hsu, Wen-Feng Hsieh, Kuo-Shung Liu, I-Cherng Chen; **18**(12), 2837–2844.

Chen, Ji–Microstructure and thermal stability of an ultrafine Al/Al_2O_3 composite.–Zhiqing Yang, Lianlong He, Ji Chen, Hongtao Cong, and Hengqiang Ye; **18**(2), 272–278.

Chen, Ji-An–Giant magnetoimpedance and stress-impedance effects in multilayered FeSiB/Cu/FeSiB films with a meander structure.–Xin-Hui Mao, Yong Zhou, Ji-An Chen, Jin-Qiang Yu, and Bing-Chu Cai; **18**(4), 868–871.

Chen, Jinzhou–Hydrogen storage in Ti–V-based body-centered-cubic phase alloys.–Xuebin Yu, Zhu Wu, Baojia Xia, Taizhong Huang, Jinzhou Chen, Zaosong Wang, and Naixin Xu; **18**(11), 2533–2536(L).

Chen, Kuei-Hsien–Enhanced field emission from nitrogen-doped amorphous diamond.–Ming-Chi Kan, Jow-Lay Huang, James C. Sung, Kuei-Hsien Chen, and Ding-Fwu Lii; **18**(7), 1594–1599.

Chen, L.–Composition control of radio-frequency magnetron sputter-deposited $La_{0.5}Sr_{0.5}CoO_{3-\partial}$ thin films.–D.O. Klenov, W. Donner, L. Chen, A.J. Jacobson, and S. Stemmer; **18**(1), 188–194.

Chen, Sheng–Self-reinforced Y-α-sialon ceramics with barium aluminosilicate as an additive.–Feng Ye, Mikio Iwasa, Caili Su, and Sheng Chen; **18**(10), 2446–2450.

Chen, Sinn-wen–Electromigration effects upon the low-temperature Sn/Ni interfacial reactions.–Chih-ming Chen and Sinn-wen Chen; **18**(6), 1293–1296(L).

–Determination of reactive wetting properties of Sn, Sn–Cu, Sn–Ag, and Sn–Pb alloys using a wetting balance technique.–Hsiu-yu Chang, Sinn-wen Chen, David Shan-hill Wong, and Hsiu-Feng Hsu; **18**(6), 1420–1428.

Chen, Xihong–Shape-controllable synthesis of indium oxide structures: Nanopyramids and nanorods.–Ye Zhang, Hongbo Jia, Dapeng Yu, Xuhui Luo, Zhensheng Zhang, Xihong Chen, and Cheoljin Lee; **18**(12), 2793–2798.

Chen, Y.–Chemical synthesis and characterization of boron/boron nitride core–shell nanostructures.–K.F. Huo, Z. Hu, J.J. Fu, H. Xu, X.Z. Wang, Y. Chen, Y.N. Lü, B.H. Liu, and J. Ding; **18**(7), 1641–1645.

Chen, Yun–Microstructural evolution of body-centered cubic structure related Ti–Zr–Ni phases in non-stoichiometric Zr-based Zr–Ti–Mn–V–Ni hydride electrode alloys.–Xueyan Song, Yun Chen, Cesar Sequeira, Yongquan Lei, Qidong Wang, and Ze Zhang; **18**(1), 37–44.

Chen, Yung-Feng–Transformation kinetics for mullite in kaolin–Al_2O_3 ceramics.–Yung-Feng Chen, Moo-Chin Wang, and Min-Hsiung Hon; **18**(6), 1355–1362.

Chen, Z.–Sonochemical method for the synthesis of antimony sulfide microcrystallites with controllable morphology.–J.H. Zhang, Z. Chen, Z.L. Wang, and N.B. Ming; **18**(8), 1804–1808.

Chen, Zhiwen–Synthesis and structural characterization of rutile SnO_2 nanocrystals.–Zhiwen Chen, J.K.L. Lai, C.H. Shek, and Haydn Chen; **18**(6), 1289–1292(L).

Chen-Mayer, H. Heather–Distribution of chlorine in quartz determined by neutron beam focusing prompt gamma activation analysis and micro-x-ray fluorescence.–H. Heather Chen-Mayer, William J. Heward, Rick L. Paul, Frederic J. Klug, and Yan Gao; **18**(10), 2486–2493.

Cheng, Ching-Tai–Addition of Nb_2O_5 on the electrical properties of buried resistors in low-temperature cofired ceramics.–Ching-Tai Cheng, Jiang-Tsair Lin, and Hong-Ching Lin; **18**(5), 1211–1218.

–Addition of TiO_2 on the electrical properties of buried resistors in low-temperature cofired ceramics.–Ching-Tai Cheng, Jiang-Tsair Lin, and Ying-Chang Hung; **18**(9), 2235–2242.

Cheng, H.M.–Effect of geometrical parameters on the field-emission properties of single-walled carbon nanotube ropes.–Z.G. Zhao, Y. Tong, C. Liu, and H.M. Cheng; **18**(9), 2188–2193.

Cheng, Hui-Ming–Identification of the constituents of double-walled carbon nanotubes using Raman spectra taken with different laser-excitation energies.–Feng Li, S.G. Chou, Wencai Ren, J.A. Gardecki, A.K. Swan, M.S. Ünlü, B.B. Goldberg, Hui-Ming Cheng, and M.S. Dresselhaus; **18**(5), 1251–1258.

Cheng, Jihong–Enthalpies of formation of $LaBO_3$ perovskites (B = Al, Ga, Sc, and In).–Jihong Cheng and Alexandra Navrotsky; **18**(10), 2501–2508.

Cheng, Shou Chang–Interfacial evolution between Cu and Pb-free Sn–Zn–Ag–Al solders upon aging at 150 °C.–Shou Chang Cheng and Kwang Lung Lin; **18**(8), 1795–1803.

Cheng, Y-T.–Determining constitutive models from conical indentation: Sensitivity analysis.–T.W. Capehart and Y-T. Cheng; **18**(4), 827–832.

Chi, E.O.–Fabrication of TiO_2 nanospheres by template replication in porous carbon networks.–J.C. Kim, Y.N. Kim, E.O. Chi, N.H. Hur, S.B. Yoon, and J-S. Yu; **18**(4), 780–783.

Chiang, Chuang-Chung–Phase stability of B_2O_3-added $Ba_2Ti_9O_{20}$ ceramic: Processing effects.–Sea-Fue Wang, Chuang-Chung Chiang, Chai-Hui Wang, and Jinn P. Chu; **18**(1), 201–207.

Chiang, Chung-Chuang–Effects of additives on the microstructure and dielectric properties of $Ba_2Ti_9O_{20}$ microwave ceramic.–Sea-Fue Wang, Yung-Fu Hsu, Tzuu-Hsing Ueng, Chung-Chuang Chiang, Jinn P. Chu, and Chi-Yuen Huang; **18**(5), 1179–1187.

Chien, C.L.–Bulk processing of high-performance nanocrystalline intermetallics.–C.H. Shang, R.C. Cammarata, C. Van Heerden, T.P. Weihs, and C.L. Chien; **18**(9), 2017–2020(L).

Chinh, N.Q.–Dynamic characterization of Portevin–Le Chatelier instabilities occurring in depth-sensing microhardness tests.–G. Bérces, J. Lendvai, A. Juhász, and N.Q. Chinh; **18**(12), 2874–2881.

Chiu, L.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

Cho, Beomseok–Adhesion, passivation, and resistivity of a Ag(Mg) gate electrode for an amorphous silicon thin-film transistor.–Jaegab Lee, Heejung Yang, Jinhyung Lee, Hyunjung Shin, Jiyoung Kim, Changoh Jeong, Beomseok Cho, Kyuha Chung, and Eungu Lee; **18**(6), 1441–1446.

Cho, Yang Koo–Crystal structures of $(Ba_{1-x}La_x)[Mg_{(1+x)/3}Nb_{(2-x)/3}]O_3$ with $0.9 \leq x \leq 1.0$.–Hyun Min Park, Hwack Joo Lee, Yang Koo Cho, and Sahn Nahm; **18**(4), 1003–1010.

Cho, Young Whan–Modified embedded-atom method calculation for the Ni–W system.–Jae-Hyeok Shim, Sung Il Park, Young Whan Cho, and Byeong-Joo Lee; **18**(8), 1863–1867.

Choe, Sung-Hyu–Composition and temperature dependence of optical energy gaps of $TlGa_{1-x}Sb_xS_2$ single crystals.–Moon-Seog Jin, Jae-Yeol Kim, Koung-Suk Kim, Sung-Hyu Choe, and Ho-Jun Song; **18**(3), 620–623.

Choi, Byung Hyun–Structure and microwave dielectric properties of $(Zn_{1-x}Ni_x)TiO_3$ ceramics.–Hyo Tae Kim, Joon-Cheol Hwang, Joong-Hee Nam, Byung Hyun Choi, and Michael T. Lanagan; **18**(5), 1067–1072.

Choi, Joon Hwan–Synthesis of rutile titania powders: Agglomeration, dissolution, and reprecipitation phenomena.–Sascha M. Klein, Joon Hwan Choi, David J. Pine, and Fred F. Lange; **18**(6), 1457–1464.

Choi, Kook Hyun–Experimental and theoretical characterization of the surface acoustic wave propagation properties of GaN epitaxial layers on c-plane sapphire.–Kook Hyun Choi, Hyeong Joon Kim, Su Jin Chung, Jin Yong Kim, Tae Kun Lee, and Young Jin Kim; **18**(5), 1157–1161.

Choi, Kyu-Jeong–Ultrathin HfO_2 gate dielectric grown by plasma-enhanced chemical vapor deposition using $Hf[OC(CH_3)_3]_4$ as a precursor in the absence of O_2.–Kyu-Jeong Choi, Woong-Chul Shin, and Soon-Gil Yoon; **18**(1), 60–65.

Choi, W.K.–Study of the reaction mechanism between electroless Ni–P and Sn and its effect on the crystallization of Ni–P.–Y.C. Sohn, Jin Yu, S.K. Kang, W.K. Choi, and D.Y. Shih; **18**(1), 4–7(L).

Choi, Woong–Effect of oxygen partial pressure during pulsed laser deposition on the orientation of CeO_2 thin films grown on (100) silicon.–Woong Choi and Tim Sands; **18**(8), 1753–1756(L).

Chou, Liang-Yu–Investigation on the arc erosion behavior of new silver matrix composites: Part II. Reinforced by short fibers.–Chia-Jung Hsu, Shou-Yi Chang, Liang-Yu Chou, and Su-Jien Lin; **18**(4), 817–826.

Chou, S.G.–Identification of the constituents of double-walled carbon nanotubes using Raman spectra taken with different laser-excitation energies.–Feng Li, S.G. Chou, Wencai Ren, J.A. Gardecki, A.K. Swan, M.S. Ünlü, B.B. Goldberg, Hui-Ming Cheng, and M.S. Dresselhaus; **18**(5), 1251–1258.

Chou, Y.T.–Wet oxidation kinetics of AlAs at elevated temperatures.–Sun-Chien Ko, Sanboh Lee, Hai-Lin Wang, and Y.T. Chou; **18**(5), 1027–1030(L).

Chou, Yeong-Shyung–Novel silver/mica multilayer compressive seals for solid-oxide fuel cells: The effect of thermal cycling and material degradation on leak behavior.–Yeong-Shyung Chou and Jeffry W. Stevenson; **18**(9), 2243–2250.

Chow, G.M.–Electroless polyol deposition of FeNi-based powders and films.–H. Yin and G.M. Chow; **18**(1), 180–187.

Choy, C.L.–Tensile strength of zinc oxide films measured by a microbridge method.–C.W. Ong, D.G. Zong, M. Aravind, C.L. Choy, and D.R. Lu; **18**(10), 2464–2472.

Christen, D.K.–High critical current density $YBa_2Cu_3O_{7-\delta}$ coatings on $LaMnO_3$-buffered biaxially textured Cu tapes for coated conductor applications.–T. Aytug, A. Goyal, N. Rutter, M. Paranthaman, J.R. Thompson, H.Y. Zhai, and D.K. Christen; **18**(4), 872–877.

–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$/$LaMnO_3$/MgO/TiN heterostructures on Cu metal substrates for development of coated conductors.–C. Cantoni, D.K. Christen, M. Varela, J.R. Thompson, S.J. Pennycook, E.D. Specht, and A. Goyal; **18**(10), 2387–2400.

Chromik, R.R.–Nanoindentation measurements on Cu–Sn and Ag–Sn intermetallics formed in Pb-free solder joints.–R.R. Chromik, R.P. Vinci, S.L. Allen, and M.R. Notis; **18**(9), 2251–2261.

Chu, Jinn P.–Phase stability of B_2O_3-added $Ba_2Ti_9O_{20}$ ceramic: Processing effects.–Sea-Fue Wang, Chuang-Chung Chiang, Chai-Hui Wang, and Jinn P. Chu; **18**(1), 201–207.

–Effects of additives on the microstructure and dielectric properties of $Ba_2Ti_9O_{20}$ microwave ceramic.–Sea-Fue Wang, Yung-Fu Hsu, Tzuu-Hsing Ueng, Chung-Chuang Chiang, Jinn P. Chu, and Chi-Yuen Huang; **18**(5), 1179–1187.

–Thermal stability of sputtered copper films containing dilute insoluble tungsten: Thermal annealing study.–C.H. Lin, J.P. Chu, T. Mahalingam, T.N. Lin, and S.F. Wang; **18**(6), 1429–1434.

Chuang, Tze-jer–Model of fatigue damage in strain-rate-sensitive composite materials.–Sanboh Lee, Tinh Nguyen, and Tze-jer Chuang; **18**(1), 77–80.

Chukanova, I.N.–Structural, magnetic, and transport properties of pulsed-laser deposition $La_{0.65}Ca_{0.35}MnO_3$ films grown under different substrate arrangements in the laser plume.–B.I. Belevtsev, D.G. Naugle, K.D.D. Rathnayaka, I.N. Chukanova, J.H. Ross, and V.M. Ishchuk; **18**(10), 2406–2414.

Chum, C.C.–Effects of substrate metallizations on solder/underbump metallization interfacial reactions in flip-chip packages during thermal aging.–F. Zhang, M. Li, C.C. Chum, and C-H. Tung; **18**(6), 1333–1341.

Chun, C-M.–Micropatterned lead zirconium titanate thin films.–J.S. Vartuli, M. Özenbaş, C-M. Chun, M. Trau, and I.A. Aksay; **18**(5), 1259–1265.

Chung, H.–Microstructure characterization of oxide coatings deposited by pulsed excimer laser ablation.–M.H. Jilavi, W.M. Kriven, H. Chung, and J. Mazumder; **18**(7), 1623–1630.

Chung, Ho Kyoon–Segregation of aluminum in Si and SiO_2 films deposited by plasma-enhanced chemical vapor deposition in fabrication of low-temperature poly Si thin-film transitor.–U.C. Oh, Kwang Nam Kim, Sung Chul Kim, Hye Dong Kim, and Ho Kyoon Chung; **18**(4), 973–978.

Chung, Kyuha–Adhesion, passivation, and resistivity of a Ag(Mg) gate electrode for an amorphous silicon thin-film transistor.–Jaegab Lee, Heejung Yang, Jinhyung Lee, Hyunjung Shin, Jiyoung Kim, Changoh Jeong, Beomseok Cho, Kyuha Chung, and Eungu Lee; **18**(6), 1441–1446.

Chung, Su Jin–Experimental and theoretical characterization of the surface acoustic wave propagation properties of GaN epitaxial layers on c-plane sapphire.–Kook Hyun Choi, Hyeong Joon Kim, Su Jin Chung, Jin Yong Kim, Tae Kun Lee, and Young Jin Kim; **18**(5), 1157–1161.

Chung, Tai-Shung–Aromatic liquid-crystalline polyesters comprising a 2,5-thiophene unit synthesized and studied by the thin-film polymerization method.–Jingmei Xu, Yan Wang, Tai-Shung Chung, and Suat Hong Goh; **18**(7), 1509–1521.

Ciardullo, Daniel–Synthesis of solid and spirally cracked TiO_2 fibers by a liquid mix process.–Chen-Lung Fan, Daniel Ciardullo, and Wayne Huebner; **18**(3), 687–692.

Clegg, W.J.–Thermal shock of porous silicon nitride with preferentially aligned grains.–L.J. Vandeperre, Y. Inagaki, and W.J. Clegg; **18**(11), 2724–2729.

Clem, P.G.–Chemical solution deposition of biaxially oriented (Ba, Sr)TiO_3 thin films on ⟨100⟩ Ni.–R.J. Ong, J.T. Dawley, and P.G. Clem; **18**(10), 2310–2317.

Cloots, R.–Preparation of $BaZrO_3$ powders by a spray-drying process.–B. Robertz, F. Boschini, A. Rulmont, R. Cloots, I. Vandriessche, S. Hoste, and J. Lecomte-Beckers; **18**(6), 1325–1332.

–Synthesis and characterization of new inorganic polymeric composites based on kaolin or white clay and on ground-granulated blast furnace slag.–I. Lecomte, M. Liégeois, A. Rulmont, R. Cloots, and F. Maseri; **18**(11), 2571–2579.

Clyburn, Susan B.–Effect of oxygen on the thermomechanical behavior of passivated Cu thin films.–Jonathan B. Shu, Susan B. Clyburn, Thomas E. Mates, and Shefford P. Baker; **18**(9), 2122–2134.

Cobb, C.B.–Island growth of Y_2BaCuO_5 nanoparticles in $(211_{\sim 1.5\ nm}/123_{\sim 10\ nm})\times N$ composite multilayer structures to enhance flux pinning of $YBa_2Cu_3O_{7-\delta}$ films.–T. Haugan, P.N. Barnes, I. Maartense, C.B. Cobb, E.J. Lee, and M. Sumption; **18**(11), 2618–2623.

Cohen, L.F.–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky, L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Coia, George M.–High-yield synthesis of carbon coils on tungsten substrates and their behavior in the presence of an electric field.–Jun Jiao, Erik Einarsson, David W. Tuggle, Logan Love, Josie Prado, and George M. Coia; **18**(11), 2580–2587.

Collis, Ward J.–Growth, characterization, and electrical properties of $PbZr_{0.52}Ti_{0.48}O_3$ thin films on buffered silicon substrates using pulsed laser deposition.–Walter M. Gilmore, III, Soma Chattopadhyay, Alex Kvit, A.K. Sharma, C.B. Lee, Ward J. Collis, J. Sankar, and J. Narayan; **18**(1), 111–114.

Cong, Hongtao–Microstructure and thermal stability of an ultrafine Al/Al_2O_3 composite.–Zhiqing Yang, Lianlong He, Ji Chen, Hongtao Cong, and Hengqiang Ye; **18**(2), 272–278.

Conry, Thomas F.–Determination of hardness from nanoscratch experiments: Corrections for interfacial shear stress and elastic recovery.–Noureddine Tayebi, Thomas F. Conry, and Andreas A. Polycarpou; **18**(9), 2150–2162.

Cook, L.P.–Partial melt processing of solid-solution $Bi_2Sr_2CaCu_2O_{8+\delta}$ thick-film conductors with nanophase Al_2O_3 additions.–T. Haugan, W. Wong-Ng, L.P. Cook, M.D. Vaudin, L. Swartzendruber, and P.N. Barnes; **18**(5), 1054–1066.

Cook, Robert F.–Load–displacement behavior during sharp indentation of viscous–elastic–plastic materials.–Michelle L. Oyen and Robert F. Cook; **18**(1), 139–150.

Corcoran, S.G.–Formation of nanoporous platinum by selective dissolution of Cu from $Cu_{0.75}Pt_{0.25}$.–D.V. Pugh, A. Dursun, and S.G. Corcoran; **18**(1), 216–221.

Córdova, M. de–Mechanical evaluation at high temperatures of hot gunning refractory mixtures.–G.I. Gasillón, A.G. Tomba Martinez, A.L. Cavalieri, M. de Córdova, and R. Topolevsky; **18**(2), 524–530.

Corff, Brian A.–Thermomechanical response of bare and Al_2O_3-nanocoated Au/Si bilayer beams for microelectromechanical systems.–Ken Gall, Michael Hulse, Martin L. Dunn, Dudley Finch, Steven M. George, and Brian A. Corff; **18**(7), 1575–1587.

Croitoru, M.D.–Growth of CeO_2 thin films deposited on biaxially textured nickel substrates.–D. Eyidi, M.D. Croitoru, O. Eibl, R. Nemetschek, and W. Prusseit; **18**(1), 14–26.

Cuomo, J.J.–Wavelength-dependent Raman scattering of hydrogenated amorphous silicon carbon with red, green, and blue light excitation.–Minseo Park, V. Sakhrani, J-P. Maria, J.J. Cuomo, C.W. Teng, J.F. Muth, M.E. Ware, B.J. Rodriguez, and R.J. Nemanich; **18**(4), 768–771.

Curran, Seamus–Spectral fingerprinting of structural defects in plasma-treated carbon nanotubes.–Nirupama Chakrapani, Seamus Curran, Bingqing Wei, Pulickel M. Ajayan, Alvaro Carrillo, and Ravi S. Kane; **18**(10), 2515–2521.

Curtis, C.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

D

Daemen, L.–Micron diamond composites with nanocrystalline silicon carbide bonding.–J. Qian, T.W. Zerda, D. He, L. Daemen, and Y. Zhao; **18**(5), 1173–1178.

Dahotre, Narendra B.–Micromechanical properties of a laser-induced iron oxide–aluminum matrix composite coating.–S. Nayak, Laura Riester, Harry M. Meyer, III, and Narendra B. Dahotre; **18**(4), 833–839.

Das, Debajyoti–P-doped μc-Si:H films at a very low thickness and high deposition rate: Suitable for application in solar cells.–Debajyoti Das and Madhusudan Jana; **18**(10), 2371–2378.

Das, Puspendu Kumar–Evolution of metastable phases during crystallization of pulsed laser deposited amorphous Al–Fe films.–Sandip Bysakh, Puspendu Kumar Das, and Kamanio Chattopadhyay; **18**(2), 284–295.

Daugela, Antanas–Highly localized acoustic emission monitoring of nanoscale indentation contacts.–Natalia I. Tymiak, Antanas Daugela, Thomas J. Wyrobek, and Oden L. Warren; **18**(4), 784–796.

Dauskardt, Reinhold H.–Reply to the comments of K. Schröter.–Daewoong Suh and Reinhold H. Dauskardt; **18**(8), 2000–2001(C).

–Temperature dependence of positron annihilation in a Zr–Ti–Ni–Cu–Be bulk metallic glass.–Daewoong Suh, Reinhold H. Dauskardt, P. Asoka-Kumar, Philip A. Sterne, and Richard H. Howell; **18**(9), 2021–2024(L).

Dawley, J.T.–Chemical solution deposition of biaxially oriented (Ba,Sr)TiO_3 thin films on ⟨100⟩ Ni.–R.J. Ong, J.T. Dawley, and P.G. Clem; **18**(10), 2310–2317.

De Jonghe, Lutgard C.–Thermal modification of microstructures and grain boundaries in silicon carbide.–Xiao Feng Zhang and Lutgard C. De Jonghe; **18**(12), 2807–2813.

Debnath, R.–Strong green and red emission of a newly developed calcium fluoroaluminate: Eu^{3+} phosphor.–R. Sahoo, S.K. Bhattacharya, and R. Debnath; **18**(3), 609–615.

deBoer, B.–Surface-oxidation studies of cube-textured, pure nickel to form NiO as a potential $YBa_2Cu_3O_{7-x}$-coated conductor buffer layer.–Z. Lockman, A. Berenov, W. Goldacker, R. Nast, B. deBoer, B. Holzapfel, and J.L. MacManus-Driscoll; **18**(2), 327–337.

Deki, Shigehito–Synthesis of mesoscopic hollow spheres and inner surface functionalized hollow spheres of titanium dioxide by the liquid phase deposition method.–Yoshifumi Aoi, Hisae Kambayashi, Eiji Kamijo, and Shigehito Deki; **18**(12), 2832–2836.

Demangeot, François–Residual strain field in indented GaAs.–Pascal Puech, François Demangeot, Paulo Sergio Pizani, Samuel Wey, and Chantal Fontaine; **18**(6), 1474–1480.

Demenet, J.L.–Transition from brittle fracture to ductile behavior in 4H–SiC.–Ming Zhang, H.M. Hobgood, J.L. Demenet, and P. Pirouz; **18**(5), 1087–1095.

Deng, C.J.–Formation of Mg–Mg_2Cu nanostructured eutectic in Mg-based metal matrix composite.–N.G. Ma, C.J. Deng, P. Yu, W.Y. Kwok, M. Aravind, D.H.L. Ng, and S.L.I. Chan; **18**(8), 1934–1942.

DePaula, R.F.–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Detavernier, C.–Mixing entropy and the nucleation of silicides: Ni–Pd–Si and Co–Mn–Si ternary systems.–C. Detavernier, X.P. Qu, R.L. Van Meirhaeghe, B.Z. Li, and K. Maex; **18**(7), 1668–1678.

DiCarlo, A.–Semi-inverse method for predicting stress–strain relationship from cone indentations.–A. DiCarlo, H.T.Y. Yang, and S. Chandrasekar; **18**(9), 2068–2078.

Dickerson, Matthew B.–Incongruent reduction of tungsten carbide by a zirconium-copper melt.–Zbigniew Grzesik, Matthew B. Dickerson, and Ken H. Sandhage; **18**(9), 2135–2140.

Dickey, Elizabeth C.–Crystallization and high-temperature structural stability of titanium oxide nanotube arrays.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Craig A. Grimes, and Elizabeth C. Dickey; **18**(1), 156–165.

Diduszko, R.–Morphology and electronic properties of carbon nanotubes grown with Fe catalyst.–E. Kowalska, J. Radomska, P. Byszewski, P. Kowalczyk, K. Antonova, R. Diduszko, H. Lange, and P. Dłużewski; **18**(10), 2451–2458.

Ding, J.–Chemical synthesis and characterization of boron/boron nitride core–shell nanostructures.–K.F. Huo, Z. Hu, J.J. Fu, H. Xu, X.Z. Wang, Y. Chen, Y.N. Lü, B.H. Liu, and J. Ding; **18**(7), 1641–1645.

Dłużewski, P.–Morphology and electronic properties of carbon nanotubes grown with Fe catalyst.–E. Kowalska, J. Radomska, P. Byszewski, P. Kowalczyk, K. Antonova, R. Diduszko, H. Lange, and P. Dłużewski; **18**(10), 2451–2458.

Doherty, S.P.–Solid-state synthesis of multiwalled carbon nanotubes.–S.P. Doherty, D.B. Buchholz, B-J. Li, and R.P.H. Chang; **18**(4), 941–949.

Domnich, Vladislav–Effect of indentation unloading conditions on phase transformation induced events in silicon.–Tom Juliano, Yury Gogotsi, and Vladislav Domnich; **18**(5), 1192–1201.

Dong, C.–Composition rule of bulk metallic glasses and quasicrystals using electron concentration criterion.–Y.M. Wang, J.B. Qiang, C.H. Wong, C.H. Shek, C. Dong; **18**(3), 642–648.

–Amorphous alloy composition with high glass-formation ability in the pseudoternary Zr–[IQC-$Al_{62}Cu_{25.5}Fe_{12.5}$]–[DQC-$Al_{70}Co_{15}Ni_{15}$] alloy system.–Yi Lei, M. Calvo-Dahlborg, J.M. Dubois, Zukun Hei, P. Weisbecker, and Chuang Dong; **18**(7), 1588–1593.

Donner, W.–Composition control of radio-frequency magnetron sputter-deposited $La_{0.5}Sr_{0.5}CoO_{3-\delta}$ thin films.–D.O. Klenov, W. Donner, L. Chen, A.J. Jacobson, and S. Stemmer; **18**(1), 188–194.

Donners, M.A.H.–Erratum: Minima in the strength of MnZn ferrites [J. Mater. Res. 16, 3575 (2001)].–M.A.H. Donners, L.J.M.G. Dortmans, G. de With, and D. de Graaf; **18**(8), 2002(E).

Dortmans, L.J.M.G.–Erratum: Minima in the strength of MnZn ferrites [J. Mater. Res. 16, 3575 (2001)].–M.A.H. Donners, L.J.M.G. Dortmans, G. de With, and D. de Graaf; **18**(8), 2002(E).

Doucette, L.D.–Heteroepitaxial growth of tungsten oxide films on silicon(100) using a BaF_2 buffer layer.–L.D. Doucette, F. Santiago, S.L. Moran, and R.J. Lad; **18**(12), 2859–2868.

Dowden, P.–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky, L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Dravid, Vinayak P.–Silica-encapsulated magnetic nanoparticles formed by a combined arc evaporation/chemical vapor deposition technique.–Kevin L. Klug, Vinayak P. Dravid, and D. Lynn Johnson; **18**(4), 988–993.

Dreizin, Edward L.–Structure and properties of Al–Mg mechanical alloys.–Mirko Schoenitz and Edward L. Dreizin; **18**(8), 1827–1836.

Dresselhaus, Gene–Fabrication of activated carbon fibers/carbon aerogels composites by gelation and supercritical drying in isopropanol.–Ruowen Fu, Bo Zheng, Jie Liu, Steve Weiss, Jackie Y. Ying, Mildred S. Dresselhaus, Gene Dresselhaus, Joe H. Satcher, Jr., and Theodore F. Baumann; **18**(12), 2765–2773.

Dresselhaus, Mildred S.–Heat-treatment retention time dependence of polyvinylidenechloride-based carbons on their application to electric double-layer capacitors.–M. Endo, Y.J. Kim, K. Ishii, T. Inoue, T. Nomura, N. Miyashita, and M.S. Dresselhaus; **18**(3), 693–701.

–Identification of the constituents of double-walled carbon nanotubes using Raman spectra taken with different laser-excitation energies.–Feng Li, S.G. Chou, Wencai Ren, J.A. Gardecki, A.K. Swan, M.S. Ünlü, B.B. Goldberg, Hui-Ming Cheng, and M.S. Dresselhaus; **18**(5), 1251–1258.

–Fabrication of activated carbon fibers/carbon aerogels composites by gelation and supercritical drying in isopropanol.–Ruowen Fu, Bo Zheng, Jie Liu, Steve Weiss, Jackie Y. Ying, Mildred S. Dresselhaus, Gene Dresselhaus, Joe H. Satcher, Jr., and Theodore F. Baumann; **18**(12), 2765–2773.

Du, H.–Effects of additive and impurity species on the oxide morphology of silicon nitride.–I.V. Tsarenko, H. Du, and W.Y. Lee; **18**(4), 878–884.

Du, Yuancheng–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Dubois, J.M.–Amorphous alloy composition with high glass-formation ability in the pseudoternary Zr–[IQC-$Al_{62}Cu_{25.5}Fe_{12.5}$]–[DQC-$Al_{70}Co_{15}Ni_{15}$] alloy system.–Yi Lei, M. Calvo-Dahlborg, J.M. Dubois, Zukun Hei, P. Weisbecker, and Chuang Dong; **18**(7), 1588–1593.

Duh, Jenq-Gong–Interface reactions and phase equilibrium between Ni/Cu under-bump metallization and eutectic SnPb flip-chip solder bumps.–Chien-Sheng Huang and Jenq-Gong Duh; **18**(4), 935–940.

–High-temperature MgO–C–Al refractories–metal reactions in high-aluminum-content alloy steels.–Jyh-Wei Lee and Jenq-Gong Duh; **18**(8), 1950–1959.

Dukino, R.D.–Determination of fracture toughness from the extra penetration produced by indentation-induced pop-in.–J.S. Field, M.V. Swain, and R.D. Dukino; **18**(6), 1412–1419.

Dunn, Martin L.–Thermomechanical response of bare and Al_2O_3-nanocoated Au/Si bilayer beams for microelectromechanical systems.–Ken Gall, Michael Hulse, Martin L. Dunn, Dudley Finch, Steven M. George, and Brian A. Corff; **18**(7), 1575–1587.

Duran, Cihangir–Dielectric and piezoelectric properties of textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ ceramics prepared by templated grain growth.–Cihangir Duran, Susan Trolier-McKinstry, and Gary L. Messing; **18**(1), 228–238(E).

Dursun, A.–Formation of nanoporous platinum by selective dissolution of Cu from $Cu_{0.75}Pt_{0.25}$.–D.V. Pugh, A. Dursun, and S.G. Corcoran; **18**(1), 216–221.

Dutta, A.–Mechanical properties of blended single-wall carbon nanotube composites.–D. Penumadu, A. Dutta, G.M. Pharr, and B. Files; **18**(8), 1849–1853.

E

Eakins, D.E.–Strength enhancement of single crystal laser components.–K.E. Shafer, D.E. Eakins, D.F. Bahr, M.G. Norton, and K.G. Lynn; **18**(11), 2537–2539(L).

Eakins, L.M.R.–Influence of structure and chemistry on piezoelectric properties of lead zirconate titanate in a microelectromechanical systems power generation application.–L.M.R. Eakins, B.W. Olson, C.D. Richards, R.F. Richards, and D.F. Bahr; **18**(9), 2079–2086.

Eckert, J.–Stability of the $Mg_{65}Y_{10}Cu_{15}Ag_{10}$ metallic glass in neutral and weakly acidic media.–R.V. Subba Rao, U. Wolff, S. Baunack, J. Eckert, and A. Gebert; **18**(1), 97–105.

–Tensile and fatigue fracture mechanisms of a Zr-based bulk metallic glass.–Z.F. Zhang, J. Eckert, and L. Schultz; **18**(2), 456–465.

–What types of grain boundaries can be passed through by persistent slip bands?–Z.F. Zhang, Z.G. Wang, and J. Eckert; **18**(5), 1031–1034(L).

Eckert, Ondřej–Casting properties of the high-strength AlZnMgCu-NiSi alloys.–Dalibor Vojtěch, Elšad Tagiev, Čestmír Barta, Čestmír Barta, Jr., Jan Šerák, Petr Janda, and Ondřej Eckert; **18**(3), 635–641.

Economikos, Laertis–Mechanism and an empirical model of the fixed abrasive polishing process on a web-format tool.–Rajasekhar Venigalla, Laertis Economikos, and S.V. Babu; **18**(7), 1659–1667.

Eesley, Gary L.–Thermal properties of kinetic spray Al–SiC metal-matrix composite.–Gary L. Eesley, Alaa Elmoursi, and Nilesh Patel; **18**(4), 855–860.

Ehrman, Sheryl H.–Cosolvent-assisted spray pyrolysis for the generation of metal particles.–Jung Hyeun Kim, Valeri I. Babushok, Thomas A. Germer, George W. Mulholland, and Sheryl H. Ehrman; **18**(7), 1614–1622.

Eibl, O.–Growth of CeO_2 thin films deposited on biaxially textured nickel substrates.–D. Eyidi, M.D. Croitoru, O. Eibl, R. Nemetschek, and W. Prusseit; **18**(1), 14–26.

Einarsson, Erik–High-yield synthesis of carbon coils on tungsten substrates and their behavior in the presence of an electric field.–Jun Jiao, Erik Einarsson, David W. Tuggle, Logan Love, Josie Prado, and George M. Coia; **18**(11), 2580–2587.

Eisenbraun, Eric T.–Low-temperature metalorganic chemical vapor deposition of Al_2O_3 for advanced complementary metal-oxide semiconductor gate dielectric applications.–Spyridon Skordas, Filippos Papadatos, Guillermo Nuesca, John J. Sullivan, Eric T. Eisenbraun, and Alain E. Kaloyeros; **18**(8), 1868–1876.

El-Eskandarany, M. Sherif–Mechanically induced devitrifications of ball-milled $Zr_{70}Pd_{20}Ni_{10}$ glassy alloy powders.–M. Sherif El-Eskandarany, J. Saida, and A. Inoue; **18**(2), 250–253(L).

–Mechanism of solid-state reaction for fabrication of new glassy $V_{45}Zr_{22}Ni_{22}Cu_{11}$ alloy powders and subsequent consolidation.–M. Sherif El-Eskandarany, Satoru Ishihara, and A. Inoue; **18**(10), 2435–2445.

El-Mallawany, Raouf–Glass transformation temperature and stability of tellurite glasses.–Raouf El-Mallawany; **18**(2), 402–406.

Elmoursi, Alaa–Thermal properties of kinetic spray Al–SiC metal-matrix composite.–Gary L. Eesley, Alaa Elmoursi, and Nilesh Patel; **18**(4), 855–860.

Embury, J.D.–Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers.–X. Zhang, A. Misra, H. Wang, T.D. Shen, J.G. Swadener, J.D. Embury, H. Kung, R.G. Hoagland, and M. Nastasi; **18**(7), 1600–1606.

Endo, M.–Heat-treatment retention time dependence of polyvinylidenechloride-based carbons on their application to electric double-layer capacitors.–M. Endo, Y.J. Kim, K. Ishii, T. Inoue, T. Nomura, N. Miyashita, and M.S. Dresselhaus; **18**(3), 693–701.

Endoh, Hisamitsu–Transmission electron microscopic studies on an initial stage in the conversion process from α-tricalcium phosphate to hydroxyapatite.–Masato Tamai, Toshiyuki Isshiki, Koji Nishio, Mitsuhiro Nakamura, Atsushi Nakahira, and Hisamitsu Endoh; **18**(11), 2633–2638.

Engelmark, F.–Influence of deposition parameters on the stress of magnetron sputter-deposited AlN thin films on Si(100) substrates.–G.F. Iriarte, F. Engelmark, M. Ottosson, and I.V. Katardjiev; **18**(2), 423–432.

–Erratum: "Influence of deposition parameters on the stress of magnetron sputter-deposited AlN thin films on Si(100) substrates" [J. Mater. Res. 18, 423 (2003)].–G.F. Iriarte, F. Engelmark, M. Ottosson, and I.V. Katardjiev; **18**(7), 1733(E).

Eom, J.Y.–Experiments and modeling study on growth behavior of Cr-nitrides formed on electroplated hard Cr during ion-nitriding.–J.Y. Eom, V. Shankar Rao, H.S. Kwon, K.S. Nam, and S.C. Kwon; **18**(4), 861–867.

Eun, Jae Hwan–Hydration behavior of MgO single crystals and thin films.–Jung Heon Lee, Jae Hwan Eun, Soo Gil Kim, Sun Young Park, Mi Jung Lee, and Hyeong Joon Kim; **18**(12), 2895–2903.

Eyidi, D.–Growth of CeO_2 thin films deposited on biaxially textured nickel substrates.–D. Eyidi, M.D. Croitoru, O. Eibl, R. Nemetschek, and W. Prusseit; **18**(1), 14–26.

F

Fahlman, M.–X-ray photoelectron spectroscopy study of the metal/polymer contacts involving aluminum and poly(3,4-ethylenedioxythiophene)–poly(styrenesulfonic acid) derivatives.–S.K.M. Jönsson, W.R. Salaneck, and M. Fahlman; **18**(5), 1219–1226.

Fain, Jason P.–Processing and microstructural characterization of sputter-deposited Ni/Ni_3Al multilayered thin films.–Evan A. Sperling, Rajarshi Banerjee, Gregory B. Thompson, Jason P. Fain, Peter M. Anderson, and Hamish L. Fraser; **18**(4), 979–987.

Fairbrother, D.H.–Sputter-deposition and characterization of paramelaconite.–K.J. Blobaum, D. Van Heerden, A.J. Wagner, D.H. Fairbrother, and T.P. Weihs; **18**(7), 1535–1542.

Fan, Chen-Lung–Synthesis of solid and spirally cracked TiO_2 fibers by a liquid mix process.–Chen-Lung Fan, Daniel Ciardullo, and Wayne Huebner; **18**(3), 687–692.

Fan, X.W.–Optical properties and electrical characterization of *p*-type ZnO thin films prepared by thermally oxidizing Zn_3N_2 thin films.–B.S. Li, Y.C. Liu, Z.Z. Zhi, D.Z. Shen, Y.M. Lu, J.Y. Zhang, X.W. Fan, R.X. Mu, and Don O. Henderson; **18**(1), 8–13(L).

Fan, Youyu–Long-lasting phosphorescence and photostimulated long-lasting phosphorescence in Mn^{2+}-doped aluminophosphofluoride glasses irradiated by a femtosecond laser.–Xiongwei Jiang, Jianrong Qiu, Youyu Fan, Hefang Hu, and Congshan Zhu; **18**(3), 616–619.

Fang, Tsang-Tse–Effect of CeO_2 on the reaction kinetics for the formation of $Sr_{0.5}Ba_{0.5}Ce_xNb_2O_{6+\delta}$.–Jyh-Tzong Shiue and Tsang-Tse Fang; **18**(11), 2594–2599.

Fantozzi, G.–High-temperature deformation of mullite and analysis of creep curves.–H. Rhanim, C. Olagnon, G. Fantozzi, and A. Azim; **18**(8), 1771–1776.

Faulhaber, Sabine–Synthesis of nanocrystalline aluminum–gallium nitride ($Al_xGa_{1-x}N$; x = 0.1 to 0.5) with oxide precursors via ammonolysis.–Sabine Faulhaber, Lars Loeffler, Jerry Hu, Edwin Kroke, Ralf Riedel, and Fred F. Lange; **18**(10), 2350–2358.

Faupel, Franz–Diffusion and isotope effect in bulk-metallic glass-forming Pd–Cu–Ni–P alloys from the glass to the equilibrium melt.–Volker Zöllmer, Klaus Rätzke, and Franz Faupel; **18**(11), 2688–2696.

Fè, L.–Role of fluorite phase formation in the texture selection of sol-gel-prepared $Pb(Zr_{1-x}Ti_x)O_3$ films on Pt electrode layers.–G.J. Norga, F. Vasiliu, L. Fè, D.J. Wouters, and O. Van der Biest; **18**(5), 1232–1238.

Feng, Wei–Ultrasound-induced change of microstructure and photochromic properties of polyacrylamide thin films containing a polyoxometalate.–Wei Feng, Tierui Zhang, Jun Liu, Ran Lu, Yingying Zhao, and Jiannian Yao; **18**(3), 709–713.

Feng, Y.S.–Sonochemical synthesis of large-scale single-crystal PbS nanorods.–S.M. Zhou, Y.S. Feng, and L.D. Zhang; **18**(5), 1188–1191.

Feng, Z.C.–Analytic method for the minimum time for binder removal from three-dimensional porous green bodies.–Stephen J. Lombardo and Z.C. Feng; **18**(11), 2717–2723.

Ferreira, José M.F.–Fabrication of α-sialon sheets by tape casting and pressureless sintering.–Xin Xu, Sen Mei, and José M.F. Ferreira; **18**(6), 1363–1367.

Field, J.S.–Determination of fracture toughness from the extra penetration produced by indentation-induced pop-in.–J.S. Field, M.V. Swain, and R.D. Dukino; **18**(6), 1412–1419.

Files, B.–Mechanical properties of blended single-wall carbon nanotube composites.–D. Penumadu, A. Dutta, G.M. Pharr, and B. Files; **18**(8), 1849–1853.

Finch, Dudley–Thermomechanical response of bare and Al_2O_3-nanocoated Au/Si bilayer beams for microelectromechanical systems.–Ken Gall, Michael Hulse, Martin L. Dunn, Dudley Finch, Steven M. George, and Brian A. Corff; **18**(7), 1575–1587.

Fischer-Cripps, A.C.–Use of combined elastic modulus in depth-sensing indentation with a conical indenter.–A.C. Fischer-Cripps; **18**(5), 1043–1045(L).

Fleury, E.–High-temperature oxidation of Al–Cu–Fe–Be quasicrystalline powders.–E. Fleury, J.S. Kim, D.H. Kim, and W.T. Kim; **18**(8), 1837–1841.

Foltyn, S.J.–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky, L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Foltyn, S.R.–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Fontaine, Chantal–Residual strain field in indented GaAs.–Pascal Puech, François Demangeot, Paulo Sergio Pizani, Samuel Wey, and Chantal Fontaine; **18**(6), 1474–1480.

Franz, H.–Crystallization of $Cu_{60}Ti_{20}Zr_{20}$ metallic glass with and without pressure.–J.Z. Jiang, B. Yang, K. Saksl, H. Franz, and N. Pryds; **18**(4), 895–898.

Fraser, Hamish L.–Processing and microstructural characterization of sputter-deposited Ni/Ni_3Al multilayered thin films.–Evan A. Sperling, Rajarshi Banerjee, Gregory B. Thompson, Jason P. Fain, Peter M. Anderson, and Hamish L. Fraser; **18**(4), 979–987.

Fray, D.J.–Using electrodeoxidation to synthesize niobium sponge from solid Nb_2O_5 in alkali–alkaline-earth metal chloride melts.–X.Y. Yan and D.J. Fray; **18**(2), 346–356.

Fredericci, Catia–Sintering polydispersed spherical glass particles.–Miguel O. Prado, Edgar D. Zanotto, and Catia Fredericci; **18**(6), 1347–1354.

Freyhardt, Herbert C.–Room-temperature preparation of biaxially textured indium tin oxide thin films with ion-beam-assisted deposition.–Karola Thiele, Sibylle Sievers, Christian Jooss, Jörg Hoffmann, and Herbert C. Freyhardt; **18**(2), 442–447.

Fu, J.J.–Chemical synthesis and characterization of boron/boron nitride core–shell nanostructures.–K.F. Huo, Z. Hu, J.J. Fu, H. Xu, X.Z. Wang, Y. Chen, Y.N. Lü, B.H. Liu, and J. Ding; **18**(7), 1641–1645.

Fu, Ruowen–Fabrication of activated carbon fibers/carbon aerogels composites by gelation and supercritical drying in isopropanol.–Ruowen Fu, Bo Zheng, Jie Liu, Steve Weiss, Jackie Y. Ying, Mildred S. Dresselhaus, Gene Dresselhaus, Joe H. Satcher, Jr., and Theodore F. Baumann; **18**(12), 2765–2773.

Fuierer, Paul–Sol-gel synthesis of textured lanthanum titanate thin films.–Mary M. Sandstrom and Paul Fuierer; **18**(2), 357–362.

Fujimoto, Kenjiro–Photoinduced hydrophilicity and photocatalytic decomposition of endocrine-disrupting chemical pentachlorophenol on hollandite.–Toshiyuki Mori, Mamoru Watanabe, Hiromitsu Nakajima, Masaru Harada, Kenjiro Fujimoto, Satoshi Awatsu, and Yoshio Hasegawa; **18**(5), 1046–1053.

Fujita, Taketoshi–Preparation and characterization of poly(tetramethyl-*p*-phenylenediamine)/clay hybrids via intercalative polymerization.–Guangming Chen, Nobuo Iyi, and Taketoshi Fujita; **18**(2), 482–486.

–Molecular orientation of methylene blue intercalated in layer-charge-controlled montmorillonites.–Yoshiro Kaneko, Nobuo Iyi, Juraj Bujdák, Ryo Sasai, Takektoshi Fujita; **18**(11), 2639–2643.

Fujiwara, Shuzo–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Fukada, Yoko–Instability of Si_3N_4/, SiC/, and $MoSi_2$/ethanol suspensions.–Yoko Fukada and Patrick S. Nicholson; **18**(1), 45–52.

Fukuda, Koichiro–Anisotropic thermal expansion in yttrium silicate.–Koichiro Fukuda and Hiroyuki Matsubara; **18**(7), 1715–1722.

Fukumi, Kohei–X-ray absorption fine structure study on the formation of Cu–Br bonds in (Br + Cu) ion implanted silica glass.–Kohei Fukumi, Akiyoshi Chayahara, Atsushi Kinomura, Hiroyuki Kageyama, Kohei Kadono, Naoyuki Kitamura, Junji Nishii, and Yuji Horino; **18**(4), 885–894.

Funahashi, Ryoji–Enhancement of thermoelectric figure of merit by incorporation of large single crystals in $Ca_3Co_4O_9$ bulk materials.–Ryoji Funahashi, Saori Urata, Toyohide Sano, and Masaaki Kitawaki; **18**(7), 1646–1651.

Fuse, Tooru–Fabrication of nano-sized Si powders with a narrow size distribution by two-step milling.–Bong-Chull Kim, Hiroyuki Uono, Tooru Fuse, Tadashi Ishihara, and Mamoru Senna; **18**(6), 1368–1373.

Fung, Kuan-Zong–Effect of water/water vapor on microstructure and phase stability of $(Y_{0.25}Bi_{0.75})_2O_3$ solid electrolytes.–Chaur-Chi Huang and Kuan-Zong Fung; **18**(11), 2624–2632.

G

Gaffet, E.–Investigation of mechanically activated field-activated pressure-assisted synthesis processing parameters for producing dense nanostructured FeAl.–S. Paris, Ch. Valot, L. Gosmain, E. Gaffet, F. Bernard, and Z. Munir; **18**(10), 2331–2338.

Gall, Ken–Thermomechanical response of bare and Al_2O_3-nanocoated Au/Si bilayer beams for microelectromechanical systems.–Ken Gall, Michael Hulse, Martin L. Dunn, Dudley Finch, Steven M. George, and Brian A. Corff; **18**(7), 1575–1587.

Ganti, S.–On the grain-size-dependent elastic modulus of nanocrystalline materials with and without grain-boundary sliding.–P. Sharma and S. Ganti; **18**(8), 1823–1826.

Gao, F.–Atomic-scale simulations of cascade overlap and damage evolution in silicon carbide.–F. Gao and W.J. Weber; **18**(8), 1877–1883.

Gao, H.J.–High-density aligned carbon nanotubes with uniform diameters.–P.J. Cao, Y.S. Gu, H.W. Liu, F. Shen, Y.G. Wang, Q.F. Zhang, J.L. Wu, and H.J. Gao; **18**(7), 1686–1690.

Gao, Min–Uniformly distributed nickel nanoparticles created by heating the carbon nanotube.–Zaoli Zhang and Min Gao; **18**(3), 604–608.

Gao, Yan–Distribution of chlorine in quartz determined by neutron beam focusing prompt gamma activation analysis and micro-x-ray fluorescence.–H. Heather Chen-Mayer, William J. Heward, Rick L. Paul, Frederic J. Klug, Yan Gao; **18**(10), 2486–2493.

Gardecki, J.A.–Identification of the constituents of double-walled carbon nanotubes using Raman spectra taken with different laser-excitation energies.–Feng Li, S.G. Chou, Wencai Ren, J.A. Gardecki, A.K. Swan, M.S. Ünlü, B.B. Goldberg, Hui-Ming Cheng, and M.S. Dresselhaus; **18**(5), 1251–1258.

Gasillón, G.I.–Mechanical evaluation at high temperatures of hot gunning refractory mixtures.–G.I. Gasillón, A.G. Tomba Martinez, A.L. Cavalieri, M. de Córdova, and R. Topolevsky; **18**(2), 524–530.

Ge, J.–Effects of surface treatment on the adhesion of copper to a hybrid polymer material.–J. Ge, M.P.K. Turunen, M. Kusevic, and J.K. Kivilahti; **18**(11), 2697–2707.

Gebert, A.–Stability of the $Mg_{65}Y_{10}Cu_{15}Ag_{10}$ metallic glass in neutral and weakly acidic media.–R.V. Subba Rao, U. Wolff, S. Baunack, J. Eckert, and A. Gebert; **18**(1), 97–105.

Gellman, Andrew J.–Tribological properties of a B2-type Al-Pd-Mn quasicrystal approximant.–Chris Mancinelli, Cynthia J. Jenks, Patricia A. Thiel, and Andrew J. Gellman; **18**(6), 1447–1456.

George, E.P–Rapid structural and chemical characterization of ternary phase diagrams using synchrotron radiation.–E.D. Specht, A. Rar, G.M. Pharr, E.P George, P. Zschack, H. Hong, and J. Ilavsky; **18**(10), 2522–2527.

George, Steven M.–Thermomechanical response of bare and Al_2O_3-nanocoated Au/Si bilayer beams for microelectromechanical systems.–Ken Gall, Michael Hulse, Martin L. Dunn, Dudley Finch, Steven M. George, and Brian A. Corff; **18**(7), 1575–1587.

Germer, Thomas A.–Cosolvent-assisted spray pyrolysis for the generation of metal particles.–Jung Hyeun Kim, Valeri I. Babushok, Thomas A. Germer, George W. Mulholland, and Sheryl H. Ehrman; **18**(7), 1614–1622.

Ghosh, Gautam–Characterization of the microstructure and phase equilibria calculations for the powder metallurgy superalloy IN100.–Agnieszka M. Wusatowska-Sarnek, Gautam Ghosh, Gregory B. Olson, Martin J. Blackburn, and Mark Aindow; **18**(11), 2653–2663.

Giannoni, S.–Thermal endurance evaluation of poly(butylene terephthalate) by conventional and analytical methods.–S. Giannoni, G.C. Montanari, A. Motori, and A. Saccani; **18**(6), 1342–1346.

Gilmore, III, Walter M.–Growth, characterization, and electrical properties of $PbZr_{0.52}Ti_{0.48}O_3$ thin films on buffered silicon substrates using pulsed laser deposition.–Walter M. Gilmore, III, Soma Chattopadhyay, Alex Kvit, A.K. Sharma, C.B. Lee, Ward J. Collis, J. Sankar, and J. Narayan; **18**(1), 111–114.

Ginley, D.S.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

Girsova, N.V.–Microstructures and mechanical properties of ultrafine-grained Ti foil processed by equal-channel angular pressing and cold rolling.–Y.T. Zhu, Y.R. Kolobov, G.P. Grabovetskaya, V.V. Stolyarov, N.V. Girsova, and R.Z. Valiev; **18**(4), 1011–1016.

Giuliani, P.–Self-propagating high-temperature synthesis of functionally graded materials as thermal protection systems for high-temperature applications.–N. Bertolino, M. Monagheddu, A. Tacca, P. Giuliani, C. Zanotti, F. Maglia, and U. Anselmi Tamburini; **18**(2), 448–455.

Gnanasekar, K.I.–Composition and growth-temperature effect on the microstructure of epitaxial $La_{1-x}Sr_xMnO_3$ (x = 0, 0.2) thin films on (001) $LaAlO_3$.–J.C. Jiang, E.I. Meletis, and K.I. Gnanasekar; **18**(11), 2556–2561.

Gogotsi, Yury–Effect of indentation unloading conditions on phase transformation induced events in silicon.–Tom Juliano, Yury Gogotsi, and Vladislav Domnich; **18**(5), 1192–1201.

Goh, Gregory K.L.–Hydrothermal synthesis of $KNbO_3$ and $NaNbO_3$ powders.–Gregory K.L. Goh, Fred F. Lange, Sossina M. Haile, and Carlos G. Levi; **18**(2), 338–345.

Goh, Suat Hong–Aromatic liquid-crystalline polyesters comprising a 2,5-thiophene unit synthesized and studied by the thin-film polymerization method.–Jingmei Xu, Yan Wang, Tai-Shung Chung, and Suat Hong Goh; **18**(7), 1509–1521.

Goia, Dan V.–Conversion of uniform colloidal Cu_2O spheres to copper in polyols.–Zorica Crnjak Orel, Egon Matijević, and Dan V. Goia; **18**(4), 1017–1022.

Goldacker, W.–Surface-oxidation studies of cube-textured, pure nickel to form NiO as a potential $YBa_2Cu_3O_{7-\delta}$-coated conductor buffer layer.–Z. Lockman, A. Berenov, W. Goldacker, R. Nast, B. deBoer, B. Holzapfel, and J.L. MacManus-Driscoll; **18**(2), 327–337.

Golden, Teresa Diane–Electrodeposition of diamondlike carbon films on nickel substrates.–Alex Minhua Chen, Charoendee Pingsuthiwong, and Teresa Diane Golden; **18**(7), 1561–1565.

Goldberg, B.B.–Identification of the constituents of double-walled carbon nanotubes using Raman spectra taken with different laser-excitation energies.–Feng Li, S.G. Chou, Wencai Ren, J.A. Gardecki, A.K. Swan, M.S. Ünlü, B.B. Goldberg, Hui-Ming Cheng, and M.S. Dresselhaus; **18**(5), 1251–1258.

Gombos, Marcello–Identification of Nd163 phase in melt-textured $NdBa_2Cu_3O_{7-\delta}$ bulk samples.–Marcello Gombos, Vicente Gomis, Anna Esther Carrillo, Antonio Vecchione, Sandro Pace, and Xavier Obradors; **18**(9), 2050–2054.

Gomis, Vicente–Identification of Nd163 phase in melt-textured $NdBa_2Cu_3O_{7-\delta}$ bulk samples.–Marcello Gombos, Vicente Gomis, Anna Esther Carrillo, Antonio Vecchione, Sandro Pace, and Xavier Obradors; **18**(9), 2050–2054.

Gong, Dawei–Crystallization and high-temperature structural stability of titanium oxide nanotube arrays.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Craig A. Grimes, and Elizabeth C. Dickey; **18**(1), 156–165.

Gong, H.R.–Prediction of metastable phase formation in an immiscible Cu–Cr system from interatomic potential and *ab initio* calculation.–H.R. Gong, L.T. Kong, and B.X. Liu; **18**(10), 2300–2303(L).

González, J.–Temperature dependence of the soft magnetic character of $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ amorphous and nanocrystalline alloys.–J. González; **18**(5), 1035–1038(L).

Gonzalez-Calbet, J.M.–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky, L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Gorantla, Venkata R.K.–Effects of mixed abrasives in chemical mechanical polishing of oxide films.–Zhenyu Lu, Seung-Ho Lee, Venkata R.K. Gorantla, S.V. Babu, and Egon Matijević; **18**(10), 2323–2330.

Gosmain, L.–Investigation of mechanically activated field-activated pressure-assisted synthesis processing parameters for producing dense nanostructured FeAl.–S. Paris, Ch. Valot, L. Gosmain, E. Gaffet, F. Bernard, and Z. Munir; **18**(10), 2331–2338.

Gotoh, Yasuhito–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Goyal, A.–Fabrication of high-critical current density $YBa_2Cu_3O_{7-\delta}$ films using a fluorine-free sol gel approach.–Y. Xu, A. Goyal, N.A. Rutter, D. Shi, M. Paranthaman, S. Sathyamurthy, P.M. Martin, and D.M. Kroeger; **18**(3), 677–681.

–High critical current density $YBa_2Cu_3O_{7-\delta}$ coatings on $LaMnO_3$-buffered biaxially textured Cu tapes for coated conductor applications.–T. Aytug, A. Goyal, N. Rutter, M. Paranthaman, J.R. Thompson, H.Y. Zhai, and D.K. Christen; **18**(4), 872–877.

–New approach to depositing yttria-stabilized zirconia buffer layers for coated conductors.–S. Sambasivan, I. Kim, S. Barnett, M.A. Zurbuchen, J. Ji, B.W. Kang, A. Goyal, P.N. Barnes, and C.E. Oberly; **18**(4), 919–928.

–Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates.–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(5), 1109–1122.

–Microstructural characterization of thick $YBa_2Cu_3O_{7-\delta}$ films on improved rolling-assisted biaxially textured substrates.–K.J. Leonard, S. Kang, A. Goyal, K.A. Yarborough, and D.M. Kroeger; **18**(7), 1723–1732.

–Erratum: "Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates" [J. Mater. Res. 18, 1109 (2003)].–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(7), 1733(E).

–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}/LaMnO_3/MgO/TiN$ heterostructures on Cu metal substrates for development of coated conductors.–C. Cantoni, D.K. Christen, M. Varela, J.R. Thompson, S.J. Pennycook, E.D. Specht, and A. Goyal; **18**(10), 2387–2400.

Graaf, D. de–Erratum: Minima in the strength of MnZn ferrites [J. Mater. Res. 16, 3575 (2001)].–M.A.H. Donners, L.J.M.G. Dortmans, G. de With, and D. de Graaf; **18**(8), 2002(E).

Grabovetskaya, G.P.–Microstructures and mechanical properties of ultrafine-grained Ti foil processed by equal-channel angular pressing and cold rolling.–Y.T. Zhu, Y.R. Kolobov, G.P. Grabovetskaya, V.V. Stolyarov, N.V. Girsova, and R.Z. Valiev; **18**(4), 1011–1016.

Gracio, J.–Promoting secondary nucleation using methane modulations during diamond chemical vapor deposition to produce smoother, harder, and better quality films.–N. Ali, V.F. Neto, and J. Gracio; **18**(2), 296–304.

Grant, David M.–Evolution of microstructure during the thermal processing of titania and vanadium-modified titania gels.–Francis J. Allison, David M. Grant, Karen McKinlay, Craig Bailey, and Philip G. Harrison; **18**(3), 594–603.

Greer, A.L.–Mechanical properties of Fe-based bulk glassy alloys in Fe–B–Si–Nb and Fe–Ga–P–C–B–Si systems.–A. Inoue, B.L. Shen, A.R. Yavari, and A.L. Greer; **18**(6), 1487–1492.

Grimes, Craig A.–Crystallization and high-temperature structural stability of titanium oxide nanotube arrays.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Craig A. Grimes, and Elizabeth C. Dickey; **18**(1), 156–165.

–Fabrication of nanoporous tungsten oxide by galvanostatic anodization.–Niloy Mukherjee, Maggie Paulose, Oomman K. Varghese, G.K. Mor, Craig A. Grimes; **18**(10), 2296–2299(L).

–Ultralow dielectric constant nickel–zinc ferrites using microwave sintering.–Ramesh Peelamedu, Craig Grimes, Dinesh Agrawal, Rustum Roy, and Purushotham Yadoji; **18**(10), 2292–2295(L).

–Fabrication of tapered, conical-shaped titania nanotubes.–G.K. Mor, Oomman K. Varghese, Maggie Paulose, Niloy Mukherjee, Craig A. Grimes; **18**(11), 2588–2593.

–Synthesis of CuO and Cu_2O crystalline nanowires using $Cu(OH)_2$ nanowire templates.–Wenzhong Wang, Oomman K. Varghese, Chuanmin Ruan, Maggie Paulose, Craig A. Grimes; **18**(12), 2756–2759(L).

Groves, J.R.–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Grzesik, Zbigniew–Incongruent reduction of tungsten carbide by a zirconium-copper melt.–Zbigniew Grzesik, Matthew B. Dickerson, and Ken H. Sandhage; **18**(9), 2135–2140.

Gu, Hongzhou–Low-temperature route to nanoscale P_3N_5 hollow spheres.–Hongzhou Gu, Yunle Gu, Zhefeng Li, Yongcheng Ying, and Yitai Qian; **18**(10), 2359–2363.

Gu, Y.S.–High-density aligned carbon nanotubes with uniform diameters.–P.J. Cao, Y.S. Gu, H.W. Liu, F. Shen, Y.G. Wang, Q.F. Zhang, J.L. Wu, and H.J. Gao; **18**(7), 1686–1690.

Gu, Yunle–Low-temperature route to nanoscale P_3N_5 hollow spheres.–Hongzhou Gu, Yunle Gu, Zhefeng Li, Yongcheng Ying, and Yitai Qian; **18**(10), 2359–2363.

Gu, Zhennan–Compound growth and microstructure of carbon nanotube.–Zaoli Zhang, Lian Ouyang, Zujin Shi, and Zhennan Gu; **18**(10), 2459–2463.

Gubicza, J.–Nanostructures in Ti processed by severe plastic deformation.–Y.T. Zhu, J.Y. Huang, J. Gubicza, T. Ungár, Y.M. Wang, E. Ma, and R.Z. Valiev; **18**(8), 1908–1917.

Guo, J.D.–Evolution of microstructure in TiC/NiCr cermet induced by electropulsing.–W. Zhang, M.L. Sui, Y.Z. Zhou, J.D. Guo, G.H. He, and D.X. Li; **18**(7), 1543–1550.

Guo, Jingdong–Ultrafine-grained microstructure in a Cu–Zn alloy produced by electropulsing treatment.–Yizhou Zhou, Wei Zhang, Baoquan Wang, and Jingdong Guo; **18**(8), 1991–1997.

Gupta, S.–Synthesis and characterization of sulfur-incorporated microcrystalline diamond and nanocrystalline carbon thin films by hot filament chemical vapor deposition.–S. Gupta, B.R. Weiner, and G. Morell; **18**(2), 363–381.

–Influence of sulfur incorporation on field-emission properties of microcrystalline diamond thin films.–S. Gupta, B.R. Weiner, and G. Morell; **18**(11), 2708–2716.

György, E.–Microcolumn development on titanium by multipulse laser irradiation in nitrogen.–E. György, A. Pérez del Pino, P. Serra, and J.L. Morenza; **18**(9), 2228–2234.

Györgyfalva, G.D.C. Csete de–Decomposition of $NiMn_2O_4$ spinels.–G.D.C. Csete de Györgyfalva and I.M. Reaney; **18**(6), 1301–1308.

H

Ha, J.S.–Effect of supersaturation of Cu on reaction and intermetallic compound formation between Sn–Cu solder and thin film metallization.–J.S. Ha, T.S. Oh, and K.N. Tu; **18**(9), 2109–2114.

Hackley, Vincent A.–Effect of poly(acrylic acid) and poly(vinyl alcohol) on the solubility of colloidal $BaTiO_3$ in an aqueous medium.–Ungyu Paik, Vincent A. Hackley, Jaeho Lee, and Sangkyu Lee; **18**(5), 1266–1274.

Haile, Sossina M.–Hydrothermal synthesis of $KNbO_3$ and $NaNbO_3$ powders.–Gregory K.L. Goh, Fred F. Lange, Sossina M. Haile, and Carlos G. Levi; **18**(2), 338–345.

Halloran, John W.–Fabrication and compressive strength of macrochannelled tetragonal zirconia polycrystals with calcium phosphate coating layer.–Young-Hag Koh, Hae-Won Kim, Hyoun-Ee Kim, and John W. Halloran; **18**(9), 2009–2012(L).

Hamamoto, Koichi–Structural investigation of the C_{60}/C_{70} whiskers fabricated by forming liquid–liquid interfaces of toluene with dissolved C_{60}/C_{70} and isopropyl alcohol.–Kun'ichi Miyazawa, Koichi Hamamoto, Satoru Nagata, and Tadatomo Suga; **18**(5), 1096–1103.

Han, Jiaping–Synthesis and dielectric properties of tungsten-based complex perovskites.–D.D. Khalyavin, Jiaping Han, A.M.R Senos, and P.Q. Mantas; **18**(11), 2600–2607.

Han, Jie–Controlled growth of gallium nitride single-crystal nanowires using a chemical vapor deposition method.–Song Han, Wu Jin, Tao Tang, Chao Li, Daihua Zhang, Xiaolei Liu, Jie Han, and Chongwu Zhou; **18**(2), 245–249(L).

Han, S.–An approach to durable poly(vinylidene fluoride) thin film loudspeaker.–C.S. Lee, J.Y. Kim, D.E. Lee, J. Joo, Lee, S. Han, Y.W. Beag, and S.K. Koh; **18**(12), 2904–2911.

Han, Song–Controlled growth of gallium nitride single-crystal nanowires using a chemical vapor deposition method.–Song Han, Wu Jin, Tao Tang, Chao Li, Daihua Zhang, Xiaolei Liu, Jie Han, and Chongwu Zhou; **18**(2), 245–249(L).

Haneda, Hajime–Thermal diffusivity of $(Ca_{1-x}Sr_x)_3Co_4O_9$ thin films using transient grating configuration.–Yoshiaki Takata, Yutaka Adachi, Hajime Haneda, Yoshiki Wada, Takefumi Mitsuhashi, Kenji Itaka, and Hideomi Koinuma; **18**(10), 2473–2477.

Hao, Yalin–Continuous hydrothermal crystallization of α–Fe_2O_3 and Co_3O_4 nanoparticles.–Yalin Hao and Amyn S. Teja; **18**(2), 415–422.

Hara, T.–Relationship between nanohardness and microstructures in high-purity Fe–C as-quenched and quench-tempered martensite.–T. Ohmura, T. Hara, and K. Tsuzaki; **18**(6), 1465–1470.

Harada, Masaru–Photoinduced hydrophilicity and photocatalytic decomposition of endocrine-disrupting chemical pentachlorophenol on hollandite.–Toshiyuki Mori, Mamoru Watanabe, Hiromitsu Nakajima, Masaru Harada, Kenjiro Fujimoto, Satoshi Awatsu, and Yoshio Hasegawa; **18**(5), 1046–1053.

Harrison, Philip G.–Evolution of microstructure during the thermal processing of titania and vanadium-modified titania gels.–Francis J. Allison, David M. Grant, Karen McKinlay, Craig Bailey, and Philip G. Harrison; **18**(3), 594–603.

Hasan, Muhammad A.–Kinetic and characterization studies of the formation of barium monomolybdate in equimolar powder mixture of $BaCO_3$ and MoO_3.–Latifa A. Al-Hajji, Muhammad A. Hasan, and Mohamed I. Zaki; **18**(10), 2339–2349.

Haseeb, A.S.M.A.–Study on the nature of the electrochemically synthesized hard Fe–15.4 mass% Ni–0.70 mass% C alloy film.–A.S.M.A. Haseeb, Y. Hayashi, M. Masuda, and M. Arita; **18**(4), 840–847.

Hasegawa, Yoshio–Photoinduced hydrophilicity and photocatalytic decomposition of endocrine-disrupting chemical pentachlorophenol on hollandite.–Toshiyuki Mori, Mamoru Watanabe, Hiromitsu Nakajima, Masaru Harada, Kenjiro Fujimoto, Satoshi Awatsu, and Yoshio Hasegawa; **18**(5), 1046–1053.

Hashimoto, Shigeo–Interface microstructures between Ni–P alloy plating and Sn–Ag–(Cu) lead-free solders.–Chi-Won Hwang, Katsuaki Suganuma, Masayuki Kiso, and Shigeo Hashimoto; **18**(11), 2540–2543(L).

Hashishin, Takeshi–Polymorphism in ZrP crystal.–Hiroshi Iwanaga, Takeshi Hashishin, Seiji Motojima, Masaki Ichihara, and Shin Takeuchi; **18**(3), 567–570.

–Effect of impurities on silicon nitride whiskers synthesized from silica-containing natural substances.–Takeshi Hashishin, Hiroshi Iwanaga, and Yoshifumi Yamamoto; **18**(12), 2760–2764.

Haugan, T.–Partial melt processing of solid-solution $Bi_2Sr_2CaCu_2O_{8+\delta}$ thick-film conductors with nanophase Al_2O_3 additions.–T. Haugan, W. Wong-Ng, L.P. Cook, M.D. Vaudin, L. Swartzendruber, and P.N. Barnes; **18**(5), 1054–1066.

–Island growth of Y_2BaCuO_5 nanoparticles in $(211_{\sim 1.5\ nm}/123_{\sim 10\ nm})\times N$ composite multilayer structures to enhance flux pinning of $YBa_2Cu_3O_{7-\delta}$ films.–T. Haugan, P.N. Barnes, I. Maartense, C.B. Cobb, E.J. Lee, and M. Sumption; **18**(11), 2618–2623.

Hayashi, Kazushi–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Hayashi, Kouichi–Development of laboratory x-ray fluorescence holography equipment.–Yukio Takahashi, Kouichi Hayashi, Kimio Wakoh, Naomi Nishiki, and Eiichiro Matsubara; **18**(6), 1471–1473.

Hayashi, Y.–Study on the nature of the electrochemically synthesized hard Fe–15.4 mass% Ni–0.70 mass% C alloy film.–A.S.M.A. Haseeb, Y. Hayashi, M. Masuda, and M. Arita; **18**(4), 840–847.

He, D.–Micron diamond composites with nanocrystalline silicon carbide bonding.–J. Qian, T.W. Zerda, D. He, L. Daemen, and Y. Zhao; **18**(5), 1173–1178.

He, G.H.–Evolution of microstructure in TiC/NiCr cermet induced by electropulsing.–W. Zhang, M.L. Sui, Y.Z. Zhou, J.D. Guo, G.H. He, and D.X. Li; **18**(7), 1543–1550.

He, Lianlong–Microstructure and thermal stability of an ultrafine Al/Al_2O_3 composite.–Zhiqing Yang, Lianlong He, Ji Chen, Hongtao Cong, and Hengqiang Ye; **18**(2), 272–278.

He, S.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

He, Shiyu–Resistance to vacuum ultraviolet irradiation of nano-TiO_2 modified carbon/epoxy composites.–Lixiang Jiang, Shiyu He, and Dezhuang Yang; **18**(3), 654–658.

Hei, Zukun–Amorphous alloy composition with high glass-formation ability in the pseudoternary Zr–[IQC-$Al_{62}Cu_{25.5}Fe_{12.5}$]–[DQC-$Al_{70}Co_{15}Ni_{15}$] alloy system.–Yi Lei, M. Calvo-Dahlborg, J.M. Dubois, Zukun Hei, P. Weisbecker, and Chuang Dong; **18**(7), 1588–1593.

Henderson, Don O.–Optical properties and electrical characterization of *p*-type ZnO thin films prepared by thermally oxidizing Zn_3N_2 thin films.–B.S. Li, Y.C. Liu, Z.Z. Zhi, D.Z. Shen, Y.M. Lu, J.Y. Zhang, X.W. Fan, R.X. Mu, and Don O. Henderson; **18**(1), 8–13(L).

Hendrix, Bryan C.–Structural analysis of coexisting tetragonal and rhombohedral phases in polycrystalline $Pb(Zr_{0.35}Ti_{0.65})O_3$ thin films.–Maxim B. Kelman, Paul C. McIntyre, Bryan C. Hendrix, Steven M. Bilodeau, Jeffrey F. Roeder, and Sean Brennan; **18**(1), 173–179.

Herman, Herbert–Small-angle neutron scattering study of the role of feedstock particle size on the microstructural behavior of plasma-sprayed yttria-stabilized zirconia deposits.–Hacène Boukari, Andrew J. Allen, Gabrielle G. Long, Jan Ilavsky, Jay S. Wallace, Christopher C. Berndt, and Herbert Herman; **18**(3), 624–634.

Heward, William J.–Distribution of chlorine in quartz determined by neutron beam focusing prompt gamma activation analysis and micro-x-ray fluorescence.–H. Heather Chen-Mayer, William J. Heward, Rick L. Paul, Frederic J. Klug, and Yan Gao; **18**(10), 2486–2493.

Hibino, Mitsuhiro–Sol-gel synthesis of porous crystalline TiO_2–P_2O_5 oxide with thermal stability.–Donglin Li, Haoshen Zhou, Mitsuhiro Hibino, and Itaru Honma; **18**(12), 2743–2746(L).

Hirano, Shin-ichi–Synthesis of a $KNbO_3$ particle/polymer hybrid from metalorganics.–Toshinobu Yogo, Kouichi Banno, Wataru Sakamoto, and Shin-ichi Hirano; **18**(7), 1679–1685.

Hirao, Kiyoshi–Effects of rare-earth oxide and alumina additives on thermal conductivity of liquid-phase-sintered silicon carbide.–You Zhou, Kiyoshi Hirao, Yukihiko Yamauchi, and Shuzo Kanzaki; **18**(8), 1854–1862.

–Mechanical and wear properties of Si_3N_4–W composites using tungsten boride powder.–Hideki Hyuga, Mark I. Jones, Kiyoshi Hirao, and Yukihiko Yamauchi; **18**(9), 2262–2267.

Hirosaki, Naoto–An *ab initio* study of the ideal tensile and shear strength of single-crystal β-Si_3N_4.–Shigenobu Ogata, Naoto Hirosaki, Cenk Kocer, and Yoji Shibutani; **18**(5), 1168–1172.

Ho, Paul S.–Thermal stress characteristics of two-level Al(Cu) interconnect structure.–Seung-Hyun Rhee and Paul S. Ho; **18**(4), 848–854.

Hoagland, R.G.–Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers.–X. Zhang, A. Misra, H. Wang, T.D. Shen, J.G. Swadener, J.D. Embury, H. Kung, R.G. Hoagland, and M. Nastasi; **18**(7), 1600–1606.

Hobgood, H.M.–Transition from brittle fracture to ductile behavior in 4H–SiC.–Ming Zhang, H.M. Hobgood, J.L. Demenet, and P. Pirouz; **18**(5), 1087–1095.

Hock, Francis Tay Eng–Effects of poly(ethylene glycol) additive molecular weight on the microstructure and properties of sol-gel-derived lead zirconate titanate thin films.–Shuhui Yu, Kui Yao, Santiranjan Shannigrahi, and Francis Tay Eng Hock; **18**(3), 737–741.

Hockey, Bernard–Wear of hydroxyapatite sliding against glass-infiltrated alumina.–Mitjan Kalin, Bernard Hockey, and Said Jahanmir; **18**(1), 27–36.

Hoerman, B.H.–Phase stability of epitaxial $KTa_xNb_{1-x}O_3$ thin films deposited by metalorganic chemical vapor deposition.–B.M. Nichols, B.H. Hoerman, J-H. Hwang, T.O. Mason, and B.W. Wessels; **18**(1), 106–110.

Hoffmann, Jörg–Room-temperature preparation of biaxially textured indium tin oxide thin films with ion-beam-assisted deposition.–Karola Thiele, Sibylle Sievers, Christian Jooss, Jörg Hoffmann, and Herbert C. Freyhardt; **18**(2), 442–447.

Hoffmann, M.J.–Ferroelectric domains in coarse-grained lead zirconate titanate ceramics characterized by scanning force microscopy.–J. Muñoz-Saldaña, M.J. Hoffmann, and G.A. Schneider; **18**(8), 1777–1786.

Holc, J.–Compositional homogeneity of ferroelectric (Pb,La)$(Ti,Zr)O_3$ thick films.–S. Bernik, R.B. Marinenko, J. Holc, Z. Samardžija, M. Čeh, and M. Kosec; **18**(2), 515–523.

–Subsolidus phase equilibria in the RuO_2–Bi_2O_3–CeO_2 system.–Marko Hrovat, Andreja Benčan, Janez Holc, Tadej Rojac, and Marija Kosec; **18**(6), 1297–1300(L).

Holesinger, T.G.–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Holzapfel, B.–Surface-oxidation studies of cube-textured, pure nickel to form NiO as a potential $YBa_2Cu_3O_{7-x}$-coated conductor buffer layer.–Z. Lockman, A. Berenov, W. Goldacker, R. Nast, B. deBoer, B. Holzapfel, and J.L. MacManus-Driscoll; **18**(2), 327–337.

Hon, Min-Hsiung–Transformation kinetics for mullite in kaolin–Al_2O_3 ceramics.–Yung-Feng Chen, Moo-Chin Wang, and Min-Hsiung Hon; **18**(6), 1355–1362.

Hong, H.–Rapid structural and chemical characterization of ternary phase diagrams using synchrotron radiation.–E.D. Specht, A. Rar, G.M. Pharr, E.P George, P. Zschack, H. Hong, and J. Ilavsky; **18**(10), 2522–2527.

Hong, S.I.–Interfacial and twin boundary structures of nanostructured Cu–Ag filamentary composites.–K.H. Lee and S.I. Hong; **18**(9), 2194–2202.

Hong, Soon H.–Generalized shear-lag model for load transfer in SiC/Al metal-matrix composites.–Ho J. Ryu, Seung I. Cha, and Soon H. Hong; **18**(12), 2851–2858.

Honma, Itaru–Sol-gel synthesis of porous crystalline TiO_2–P_2O_5 oxide with thermal stability.–Donglin Li, Haoshen Zhou, Mitsuhiro Hibino, and Itaru Honma; **18**(12), 2743–2746(L).

Horino, Yuji–X-ray absorption fine structure study on the formation of Cu–Br bonds in (Br + Cu) ion implanted silica glass.–Kohei Fukumi, Akiyoshi Chayahara, Atsushi Kinomura, Hiroyuki Kageyama, Kohei Kadono, Naoyuki Kitamura, Junji Nishii, and Yuji Horino; **18**(4), 885–894.

Hoste, S.–Preparation of $BaZrO_3$ powders by a spray-drying process.–B. Robertz, F. Boschini, A. Rulmont, R. Cloots, I. Vandriessche, S. Hoste, and J. Lecomte-Beckers; **18**(6), 1325–1332.

Howell, Richard H.–Temperature dependence of positron annihilation in a Zr–Ti–Ni–Cu–Be bulk metallic glass.–Daewoong Suh, Reinhold H. Dauskardt, P. Asoka-Kumar, Philip A. Sterne, and Richard H. Howell; **18**(9), 2021–2024(L).

Hrovat, Marko–Subsolidus phase equilibria in the RuO_2–Bi_2O_3–CeO_2 system.–Marko Hrovat, Andreja Benčan, Janez Holc, Tadej Rojac, and Marija Kosec; **18**(6), 1297–1300(L).

Hsieh, Wen-Feng–Two-step oxygen injection process for growing ZnO nanorods.–Yung-Kuan Tseng, Hsu-Cheng Hsu, Wen-Feng Hsieh, Kuo-Shung Liu, and I-Cherng Chen; **18**(12), 2837–2844.

Hsu, Cher-Hao–Investigation on the arc erosion behavior of new silver matrix composites: Part I. Reinforced by particles.–Shou-Yi Chang, Chia-Jung Hsu, Cher-Hao Hsu, and Su-Jien Lin; **18**(4), 804–816.

Hsu, Chia-Jung–Investigation on the arc erosion behavior of new silver matrix composites: Part I. Reinforced by particles.–Shou-Yi Chang, Chia-Jung Hsu, Cher-Hao Hsu, and Su-Jien Lin; **18**(4), 804–816.

–Investigation on the arc erosion behavior of new silver matrix composites: Part II. Reinforced by short fibers.–Chia-Jung Hsu, Shou-Yi Chang, Liang-Yu Chou, and Su-Jien Lin; **18**(4), 817–826.

Hsu, Hsiu-Feng–Determination of reactive wetting properties of Sn, Sn–Cu, Sn–Ag, and Sn–Pb alloys using a wetting balance technique.–Hsiu-yu Chang, Sinn-wen Chen, David Shan-hill Wong, and Hsiu-Feng Hsu; **18**(6), 1420–1428.

Hsu, Hsu-Cheng–Two-step oxygen injection process for growing ZnO nanorods.–Yung-Kuan Tseng, Hsu-Cheng Hsu, Wen-Feng Hsieh, Kuo-Shung Liu, and I-Cherng Chen; **18**(12), 2837–2844.

Hsu, Jen-Che–Effect of internal stress on elemental diffusion and crystallization of electroless Ni–Cu–P deposit on Al.–Jen-Che Hsu and Kwang-Lung Lin; **18**(9), 2221–2227.

Hsu, Yung-Fu–Effects of additives on the microstructure and dielectric properties of $Ba_2Ti_9O_{20}$ microwave ceramic.–Sea-Fue Wang, Yung-Fu Hsu, Tzuu-Hsing Ueng, Chung-Chuang Chiang, Jinn P. Chu, and Chi-Yuen Huang; **18**(5), 1179–1187.

Hsueh, Chun-Hway–Modeling of contact-induced radial cracking in ceramic bilayer coatings on compliant substrates.–Chun-Hway Hsueh and Pedro Miranda; **18**(5), 1275–1283.

–Modeling of effects of adhesive interlayers on contact-induced radial cracking in brittle coatings on substrates.–Chun-Hway Hsueh, Jong Ho Kim, and Do Kyung Kim; **18**(6), 1481–1486.

Hu, Hefang–Long-lasting phosphorescence and photostimulated long-lasting phosphorescence in Mn^{2+}-doped aluminophosphofluoride glasses irradiated by a femtosecond laser.–Xiongwei Jiang, Jianrong Qiu, Youyu Fan, Hefang Hu, and Congshan Zhu; **18**(3), 616–619.

Hu, Jerry–Synthesis of nanocrystalline aluminum–gallium nitride ($Al_xGa_{1-x}N$; $x = 0.1$ to 0.5) with oxide precursors via ammonolysis.–Sabine Faulhaber, Lars Loeffler, Jerry Hu, Edwin Kroke, Ralf Riedel, and Fred F. Lange; **18**(10), 2350–2358.

Hu, Xiaobo–Growth and properties of $KBe_2BO_3F_2$ crystal.–Jiyang Wang, Chenqian Zhang, Yaogang Liu, Jianxiu Zhang, Xiaobo Hu, Minhua Jiang, Chuangtian Chen, Yicheng Wu, and Zuyan Xu; **18**(10), 2478–2485.

Hu, Y.C.–Electromigration failure in flip chip solder joints due to rapid dissolution of copper.–Y.C. Hu, Y.H. Lin, C.R. Kao, and K.N. Tu; **18**(11), 2544–2548(L).

Hu, Z.–Chemical synthesis and characterization of boron/boron nitride core–shell nanostructures.–K.F. Huo, Z. Hu, J.J. Fu, H. Xu, X.Z. Wang, Y. Chen, Y.N. Lü, B.H. Liu, and J. Ding; **18**(7), 1641–1645.

Huang, B.Q.–Explosion phase formation of nanocrystalline boron nitrides upon pulsed-laser-induced liquid/solid interfacial reaction.–J.B. Wang, X.L. Zhong, C.Y. Zhang, B.Q. Huang, and G.W. Yang; **18**(12), 2774–2778.

Huang, Chaur-Chi–Effect of water/water vapor on microstructure and phase stability of $(Y_{0.25}Bi_{0.75})_2O_3$ solid electrolytes.–Chaur-Chi Huang and Kuan-Zong Fung; **18**(11), 2624–2632.

Huang, Chi-Yuen–Effects of additives on the microstructure and dielectric properties of $Ba_2Ti_9O_{20}$ microwave ceramic.–Sea-Fue Wang, Yung-Fu Hsu, Tzuu-Hsing Ueng, Chung-Chuang Chiang, Jinn P. Chu, and Chi-Yuen Huang; **18**(5), 1179–1187.

Huang, Chia-Wei–Microstructures and mechanical properties of Sn–8.55Zn–0.45Al–XAg solders.–Chia-Wei Huang and Kwang-Lung Lin; **18**(7), 1528–1534.

Huang, Chien-Sheng–Interface reactions and phase equilibrium between Ni/Cu under-bump metallization and eutectic SnPb flip-chip solder bumps.–Chien-Sheng Huang and Jenq-Gong Duh; **18**(4), 935–940.

Huang, J.Y.–Nanostructures in Ti processed by severe plastic deformation.–Y.T. Zhu, J.Y. Huang, J. Gubicza, T. Ungár, Y.M. Wang, E. Ma, and R.Z. Valiev; **18**(8), 1908–1917.

Huang, Jow-Lay–Improved crystallinity and optical properties of AlO_x thin films by a ZnO interlayer.–Su-Shia Lin and Jow-Lay Huang; **18**(4), 965–972.

–Wet erosion damage of Cr_3C_2/Al_2O_3 composite.–Ching-An Jeng and Jow-Lay Huang; **18**(5), 1162–1167.

–Enhanced field emission from nitrogen-doped amorphous diamond.–Ming-Chi Kan, Jow-Lay Huang, James C. Sung, Kuei-Hsien Chen, and Ding-Fwu Lii; **18**(7), 1594–1599.

–Microstructure and optical properties of AlO_x thin films grown on ZnO-deposited glass.–Su-Shia Lin and Jow-Lay Huang; **18**(8), 1943–1949.

–Effects of substrate bias on nanocrystal-$(Ti,Al)N_x$/amorphous-SiN_y composite films.–Bao-Shun Yau, Jow-Lay Huang, and Ming-Chi Kan; **18**(8), 1985–1990.

Huang, Taizhong–Hydrogen storage in Ti–V-based body-centered-cubic phase alloys.–Xuebin Yu, Zhu Wu, Baojia Xia, Taizhong Huang, Jinzhou Chen, Zaosong Wang, and Naixin Xu; **18**(11), 2533–2536(L).

Huebner, Wayne–Synthesis of solid and spirally cracked TiO_2 fibers by a liquid mix process.–Chen-Lung Fan, Daniel Ciardullo, and Wayne Huebner; **18**(3), 687–692.

Hulse, Michael–Thermomechanical response of bare and Al_2O_3-nanocoated Au/Si bilayer beams for microelectromechanical systems.–Ken Gall, Michael Hulse, Martin L. Dunn, Dudley Finch, Steven M. George, and Brian A. Corff; **18**(7), 1575–1587.

Hung, Ying-Chang–Addition of TiO_2 on the electrical properties of buried resistors in low-temperature cofired ceramics.–Ching-Tai Cheng, Jiang-Tsair Lin, and Ying-Chang Hung; **18**(9), 2235–2242.

Huo, K.F.–Chemical synthesis and characterization of boron/boron nitride core–shell nanostructures.–K.F. Huo, Z. Hu, J.J. Fu, H. Xu, X.Z. Wang, Y. Chen, Y.N. Lü, B.H. Liu, and J. Ding; **18**(7), 1641–1645.

Hur, N.H.–Fabrication of TiO_2 nanospheres by template replication in porous carbon networks.–J.C. Kim, Y.N. Kim, E.O. Chi, N.H. Hur, S.B. Yoon, and J-S. Yu; **18**(4), 780–783.

Hwang, Chi-Won–Interface microstructure between Fe–42Ni alloy and pure Sn.–Chi-Won Hwang, K. Suganuma, Jung-Goo Lee, and H. Mori; **18**(5), 1202–1210.

–Interface microstructures between Ni–P alloy plating and Sn–Ag–(Cu) lead-free solders.–Chi-Won Hwang, Katsuaki Suganuma, Masayuki Kiso, and Shigeo Hashimoto; **18**(11), 2540–2543(L).

Hwang, J-H.–Phase stability of epitaxial $KTa_xNb_{1-x}O_3$ thin films deposited by metalorganic chemical vapor deposition.–B.M. Nichols, B.H. Hoerman, J-H. Hwang, T.O. Mason, and B.W. Wessels; **18**(1), 106–110.

Hwang, Joon-Cheol–Structure and microwave dielectric properties of $(Zn_{1-x}Ni_x)TiO_3$ ceramics.–Hyo Tae Kim, Joon-Cheol Hwang, Joong-Hee Nam, Byung Hyun Choi, and Michael T. Lanagan; **18**(5), 1067–1072.

Hwang, Seung-Joon–Influence of nanoparticle seeding on the phase formation kinetics of sol-gel-derived $Sr_{0.7}Bi_{2.4}Ta_2O_9$ thin films.–Yun-Mo Sung, Gopinathan M. Anilkumar, and Seung-Joon Hwang; **18**(2), 387–395.

–Suppression of pyrochlore phase formation in $Sr_{0.7}Bi_{2.4}Ta_2O_9$ thin films using nanoseed layer.–Se-Yeon Jung, Seung-Joon Hwang, and Yun-Mo Sung; **18**(8), 1745–1748(L).

Hyuga, Hideki–Mechanical and wear properties of Si_3N_4–W composites using tungsten boride powder.–Hideki Hyuga, Mark I. Jones, Kiyoshi Hirao, and Yukihiko Yamauchi; **18**(9), 2262–2267.

I

Ichihara, Masaki–Polymorphism in ZrP crystal.–Hiroshi Iwanaga, Takeshi Hashishin, Seiji Motojima, Masaki Ichihara, and Shin Takeuchi; **18**(3), 567–570.

Ida, Shintaro–Fabrication of metal oxide–diamond composite films by electrophoretic deposition and anodic dissolution.–Kai Kamada, Keita Maehara, Maki Mukai, Shintaro Ida, and Yasumichi Matsumoto; **18**(12), 2826–2831.

Iga, T.–Mechanical properties and low-temperature aging of tetragonal zirconia polycrystals processed by hot isostatic pressing.–J. Muñoz-Saldaña, H. Balmori-Ramírez, D. Jaramillo-Vigueras, T. Iga, and G.A. Schneider; **18**(10), 2415–2426.

Ii, Takahiro–Spectroscopic and paramagnetic properties of molybdenum oxyhydroxide films electrochemically formed from the Keggin-type $(PMo_{12}O_{40})^{3-}$ complex.–Masaharu Nakayama, Takahiro Ii, and Kotaro Ogura; **18**(10), 2509–2514.

Ikegami, Takayasu–Monodispersed Sc_2O_3 precursor particles via homogeneous precipitation: Synthesis, thermal decomposition, and the effects of supporting anions on powder properties.–Ji-Guang Li, Takayasu Ikegami, Toshiyuki Mori, and Yoshiyuki Yajima; **18**(5), 1149–1156.

–Low-temperature preparation of dense 10 mol%-Y_2O_3-doped CeO_2 ceramics using powders synthesized via carbonate coprecipitation.–Yarong Wang, Toshiyuki Mori, Ji-Guang Li, Takayasu Ikegami, and Yoshiyuki Yajima; **18**(5), 1239–1246.

–Fabrication of transparent Sc_2O_3 ceramics with powders thermally pyrolyzed from sulfate.–Ji-Guang Li, Takayasu Ikegami, and Toshiyuki Mori; **18**(8), 1816–1822.

Ilavsky, J.–Rapid structural and chemical characterization of ternary phase diagrams using synchrotron radiation.–E.D. Specht, A. Rar, G.M. Pharr, E.P George, P. Zschack, H. Hong, and J. Ilavsky; **18**(10), 2522–2527.

Ilavsky, Jan–Small-angle neutron scattering study of the role of feedstock particle size on the microstructural behavior of plasma-sprayed yttria-stabilized zirconia deposits.–Hacène Boukari, Andrew J. Allen, Gabrielle G. Long, Jan Ilavsky, Jay S. Wallace, Christopher C. Berndt, and Herbert Herman; **18**(3), 624–634.

Inagaki, Y.–Thermal shock of porous silicon nitride with preferentially aligned grains.–L.J. Vandeperre, Y. Inagaki, and W.J. Clegg; **18**(11), 2724–2729.

Inoue, A.–Mechanically induced devitrifications of ball-milled $Zr_{70}Pd_{20}Ni_{10}$ glassy alloy powders.–M. Sherif El-Eskandarany, J. Saida, and A. Inoue; **18**(2), 250–253(L).

–Formation and mechanical properties of Cu–Hf–Al bulk glassy alloys with a large supercooled liquid region of over 90 K.–Akihisa Inoue and Wei Zhang; **18**(6), 1435–1440.

–Mechanical properties of Fe-based bulk glassy alloys in Fe–B–Si–Nb and Fe–Ga–P–C–B–Si systems.–A. Inoue, B.L. Shen, A.R. Yavari, and A.L. Greer; **18**(6), 1487–1492.

–Formation, corrosion behavior, and mechanical properties of bulk glassy Zr–Al–Co–Nb alloys.–Shujie Pang, Tao Zhang, Katsuhiko Asami, and Akihisa Inoue; **18**(7), 1652–1658.

–Evaluation of nanoscale inhomogeneity in as-quenched state of Cu–Hf–Ti alloys.–J. Saida, T. Osuna, A. Inoue, and M. Onuma; **18**(9), 2013–2016(L).

–Fabrication of large-size Fe-based glassy cores with good soft magnetic properties by spark plasma sintering.–Baolong Shen and Akihisa Inoue; **18**(9), 2115–2121.

–Mechanism of solid-state reaction for fabrication of new glassy $V_{45}Zr_{22}Ni_{22}Cu_{11}$ alloy powders and subsequent consolidation.–M. Sherif El-Eskandarany, Satoru Ishihara, and A. Inoue; **18**(10), 2435–2445.

–Soft magnetic properties of nanocrystalline Fe–Co–B–Si–Nb–Cu alloys in ribbon and bulk forms.–Akihisa Inoue and Baolong Shen; **18**(12), 2799–2806.

Inoue, T.–Heat-treatment retention time dependence of polyvinylidenechloride-based carbons on their application to electric double-layer capacitors.–M. Endo, Y.J. Kim, K. Ishii, T. Inoue, T. Nomura, N. Miyashita, and M.S. Dresselhaus; **18**(3), 693–701.

Iriarte, G.F.–Influence of deposition parameters on the stress of magnetron sputter-deposited AlN thin films on Si(100) substrates.–G.F. Iriarte, F. Engelmark, M. Ottosson, and I.V. Katardjiev; **18**(2), 423–432.

–Erratum: "Influence of deposition parameters on the stress of magnetron sputter-deposited AlN thin films on Si(100) substrates" [J. Mater. Res. 18, 423 (2003)].–G.F. Iriarte, F. Engelmark, M. Ottosson, and I.V. Katardjiev; **18**(7), 1733(E).

Ishchuk, V.M.–Structural, magnetic, and transport properties of pulsed-laser deposition $La_{0.65}Ca_{0.35}MnO_3$ films grown under different substrate arrangements in the laser plume.–B.I. Belevtsev, D.G. Naugle, K.D.D. Rathnayaka, I.N. Chukanova, J.H. Ross, and V.M. Ishchuk; **18**(10), 2406–2414.

Ishihara, Satoru–Mechanism of solid-state reaction for fabrication of new glassy $V_{45}Zr_{22}Ni_{22}Cu_{11}$ alloy powders and subsequent consolidation.–M. Sherif El-Eskandarany, Satoru Ishihara, and A. Inoue; **18**(10), 2435–2445.

Ishihara, Tadashi–Fabrication of nano-sized Si powders with a narrow size distribution by two-step milling.–Bong-Chull Kim, Hiroyuki Uono, Tooru Fuse, Tadashi Ishihara, and Mamoru Senna; **18**(6), 1368–1373.

Ishii, K.–Heat-treatment retention time dependence of polyvinylidenechloride-based carbons on their application to electric double-layer capacitors.–M. Endo, Y.J. Kim, K. Ishii, T. Inoue, T. Nomura, N. Miyashita, and M.S. Dresselhaus; **18**(3), 693–701.

Ishikawa, Junzo–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Isshiki, Toshiyuki–Transmission electron microscopic studies on an initial stage in the conversion process from α-tricalcium phosphate to hydroxyapatite.–Masato Tamai, Toshiyuki Isshiki, Koji Nishio, Mitsuhiro Nakamura, Atsushi Nakahira, and Hisamitsu Endoh; **18**(11), 2633–2638.

Itaka, Kenji–Thermal diffusivity of $(Ca_{1-x}Sr_x)_3Co_4O_9$ thin films using transient grating configuration.–Yoshiaki Takata, Yutaka Adachi, Hajime Haneda, Yoshiki Wada, Takefumi Mitsuhashi, Kenji Itaka, and Hideomi Koinuma; **18**(10), 2473–2477.

Iwanaga, Hiroshi–Polymorphism in ZrP crystal.–Hiroshi Iwanaga, Takeshi Hashishin, Seiji Motojima, Masaki Ichihara, and Shin Takeuchi; **18**(3), 567–570.

–Effect of impurities on silicon nitride whiskers synthesized from silica-containing natural substances.–Takeshi Hashishin, Hiroshi Iwanaga, and Yoshifumi Yamamoto; **18**(12), 2760–2764.

Iwasa, Mikio–Self-reinforced Y-α-sialon ceramics with barium aluminosilicate as an additive.–Feng Ye, Mikio Iwasa, Caili Su, and Sheng Chen; **18**(10), 2446–2450.

Iyi, Nobuo–Preparation and characterization of poly(tetramethyl-*p*-phenylenediamine)/clay hybrids via intercalative polymerization.–Guangming Chen, Nobuo Iyi, and Taketoshi Fujita; **18**(2), 482–486.

–Molecular orientation of methylene blue intercalated in layer-charge-controlled montmorillonites.–Yoshiro Kaneko, Nobuo Iyi, Juraj Bujdák, Ryo Sasai, and Takektoshi Fujita; **18**(11), 2639–2643.

J

Jacobs, Randolph N.–Role of Pb excess in the crystallization of lead zirconate titanate films derived via sol-gel processing.–Randolph N. Jacobs and L. Salamanca-Riba; **18**(6), 1405–1411.

Jacobson, A.J.–Composition control of radio-frequency magnetron sputter-deposited $La_{0.5}Sr_{0.5}CoO_{3-\delta}$ thin films.–D.O. Klenov, W. Donner, L. Chen, A.J. Jacobson, and S. Stemmer; **18**(1), 188–194.

Jacques, David–Observation and formation mechanism of stable face-centered-cubic Fe nanorods in carbon nanotubes.–Hansoo Kim, Michael J. Kaufman, Wolfgang M. Sigmund, David Jacques, and Rodney Andrews; **18**(5), 1104–1108.

Jahanmir, Said–Wear of hydroxyapatite sliding against glass-infiltrated alumina.–Mitjan Kalin, Bernard Hockey, and Said Jahanmir; **18**(1), 27–36.

Jana, Madhusudan–P-doped μc-Si:H films at a very low thickness and high deposition rate: Suitable for application in solar cells.–Debajyoti Das and Madhusudan Jana; **18**(10), 2371–2378.

Jana, Tushar–Tailoring of the self-organized structure of sulfonated polyaniline from a fibrillar network to a colloidal aggregate.–Tushar Jana and Arun K. Nandi; **18**(7), 1691–1697.

Janda, Petr–Casting properties of the high-strength AlZnMgCuNiSi alloys.–Dalibor Vojtěch, Elšad Tagiev, Čestmír Barta, Čestmír Barta, Jr., Jan Šerák, Petr Janda, and Ondřej Eckert; **18**(3), 635–641.

Janot, R.–Enhanced hydrogen sorption capacities and kinetics of Mg_2Ni alloys by ball-milling with carbon and Pd coating.–R. Janot, L. Aymard, A. Rougier, G.A. Nazri, and J.M. Tarascon; **18**(8), 1749–1752(L).

Jaramillo-Vigueras, D.–Mechanical properties and low-temperature aging of tetragonal zirconia polycrystals processed by hot isostatic pressing.–J. Muñoz-Saldaña, H. Balmori-Ramírez, D. Jaramillo-Vigueras, T. Iga, and G.A. Schneider; **18**(10), 2415–2426.

Jayaseelan, D. Doni–Thermally stable high-strength porous alumina.–D. Doni Jayaseelan, S. Ueno, J.H. She, T. Ohji, and S. Kanzaki; **18**(4), 751–754(L).

Jeng, Ching-An–Wet erosion damage of Cr_3C_2/Al_2O_3 composite.–Ching-An Jeng and Jow-Lay Huang; **18**(5), 1162–1167.

Jenks, Cynthia J.–Tribological properties of a B2-type Al-Pd-Mn quasicrystal approximant.–Chris Mancinelli, Cynthia J. Jenks, Patricia A. Thiel, and Andrew J. Gellman; **18**(6), 1447–1456.

Jeon, Duk Young–Nanoscale continuous In_2O_3 coating on phosphor particles for improved low-voltage cathodoluminescent properties.–Jin Young Kim, Yong Chan You, Jong Hyuk Kang, Duk Young Jeon, and Il Yu; **18**(7), 1505–1508.

Jeong, Changoh–Adhesion, passivation, and resistivity of a Ag(Mg) gate electrode for an amorphous silicon thin-film transistor.–Jaegab Lee, Heejung Yang, Jinhyung Lee, Hyunjung Shin, Jiyoung Kim, Changoh Jeong, Beomseok Cho, Kyuha Chung, and Eungu Lee; **18**(6), 1441–1446.

Jeoung, Jun Sik–Microstructural evolution of low-dose separation by implanted oxygen materials implanted at 65 and 100 keV.–Jun Sik Jeoung, Philip Anderson, and Supapan Seraphin; **18**(9), 2177–2187.

Ji, J.–New approach to depositing yttria-stabilized zirconia buffer layers for coated conductors.–S. Sambasivan, I. Kim, S. Barnett, M.A. Zurbuchen, J. Ji, B.W. Kang, A. Goyal, P.N. Barnes, and C.E. Oberly; **18**(4), 919–928.

Jia, Hongbo–Shape-controllable synthesis of indium oxide structures: Nanopyramids and nanorods.–Ye Zhang, Hongbo Jia, Dapeng Yu, Xuhui Luo, Zhensheng Zhang, Xihong Chen, and Cheoljin Lee; **18**(12), 2793–2798.

Jiang, J.C.–Composition and growth-temperature effect on the microstructure of epitaxial $La_{1-x}Sr_xMnO_3$ ($x = 0, 0.2$) thin films on (001) $LaAlO_3$.–J.C. Jiang, E.I. Meletis, and K.I. Gnanasekar; **18**(11), 2556–2561.

Jiang, J.Z.–Crystallization of $Cu_{60}Ti_{20}Zr_{20}$ metallic glass with and without pressure.–J.Z. Jiang, B. Yang, K. Saksl, H. Franz, and N. Pryds; **18**(4), 895–898.

Jiang, Lixiang–Resistance to vacuum ultraviolet irradiation of nano-TiO_2 modified carbon/epoxy composites.–Lixiang Jiang, Shiyu He, and Dezhuang Yang; **18**(3), 654–658.

Jiang, Minhua–Growth and properties of $KBe_2BO_3F_2$ crystal.–Jiyang Wang, Chenqian Zhang, Yaogang Liu, Jianxiu Zhang, Xiaobo Hu, Minhua Jiang, Chuangtian Chen, Yicheng Wu, and Zuyan Xu; **18**(10), 2478–2485.

Jiang, W.–Microstructural features of Al-implanted 4H–SiC.–C.M. Wang, Y. Zhang, W.J. Weber, W. Jiang, and L.E. Thomas; **18**(4), 772–779.

Jiang, W.H.–Rate dependence of serrated flow in a metallic glass.–W.H. Jiang and M. Atzmon; **18**(4), 755–757(L).

Jiang, Xiongwei–Long-lasting phosphorescence and photostimulated long-lasting phosphorescence in Mn^{2+}-doped alumino-phosphofluoride glasses irradiated by a femtosecond laser.–Xiongwei Jiang, Jianrong Qiu, Youyu Fan, Hefang Hu, and Congshan Zhu; **18**(3), 616–619.

–Laser-controlled precipitation of gold nanoparticles in silicate glasses.–Xiongwei Jiang, Jianrong Qiu, Huidan Zeng, and Congshan Zhu; **18**(9), 2097–2100.

Jiao, Jun–High-yield synthesis of carbon coils on tungsten substrates and their behavior in the presence of an electric field.–Jun Jiao, Erik Einarsson, David W. Tuggle, Logan Love, Josie Prado, and George M. Coia; **18**(11), 2580–2587.

Jilavi, M.H.–Microstructure characterization of oxide coatings deposited by pulsed excimer laser ablation.–M.H. Jilavi, W.M. Kriven, H. Chung, and J. Mazumder; **18**(7), 1623–1630.

Jin, Ming–Synthesis of hyperbranched poly(amine–ester)-protected noble metal nanoparticles in aqueous solution.–Chunyan Bao, Ming Jin, Ran Lu, Pengchong Xue, Tierui Zhang, Changhui Tan, and Yingying Zhao; **18**(6), 1392–1398.

Jin, Moon-Seog–Composition and temperature dependence of optical energy gaps of $TlGa_{1-x}Sb_xS_2$ single crystals.–Moon-Seog Jin, Jae-Yeol Kim, Koung-Suk Kim, Sung-Hyu Choe, and Ho-Jun Song; **18**(3), 620–623.

Jin, Wu–Controlled growth of gallium nitride single-crystal nanowires using a chemical vapor deposition method.–Song Han, Wu Jin, Tao Tang, Chao Li, Daihua Zhang, Xiaolei Liu, Jie Han, and Chongwu Zhou; **18**(2), 245–249(L).

Jirsa, M.–Magnetic and microstructure study of bulk $(Sm_{0.33}Eu_{0.33}Gd_{0.33})Ba_2Cu_3O_x$ with submicron Gd_2BaCuO_5 second-phase particles.–M. Muralidhar, M. Jirsa, N. Sakai, Y. Wu, and M. Murakami; **18**(5), 1073–1080.

Jo, Chang-Yong–Synthesis behavior and grain morphology in mullite ceramics with precursor pH and sintering temperature.–Jae-Won Kim, Jae-Ean Lee, Yeon-Gil Jung, Chang-Yong Jo, Jae-Ho Lee, and Ungyu Paik; **18**(1), 81–87.

Johnson, D. Lynn–Silica-encapsulated magnetic nanoparticles formed by a combined arc evaporation/chemical vapor deposition technique.–Kevin L. Klug, Vinayak P. Dravid, and D. Lynn Johnson; **18**(4), 988–993.

Jones, J.W.–Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates.–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(5), 1109–1122.

–Erratum: "Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates" [J. Mater. Res. 18, 1109 (2003)].–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(7), 1733(E).

Jones, Mark I.–Mechanical and wear properties of Si_3N_4–W composites using tungsten boride powder.–Hideki Hyuga, Mark I. Jones, Kiyoshi Hirao, and Yukihiko Yamauchi; **18**(9), 2262–2267.

Jönsson, S.K.M.–X-ray photoelectron spectroscopy study of the metal/polymer contacts involving aluminum and poly(3,4–ethylenedioxythiophene)–poly(styrenesulfonic acid) derivatives.–S.K.M. Jönsson, W.R. Salaneck, and M. Fahlman; **18**(5), 1219–1226.

Joo, J.–An approach to durable poly(vinylidene fluoride) thin film loudspeaker.–C.S. Lee, J.Y. Kim, D.E. Lee, J. Joo, S. Han, Y.W. Beag, and S.K. Koh; **18**(12), 2904–2911.

Jooss, Christian–Room-temperature preparation of biaxially textured indium tin oxide thin films with ion-beam-assisted deposition.–Karola Thiele, Sibylle Sievers, Christian Jooss, Jörg Hoffmann, and Herbert C. Freyhardt; **18**(2), 442–447.

Joy, P.A.–Biomimetic synthesis of superparamagnetic iron oxide particles in proteins.–Arvind Sinha, Suprabha Nayar, G.V.S. Murthy, P.A. Joy, V. Rao, and P. Ramachandrarao; **18**(6), 1309–1313.

Juhász, A.–Dynamic characterization of Portevin–Le Chatelier instabilities occurring in depth-sensing microhardness tests.–G. Bérces, J. Lendvai, A. Juhász, and N.Q. Chinh; **18**(12), 2874–2881.

Juliano, Tom–Effect of indentation unloading conditions on phase transformation induced events in silicon.–Tom Juliano, Yury Gogotsi, and Vladislav Domnich; **18**(5), 1192–1201.

Jung, Hang Chul–Synthesis and characterization of TiO_2 nanocrystalline powder prepared by homogeneous precipitation using urea.–Dong Seok Seo, Hwan Kim, Hang Chul Jung, and Jong Kook Lee; **18**(3), 571–577.

Jung, Ji-In–Photoluminescence of mesoporous silica films impregnated with an erbium complex.–Oun-Ho Park, Se-Young Seo, Ji-In Jung, Jae Young Bae, and Byeong-Soo Bae; **18**(5), 1039–1042(L).

Jung, Se-Yeon–Suppression of pyrochlore phase formation in $Sr_{0.7}Bi_{2.4}Ta_2O_9$ thin films using nanoseed layer.–Se-Yeon Jung, Seung-Joon Hwang, and Yun-Mo Sung; **18**(8), 1745–1748(L).

Jung, Yeon-Gil–Synthesis behavior and grain morphology in mullite ceramics with precursor pH and sintering temperature.–Jae-Won Kim, Jae-Ean Lee, Yeon-Gil Jung, Chang-Yong Jo, Jae-Ho Lee, and Ungyu Paik; **18**(1), 81–87.

K

Kadono, Kohei–X-ray absorption fine structure study on the formation of Cu–Br bonds in (Br + Cu) ion implanted silica glass.–Kohei Fukumi, Akiyoshi Chayahara, Atsushi Kinomura, Hiroyuki Kageyama, Kohei Kadono, Naoyuki Kitamura, Junji Nishii, and Yuji Horino; **18**(4), 885–894.

Kagawa, Y.–Spatial and temporal spreading behaviors of light in glass particle-dispersed epoxy matrix composites evaluated by pico-second order light pulse profile.–K. Matsumura and Y. Kagawa; **18**(11), 2644–2652.

Kageyama, Hiroyuki–X-ray absorption fine structure study on the formation of Cu–Br bonds in (Br + Cu) ion implanted silica glass.–Kohei Fukumi, Akiyoshi Chayahara, Atsushi Kinomura, Hiroyuki Kageyama, Kohei Kadono, Naoyuki Kitamura, Junji Nishii, and Yuji Horino; **18**(4), 885–894.

–Preparation of $BaTiO_3/SrTiO_3$ composite dielectric ceramics with a flat temperature dependence of permittivity.–Tomonari Takeuchi and Hiroyuki Kageyama; **18**(8), 1809–1815.

Kakegawa, Kazuyuki–Synthesis of rutile and anatase TiO_2 nanoparticles from Ti-peroxy compound aqueous solution with polyols.–Naofumi Uekawa, Miki Suzuki, Takahiro Ohmiya, Fumihiko Mori, Yong Jun Wu, and Kazuyuki Kakegawa; **18**(4), 797–803.

Kalin, Mitjan–Wear of hydroxyapatite sliding against glass-infiltrated alumina.–Mitjan Kalin, Bernard Hockey, and Said Jahanmir; **18**(1), 27–36.

Kaloyeros, Alain E.–Low-temperature metalorganic chemical vapor deposition of Al_2O_3 for advanced complementary metal-oxide semiconductor gate dielectric applications.–Spyridon Skordas, Filippos Papadatos, Guillermo Nuesca, John J. Sullivan, Eric T. Eisenbraun, and Alain E. Kaloyeros; **18**(8), 1868–1876.

Kamada, Kai–Fabrication of metal oxide–diamond composite films by electrophoretic deposition and anodic dissolution.–Kai Kamada, Keita Maehara, Maki Mukai, Shintaro Ida, and Yasumichi Matsumoto; **18**(12), 2826–2831.

Kambayashi, Hisae–Synthesis of mesoscopic hollow spheres and inner surface functionalized hollow spheres of titanium dioxide by the liquid phase deposition method.–Yoshifumi Aoi, Hisae Kambayashi, Eiji Kamijo, and Shigehito Deki; **18**(12), 2832–2836.

Kamijo, Eiji–Synthesis of mesoscopic hollow spheres and inner surface functionalized hollow spheres of titanium dioxide by the liquid phase deposition method.–Yoshifumi Aoi, Hisae Kambayashi, Eiji Kamijo, and Shigehito Deki; **18**(12), 2832–2836.

Kammler, Hendrik K.–Carbon-coated titania nanostructured particles: Continuous, one-step flame-synthesis.–Hendrik K. Kammler and Sotiris E. Pratsinis; **18**(11), 2670–2676.

Kan, Akinori–Chemical bonding characteristics and dielectric properties of $Nd_2(Ba_{1-x}Sr_x)ZnO_5$ solid solutions.–Akinori Kan, Hirotaka Ogawa, Kenkichi Mori, Hitoshi Ohsato, and Yoshinori Andou; **18**(10), 2427–2434.

Kan, Ming-Chi–Enhanced field emission from nitrogen-doped amorphous diamond.–Ming-Chi Kan, Jow-Lay Huang, James C. Sung, Kuei-Hsien Chen, and Ding-Fwu Lii; **18**(7), 1594–1599.

–Effects of substrate bias on nanocrystal-(Ti,Al)N_x/amorphous-SiN_y composite films.–Bao-Shun Yau, Jow-Lay Huang, and Ming-Chi Kan; **18**(8), 1985–1990.

Kane, Ravi S.–Spectral fingerprinting of structural defects in plasma-treated carbon nanotubes.–Nirupama Chakrapani, Seamus Curran, Bingqing Wei, Pulickel M. Ajayan, Alvaro Carrillo, and Ravi S. Kane; **18**(10), 2515–2521.

Kanehira, Shingo–Electromagnetic properties of photonic crystals with diamond structure containing defects.–Shingo Kanehira, Soshu Kirihara, Yoshinari Miyamoto, Kazuaki Sakoda, and Mitsuo Wada Takeda; **18**(9), 2214–2220.

Kaneko, Yoshiro–Molecular orientation of methylene blue intercalated in layer-charge-controlled montmorillonites.–Yoshiro Kaneko, Nobuo Iyi, Juraj Bujdák, Ryo Sasai, and Takektoshi Fujita; **18**(11), 2639–2643.

Kang, B.W.–New approach to depositing yttria-stabilized zirconia buffer layers for coated conductors.–S. Sambasivan, I. Kim, S. Barnett, M.A. Zurbuchen, J. Ji, B.W. Kang, A. Goyal, P.N. Barnes, and C.E. Oberly; **18**(4), 919–928.

–Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates.–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(5), 1109–1122.

–Erratum: "Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates" [J. Mater. Res. 18, 1109 (2003)].–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(7), 1733(E).

Kang, Eun-Seok–Effect of organic modifiers on the thermo-optic characteristics of inorganic–organic hybrid material films.–Eun-Seok Kang, Jang-Ung Park, and Byeong-Soo Bae; **18**(8), 1889–1894.

Kang, Jong Hyuk–Nanoscale continuous In_2O_3 coating on phosphor particles for improved low-voltage cathodoluminescent properties.–Jin Young Kim, Yong Chan You, Jong Hyuk Kang, Duk Young Jeon, and Il Yu; **18**(7), 1505–1508.

Kang, S.–Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates.–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(5), 1109–1122.

–Microstructural characterization of thick $YBa_2Cu_3O_{7-\delta}$ films on improved rolling-assisted biaxially textured substrates.–K.J. Leonard, S. Kang, A. Goyal, K.A. Yarborough, and D.M. Kroeger; **18**(7), 1723–1732.

–Erratum: "Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates" [J. Mater. Res. 18, 1109 (2003)].–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(7), 1733(E).

Kang, S.K.–Study of the reaction mechanism between electroless Ni–P and Sn and its effect on the crystallization of Ni–P.–Y.C. Sohn, Jin Yu, S.K. Kang, W.K. Choi, and D.Y. Shih; **18**(1), 4–7(L).

Kang, T.W.–Improvement in the crystallinity and electrical properties in $Hg_{1-x}Cd_xTe$ epilayers utilizing CdTe buffer layers grown on GaAs substrates by a two-step annealing process.–Y.S. Ryu, B.S. Song, H.J. Kim, T.W. Kang, and T.W. Kim; **18**(2), 257–261.

Kannan, C.V.–Raman study of gaseous bubble inclusions in bismuth germanate and bismuth germanium silicon oxide single crystals.–V. Vaithianathan, R. Kesavamoorthy, C.V. Kannan, P. Santhanaraghavan, and P. Ramasamy; **18**(4), 762–767.

Kanzaki, S.–Thermally stable high-strength porous alumina.–D. Doni Jayaseelan, S. Ueno, J.H. She, T. Ohji, and S. Kanzaki; **18**(4), 751–754(L).

–Effects of rare-earth oxide and alumina additives on thermal conductivity of liquid-phase-sintered silicon carbide.–You Zhou, Kiyoshi Hirao, Yukihiko Yamauchi, and Shuzo Kanzaki; **18**(8), 1854–1862.

Kao, C.R.–Electromigration failure in flip chip solder joints due to rapid dissolution of copper.–Y.C. Hu, Y.H. Lin, C.R. Kao, and K.N. Tu; **18**(11), 2544–2548(L).

Katardjiev, I.V.–Influence of deposition parameters on the stress of magnetron sputter-deposited AlN thin films on Si(100) substrates.–G.F. Iriarte, F. Engelmark, M. Ottosson, and I.V. Katardjiev; **18**(2), 423–432.

–Erratum: "Influence of deposition parameters on the stress of magnetron sputter-deposited AlN thin films on Si(100) substrates" [J. Mater. Res. 18, 423 (2003)].–G.F. Iriarte, F. Engelmark, M. Ottosson, and I.V. Katardjiev; **18**(7), 1733(E).

Kato, Kazumi–Control of crystallization and crystal orientation of alkoxy-derived $SrBi_2Ta_2O_9$ thin films by ultraviolet irradiation.–Kaori Nishizawa, Takeshi Miki, Kazuyuki Suzuki, and Kazumi Kato; **18**(4), 899–907.

Katoh, Takeo–Influence of the electrokinetic behaviors of abrasive ceria particles and the deposited plasma-enhanced tetraethylorthosilicate and chemically vapor deposited Si_3N_4 films in an aqueous medium on chemical mechanical planarization for shallow trench isolation.–Sang-Kyun Kim, Sangkyu Lee, Ungyu Paik, Takeo Katoh, and Jea-Gun Park; **18**(9), 2163–2169.

Katsuki, Hiroaki–Microwave-assisted polyol synthesis of Ag powders.–Hiroaki Katsuki and Sridhar Komarneni; **18**(4), 747–750(L).

Kaufman, Michael J.–Observation and formation mechanism of stable face-centered-cubic Fe nanorods in carbon nanotubes.–Hansoo Kim, Michael J. Kaufman, Wolfgang M. Sigmund, David Jacques, and Rodney Andrews; **18**(5), 1104–1108.

Kawakami, Nobuyuki–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Kawaoka, Hirokazu–Silicon nitride ceramics with sodium ion conductive grain boundary phase.–Hirokazu Kawaoka, Tohru Sekino, Takafumi Kusunose, and Koichi Niihara; **18**(12), 2752–2755(L).

Kayanuma, Yoshihiro–Recovery of platinum using magnesium vapor.–Toru H. Okabe, Sachiko Yamamoto, Yoshihiro Kayanuma, and Masafumi Maeda; **18**(8), 1960–1967.

Kaydanova, T.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

Ke, Yanxiong–Synthesis of mesostructured lamellar lead sulfide in acidic media.–Shuxi Zhou, Yanxiong Ke, Jianmin Li, Shemin Lu, Guien Zhou, and Shuyuan Zhang; **18**(3), 549–551(L).

Kelman, Maxim B.–Structural analysis of coexisting tetragonal and rhombohedral phases in polycrystalline $Pb(Zr_{0.35}Ti_{0.65})O_3$ thin films.–Maxim B. Kelman, Paul C. McIntyre, Bryan C. Hendrix, Steven M. Bilodeau, Jeffrey F. Roeder, and Sean Brennan; **18**(1), 173–179.

Kesavamoorthy, R.–Raman study of gaseous bubble inclusions in bismuth germanate and bismuth germanium silicon oxide single crystals.–V. Vaithianathan, R. Kesavamoorthy, C.V. Kannan, P. Santhanaraghavan, and P. Ramasamy; **18**(4), 762–767.

Khalyavin, D.D.–Synthesis and dielectric properties of tungsten-based complex perovskites.–D.D. Khalyavin, Jiaping Han, A.M.R Senos, and P.Q. Mantas; **18**(11), 2600–2607.

Khatri, S.D.–Effect of furfuryl alcohol on the properties of hydrated cement mortar.–V.K. Singh, R.K. Singh, and S.D. Khatri; **18**(5), 1131–1140.

Kim, Bong-Chull–Fabrication of nano-sized Si powders with a narrow size distribution by two-step milling.–Bong-Chull Kim, Hiroyuki Uono, Tooru Fuse, Tadashi Ishihara, and Mamoru Senna; **18**(6), 1368–1373.

Kim, D.H.–Fabrication of ternary Mg–Cu–Gd bulk metallic glass with high glass-forming ability under air atmosphere.–H. Men and D.H. Kim; **18**(7), 1502–1504(L).

–High-temperature oxidation of Al–Cu–Fe–Be quasicrystalline powders.–E. Fleury, J.S. Kim, D.H. Kim, and W.T. Kim; **18**(8), 1837–1841.

–Synthesis of Ni-based bulk metallic glass matrix composites containing ductile brass phase by warm extrusion of gas atomized powders.–M.H. Lee, D.H. Bae, D.H. Kim, and D.J. Sordelet; **18**(9), 2101–2108.

Kim, Do Kyung–Effect of an adhesive interlayer on the fracture of a brittle coating on a supporting substrate.–Jong Ho Kim, Pedro Miranda, Do Kyung Kim, and Brian R. Lawn; **18**(1), 222–227.

–Modeling of effects of adhesive interlayers on contact-induced radial cracking in brittle coatings on substrates.–Chun-Hway Hsueh, Jong Ho Kim, and Do Kyung Kim; **18**(6), 1481–1486.

Kim, H.J.–Improvement in the crystallinity and electrical properties in $Hg_{1-x}Cd_xTe$ epilayers utilizing CdTe buffer layers grown on GaAs substrates by a two-step annealing process.–Y.S. Ryu, B.S. Song, H.J. Kim, T.W. Kang, and T.W. Kim; **18**(2), 257–261.

Kim, Hae-Won–Fabrication and compressive strength of macrochannelled tetragonal zirconia polycrystals with calcium phosphate coating layer.–Young-Hag Koh, Hae-Won Kim, Hyoun-Ee Kim, and John W. Halloran; **18**(9), 2009–2012(L).

Kim, Hansoo–Observation and formation mechanism of stable face-centered-cubic Fe nanorods in carbon nanotubes.–Hansoo Kim, Michael J. Kaufman, Wolfgang M. Sigmund, David Jacques, and Rodney Andrews; **18**(5), 1104–1108.

–Synthesis of hierarchical zinc oxide nanotubes.–Hansoo Kim and Wolfgang M. Sigmund; **18**(12), 2845–2850.

Kim, Hwan–Effect of dopant (Nb) concentration on the grain boundary electrical properties of Nb-doped barium titanate.–Seok-Hyun Yoon and Hwan Kim; **18**(1), 88–96.

–Synthesis and characterization of TiO_2 nanocrystalline powder prepared by homogeneous precipitation using urea.–Dong Seok Seo, Hwan Kim, Hang Chul Jung, and Jong Kook Lee; **18**(3), 571–577.

Kim, Hye Dong–Segregation of aluminum in Si and SiO_2 films deposited by plasma-enhanced chemical vapor deposition in fabrication of low-temperature poly Si thin-film transitor.–U.C. Oh, Kwang Nam Kim, Sung Chul Kim, Hye Dong Kim, and Ho Kyoon Chung; **18**(4), 973–978.

Kim, Hyeong Joon–Experimental and theoretical characterization of the surface acoustic wave propagation properties of GaN epitaxial layers on c-plane sapphire.–Kook Hyun Choi, Hyeong Joon Kim, Su Jin Chung, Jin Yong Kim, Tae Kun Lee, and Young Jin Kim; **18**(5), 1157–1161.

–Hydration behavior of MgO single crystals and thin films.–Jung Heon Lee, Jae Hwan Eun, Soo Gil Kim, Sun Young Park, Mi Jung Lee, and Hyeong Joon Kim; **18**(12), 2895–2903.

Kim, Hyo Tae–Structure and microwave dielectric properties of $(Zn_{1-x}Ni_x)TiO_3$ ceramics.–Hyo Tae Kim, Joon-Cheol Hwang, Joong-Hee Nam, Byung Hyun Choi, and Michael T. Lanagan; **18**(5), 1067–1072.

Kim, Hyoun-Ee–Effect of lanthanum on the piezoelectric properties of lead zirconate titanate–lead zinc niobate ceramics.–Seung-Ho Lee, Chang-Bun Yoon, Seung-Beom Seo, and Hyoun-Ee Kim; **18**(8), 1765–1770.

–Fabrication and compressive strength of macrochannelled tetragonal zirconia polycrystals with calcium phosphate coating layer.–Young-Hag Koh, Hae-Won Kim, Hyoun-Ee Kim, and John W. Halloran; **18**(9), 2009–2012(L).

Kim, I.–New approach to depositing yttria-stabilized zirconia buffer layers for coated conductors.–S. Sambasivan, I. Kim, S. Barnett, M.A. Zurbuchen, J. Ji, B.W. Kang, A. Goyal, P.N. Barnes, and C.E. Oberly; **18**(4), 919–928.

Kim, J.C.–Fabrication of TiO_2 nanospheres by template replication in porous carbon networks.–J.C. Kim, Y.N. Kim, E.O. Chi, N.H. Hur, S.B. Yoon, and J-S. Yu; **18**(4), 780–783.

Kim, J.S.–High-temperature oxidation of Al–Cu–Fe–Be quasicrystalline powders.–E. Fleury, J.S. Kim, D.H. Kim, and W.T. Kim; **18**(8), 1837–1841.

Kim, J.Y.–An approach to durable poly(vinylidene fluoride) thin film loudspeaker.–C.S. Lee, J.Y. Kim, D.E. Lee, J. Joo, S. Han, Y.W. Beag, and S.K. Koh; **18**(12), 2904–2911.

Kim, Jae-Eun–Optical absorption of Co^{2+} in $MgIn_2S_4$, $CdIn_2S_4$, and $HgIn_2S_4$ spinel crystals.–Seok-Joo Lee, Jae-Eun Kim, and Hae Yong Park; **18**(3), 733–736.

Kim, Jae-Won–Synthesis behavior and grain morphology in mullite ceramics with precursor pH and sintering temperature.–Jae-Won Kim, Jae-Ean Lee, Yeon-Gil Jung, Chang-Yong Jo, Jae-Ho Lee, and Ungyu Paik; **18**(1), 81–87.

Kim, Jae-Yeol–Composition and temperature dependence of optical energy gaps of $TlGa_{1-x}Sb_xS_2$ single crystals.–Moon-Seog Jin, Jae-Yeol Kim, Koung-Suk Kim, Sung-Hyu Choe, and Ho-Jun Song; **18**(3), 620–623.

Kim, Jin Yong–Experimental and theoretical characterization of the surface acoustic wave propagation properties of GaN epitaxial layers on c-plane sapphire.–Kook Hyun Choi, Hyeong Joon Kim, Su Jin Chung, Jin Yong Kim, Tae Kun Lee, and Young Jin Kim; **18**(5), 1157–1161.

Kim, Jin Young–Nanoscale continuous In_2O_3 coating on phosphor particles for improved low-voltage cathodoluminescent properties.–Jin Young Kim, Yong Chan You, Jong Hyuk Kang, Duk Young Jeon, and Il Yu; **18**(7), 1505–1508.

Kim, Jinheung–Low crystallization temperature and unusual switching properties of ferroelectric Nb-doped $Bi_4Ti_3O_{12}$ thin films prepared by rapid thermal annealing.–Jong Kuk Kim, Sang Su Kim, and Jinheung Kim; **18**(8), 1884–1888.

Kim, Jiyoung–Adhesion, passivation, and resistivity of a Ag(Mg) gate electrode for an amorphous silicon thin-film transistor.–Jaegab Lee, Heejung Yang, Jinhyung Lee, Hyunjung Shin, Jiyoung Kim, Changoh Jeong, Beomseok Cho, Kyuha Chung, and Eungu Lee; **18**(6), 1441–1446.

Kim, Jong Ho–Effect of an adhesive interlayer on the fracture of a brittle coating on a supporting substrate.–Jong Ho Kim, Pedro Miranda, Do Kyung Kim, and Brian R. Lawn; **18**(1), 222–227.

–Modeling of effects of adhesive interlayers on contact-induced radial cracking in brittle coatings on substrates.–Chun-Hway Hsueh, Jong Ho Kim, and Do Kyung Kim; **18**(6), 1481–1486.

Kim, Jong Kuk–Low crystallization temperature and unusual switching properties of ferroelectric Nb-doped $Bi_4Ti_3O_{12}$ thin films prepared by rapid thermal annealing.–Jong Kuk Kim, Sang Su Kim, and Jinheung Kim; **18**(8), 1884–1888.

Kim, Jung Hyeun–Cosolvent-assisted spray pyrolysis for the generation of metal particles.–Jung Hyeun Kim, Valeri I. Babushok, Thomas A. Germer, George W. Mulholland, and Sheryl H. Ehrman; **18**(7), 1614–1622.

Kim, Koung-Suk–Composition and temperature dependence of optical energy gaps of $TlGa_{1-x}Sb_xS_2$ single crystals.–Moon-Seog Jin, Jae-Yeol Kim, Koung-Suk Kim, Sung-Hyu Choe, and Ho-Jun Song; **18**(3), 620–623.

Kim, Kwang Nam–Segregation of aluminum in Si and SiO_2 films deposited by plasma-enhanced chemical vapor deposition in fabrication of low-temperature poly Si thin-film transitor.–U.C. Oh, Kwang Nam Kim, Sung Chul Kim, Hye Dong Kim, and Ho Kyoon Chung; **18**(4), 973–978.

Kim, Sang Su–Low crystallization temperature and unusual switching properties of ferroelectric Nb-doped $Bi_4Ti_3O_{12}$ thin films prepared by rapid thermal annealing.–Jong Kuk Kim, Sang Su Kim, and Jinheung Kim; **18**(8), 1884–1888.

Kim, Sang-Kyun–Influence of the electrokinetic behaviors of abrasive ceria particles and the deposited plasma-enhanced tetraethylorthosilicate and chemically vapor deposited Si_3N_4 films in an aqueous medium on chemical mechanical planarization for shallow trench isolation.–Sang-Kyun Kim, Sangkyu Lee, Ungyu Paik, Takeo Katoh, and Jea-Gun Park; **18**(9), 2163–2169.

Kim, Seon-Jin–Photocatalytic properties of rutile TiO_2 acicular particles in aqueous 4-chlorophenol solution.–Sun-Jae Kim, Jong-Kuk Lee, Eun Gu Lee, Hee-Gyoun Lee, Seon-Jin Kim, and Kyoung Sub Lee; **18**(3), 729–732.

Kim, Soo Gil–Hydration behavior of MgO single crystals and thin films.–Jung Heon Lee, Jae Hwan Eun, Soo Gil Kim, Sun Young Park, Mi Jung Lee, and Hyeong Joon Kim; **18**(12), 2895–2903.

Kim, Sun-Jae–Photocatalytic properties of rutile TiO_2 acicular particles in aqueous 4-chlorophenol solution.–Sun-Jae Kim, Jong-Kuk Lee, Eun Gu Lee, Hee-Gyoun Lee, Seon-Jin Kim, and Kyoung Sub Lee; **18**(3), 729–732.

Kim, Sung Chul–Segregation of aluminum in Si and SiO_2 films deposited by plasma-enhanced chemical vapor deposition in fabrication of low-temperature poly Si thin-film transitor.–U.C. Oh, Kwang Nam Kim, Sung Chul Kim, Hye Dong Kim, and Ho Kyoon Chung; **18**(4), 973–978.

Kim, T.W.–Improvement in the crystallinity and electrical properties in $Hg_{1-x}Cd_xTe$ epilayers utilizing CdTe buffer layers grown on GaAs substrates by a two-step annealing process.–Y.S. Ryu, B.S. Song, H.J. Kim, T.W. Kang, and T.W. Kim; **18**(2), 257–261.

Kim, Tae-Gon–Effect of crystallinity on the dielectric loss of sputter-deposited $(Ba,Sr)TiO_3$ thin films in the microwave range.–Tae-Gon Kim, Jeongmin Oh, Taeho Moon, Yongjo Kim, Byungwoo Park, Young-Taek Lee, and Sangwook Nam; **18**(3), 682–686.

Kim, W.T.–High-temperature oxidation of Al–Cu–Fe–Be quasicrystalline powders.–E. Fleury, J.S. Kim, D.H. Kim, and W.T. Kim; **18**(8), 1837–1841.

Kim, Y.J.–Heat-treatment retention time dependence of polyvinylidenechloride-based carbons on their application to electric double-layer capacitors.–M. Endo, Y.J. Kim, K. Ishii, T. Inoue, T. Nomura, N. Miyashita, and M.S. Dresselhaus; **18**(3), 693–701.

Kim, Y.N.–Fabrication of TiO_2 nanospheres by template replication in porous carbon networks.–J.C. Kim, Y.N. Kim, E.O. Chi, N.H. Hur, S.B. Yoon, and J-S. Yu; **18**(4), 780–783.

Kim, Yongjo–Effect of crystallinity on the dielectric loss of sputter-deposited $(Ba,Sr)TiO_3$ thin films in the microwave range.–Tae-Gon Kim, Jeongmin Oh, Taeho Moon, Yongjo Kim, Byungwoo Park, Young-Taek Lee, and Sangwook Nam; **18**(3), 682–686.

Kim, Young Jin–Experimental and theoretical characterization of the surface acoustic wave propagation properties of GaN epitaxial layers on c-plane sapphire.–Kook Hyun Choi, Hyeong Joon Kim, Su Jin Chung, Jin Yong Kim, Tae Kun Lee, and Young Jin Kim; **18**(5), 1157–1161.

Kinomura, Atsushi–X-ray absorption fine structure study on the formation of Cu–Br bonds in (Br + Cu) ion implanted silica glass.–Kohei Fukumi, Akiyoshi Chayahara, Atsushi Kinomura, Hiroyuki Kageyama, Kohei Kadono, Naoyuki Kitamura, Junji Nishii, and Yuji Horino; **18**(4), 885–894.

Kirihara, Soshu–Electromagnetic properties of photonic crystals with diamond structure containing defects.–Shingo Kanehira, Soshu Kirihara, Yoshinari Miyamoto, Kazuaki Sakoda, and Mitsuo Wada Takeda; **18**(9), 2214–2220.

Kishida, K.–Polarization of plastic deformation modes in polysynthetically twinned TiAl crystals.–V. Paidar, K. Kishida, and M. Yamaguchi; **18**(3), 702–708.

Kishimoto, Tomoko–Sol-gel preparation of TiO_2 ceramic coating films from aqueous solutions of titanium sulfate (IV) containing polyvinylpyrrolidone.–Tomoko Kishimoto and Hiromitsu Kozuka; **18**(2), 466–474.

Kiso, Masayuki–Interface microstructures between Ni–P alloy plating and Sn–Ag–(Cu) lead-free solders.–Chi-Won Hwang, Katsuaki Suganuma, Masayuki Kiso, and Shigeo Hashimoto; **18**(11), 2540–2543(L).

Kitamura, Naoyuki–X-ray absorption fine structure study on the formation of Cu–Br bonds in (Br + Cu) ion implanted silica glass.–Kohei Fukumi, Akiyoshi Chayahara, Atsushi Kinomura, Hiroyuki Kageyama, Kohei Kadono, Naoyuki Kitamura, Junji Nishii, and Yuji Horino; **18**(4), 885–894.

Kitawaki, Masaaki–Enhancement of thermoelectric figure of merit by incorporation of large single crystals in $Ca_3Co_4O_9$ bulk materials.–Ryoji Funahashi, Saori Urata, Toyohide Sano, and Masaaki Kitawaki; **18**(7), 1646–1651.

Kivilahti, J.K.–Effects of surface treatment on the adhesion of copper to a hybrid polymer material.–J. Ge, M.P.K. Turunen, M. Kusevic, and J.K. Kivilahti; **18**(11), 2697–2707.

Kleebe, H-J.–Interface characteristics affecting electrical properties of Y-doped SiC.–F. Siegelin, H-J. Kleebe, and L.S. Sigl; **18**(11), 2608–2617.

Klein, Sascha M.–Synthesis of rutile titania powders: Agglomeration, dissolution, and reprecipitation phenomena.–Sascha M. Klein, Joon Hwan Choi, David J. Pine, and Fred F. Lange; **18**(6), 1457–1464.

Klenov, D.O.–Composition control of radio-frequency magnetron sputter-deposited $La_{0.5}Sr_{0.5}CoO_{3-\delta}$ thin films.–D.O. Klenov, W. Donner, L. Chen, A.J. Jacobson, and S. Stemmer; **18**(1), 188–194.

Klug, Frederic J.–Distribution of chlorine in quartz determined by neutron beam focusing prompt gamma activation analysis and micro-x-ray fluorescence.–H. Heather Chen-Mayer, William J. Heward, Rick L. Paul, Frederic J. Klug, and Yan Gao; **18**(10), 2486–2493.

Klug, Kevin L.–Silica-encapsulated magnetic nanoparticles formed by a combined arc evaporation/chemical vapor deposition technique.–Kevin L. Klug, Vinayak P. Dravid, and D. Lynn Johnson; **18**(4), 988–993.

Knudsen, Jesper–Domain variance and superstructure across the antiferroelectric/ferroelectric phase boundary in $Pb_{1-1.5x}La_x(Zr_{0.9}Ti_{0.1})O_3$.–Jesper Knudsen, D.I. Woodward, and Ian M. Reaney; **18**(2), 262–271.

Ko, Sun-Chien–Wet oxidation kinetics of AlAs at elevated temperatures.–Sun-Chien Ko, Sanboh Lee, Hai-Lin Wang, and Y.T. Chou; **18**(5), 1027–1030(L).

Kobashi, Koji–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Kocer, Cenk–An *ab initio* study of the ideal tensile and shear strength of single-crystal β–Si_3N_4.–Shigenobu Ogata, Naoto Hirosaki, Cenk Kocer, and Yoji Shibutani; **18**(5), 1168–1172.

Köck, Franz A.–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana,

Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Koga, Yoshinori–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Koh, S.K.–An approach to durable poly(vinylidene fluoride) thin film loudspeaker.–C.S. Lee, J.Y. Kim, D.E. Lee, J. Joo, S. Han, Y.W. Beag, and S.K. Koh; **18**(12), 2904–2911.

Koh, Young-Hag–Fabrication and compressive strength of macro-channelled tetragonal zirconia polycrystals with calcium phosphate coating layer.–Young-Hag Koh, Hae-Won Kim, Hyoun-Ee Kim, and John W. Halloran; **18**(9), 2009–2012(L).

Koinuma, Hideomi–Thermal diffusivity of $(Ca_{1-x}Sr_x)_3Co_4O_9$ thin films using transient grating configuration.–Yoshiaki Takata, Yutaka Adachi, Hajime Haneda, Yoshiki Wada, Takefumi Mitsuhashi, Kenji Itaka, and Hideomi Koinuma; **18**(10), 2473–2477.

Kolobov, Y.R.–Microstructures and mechanical properties of ultrafine-grained Ti foil processed by equal-channel angular pressing and cold rolling.–Y.T. Zhu, Y.R. Kolobov, G.P. Grabovetskaya, V.V. Stolyarov, N.V. Girsova, and R.Z. Valiev; **18**(4), 1011–1016.

Komarneni, Sridhar–Microwave-assisted polyol synthesis of Ag powders.–Hiroaki Katsuki and Sridhar Komarneni; **18**(4), 747–750(L).

Kong, H.Z.–Glass-forming ability of Pr–(Cu,Ni)–Al alloys in eutectic system.–Y. Zhang, H. Tan, H.Z. Kong, B. Yao, and Y. Li; **18**(3), 664–671.

Kong, L.T.–Prediction of metastable phase formation in an immiscible Cu–Cr system from interatomic potential and *ab initio* calculation.–H.R. Gong, L.T. Kong, and B.X. Liu; **18**(10), 2300–2303(L).

Kosarev, A.I.–Effect of hydrogen dilution on electronic properties of a-SiH_x films deposited by low-frequency plasma.–A.I. Kosarev, A.J. Torres, C. Zuniga, A.S. Abramov, P. Rosales, and A. Sibaja; **18**(8), 1918–1925.

Kosec, M.–Compositional homogeneity of ferroelectric (Pb,La)$(Ti,Zr)O_3$ thick films.–S. Bernik, R.B. Marinenko, J. Holc, Z. Samardžija, M. Čeh, and M. Kosec; **18**(2), 515–523.

–Subsolidus phase equilibria in the RuO_2–Bi_2O_3–CeO_2 system.–Marko Hrovat, Andreja Benčan, Janez Holc, Tadej Rojac, and Marija Kosec; **18**(6), 1297–1300(L).

Kosmač, T.–Role of water during AlN-hydrolysis-assisted solidification in ceramic suspensions studied by proton nuclear magnetic resonance T_2 relaxation.–S. Novak, G. Lahajnar, A. Sepe, and T. Kosmač; **18**(8), 1968–1974.

Kowalczyk, P.–Morphology and electronic properties of carbon nanotubes grown with Fe catalyst.–E. Kowalska, J. Radomska, P. Byszewski, P. Kowalczyk, K. Antonova, R. Diduszko, H. Lange, and P. Dłużewski; **18**(10), 2451–2458.

Kowalska, E.–Morphology and electronic properties of carbon nanotubes grown with Fe catalyst.–E. Kowalska, J. Radomska, P. Byszewski, P. Kowalczyk, K. Antonova, R. Diduszko, H. Lange, and P. Dłużewski; **18**(10), 2451–2458.

Kozuka, Hiromitsu–Sol-gel preparation of TiO_2 ceramic coating films from aqueous solutions of titanium sulfate (IV) containing polyvinylpyrrolidone.–Tomoko Kishimoto and Hiromitsu Kozuka; **18**(2), 466–474.

Kriven, W.M.–Microstructure characterization of oxide coatings deposited by pulsed excimer laser ablation.–M.H. Jilavi, W.M. Kriven, H. Chung, and J. Mazumder; **18**(7), 1623–1630.

Kroeger, D.M.–Fabrication of high-critical current density $YBa_2Cu_3O_{7-\delta}$ films using a fluorine-free sol gel approach.–Y. Xu, A. Goyal, N.A. Rutter, D. Shi, M. Paranthaman, S. Sathyamurthy, P.M. Martin, and D.M. Kroeger; **18**(3), 677–681.

–Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates.–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(5), 1109–1122.

–Microstructural characterization of thick $YBa_2Cu_3O_{7-\delta}$ films on improved rolling-assisted biaxially textured substrates.–K.J. Leonard, S. Kang, A. Goyal, K.A. Yarborough, and D.M. Kroeger; **18**(7), 1723–1732.

–Erratum: "Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates" [J. Mater. Res. 18, 1109 (2003)].–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(7), 1733(E).

Kroke, Edwin–Synthesis of nanocrystalline aluminum–gallium nitride $(Al_xGa_{1-x}N;\ x = 0.1$ to $0.5)$ with oxide precursors via ammonolysis.–Sabine Faulhaber, Lars Loeffler, Jerry Hu, Edwin Kroke, Ralf Riedel, and Fred F. Lange; **18**(10), 2350–2358.

Kumar, Arun–Canonical-glass-like behavior of the polycrystalline relaxor ferroelectric $(1 - x)PbMg_{1/3}Nb_{2/3}O_3$–$xPbZrO_3$: Heat-capacity study.–Gurvinderjit Singh, V.S. Tiwari, Arun Kumar, and V.K. Wadhawan; **18**(2), 531–536.

Kumar, Sanjeev–Interaction of surface acoustic waves and ultraviolet light in ZnO films.–Parmanand Sharma, Sanjeev Kumar, and K. Sreenivas; **18**(3), 545–548(L).

Kung, H.–Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers.–X. Zhang, A. Misra, H. Wang, T.D. Shen, J.G. Swadener, J.D. Embury, H. Kung, R.G. Hoagland, and M. Nastasi; **18**(7), 1600–1606.

Kurokawa, Y.–Formation of composite gel fiber from cellulose acetate and zirconium tetra-*n*-butoxide and entrap-immobilization of β-galactosidase on the fiber.–K. Nakane, T. Ogihara, N. Ogata, and Y. Kurokawa; **18**(3), 672–676.

Kusevic, M.–Effects of surface treatment on the adhesion of copper to a hybrid polymer material.–J. Ge, M.P.K. Turunen, M. Kusevic, and J.K. Kivilahti; **18**(11), 2697–2707.

Kusunose, Takafumi–Silicon nitride ceramics with sodium ion conductive grain boundary phase.–Hirokazu Kawaoka, Tohru Sekino, Takafumi Kusunose, and Koichi Niihara; **18**(12), 2752–2755(L).

Kuwasaki, Yusuke–Characterizing high-pressure compressed C_{60} whiskers and C_{60} powder.–Kun'ichi Miyazawa, Minoru Akaishi, Yusuke Kuwasaki, and Tadatomo Suga; **18**(1), 166–172.

Kvit, Alex–Growth, characterization, and electrical properties of $PbZr_{0.52}Ti_{0.48}O_3$ thin films on buffered silicon substrates using pulsed laser deposition.–Walter M. Gilmore, III, Soma Chattopadhyay, Alex Kvit, A.K. Sharma, C.B. Lee, Ward J. Collis, J. Sankar, and J. Narayan; **18**(1), 111–114.

Kwok, W.Y.–Formation of Mg–Mg_2Cu nanostructured eutectic in Mg-based metal matrix composite.–N.G. Ma, C.J. Deng, P. Yu, W.Y. Kwok, M. Aravind, D.H.L. Ng, and S.L.I. Chan; **18**(8), 1934–1942.

Kwon, H.S.–Experiments and modeling study on growth behavior of Cr-nitrides formed on electroplated hard Cr during ion-nitriding.–J.Y. Eom, V. Shankar Rao, H.S. Kwon, K.S. Nam, and S.C. Kwon; **18**(4), 861–867.

Kwon, S.C.–Experiments and modeling study on growth behavior of Cr-nitrides formed on electroplated hard Cr during ion-nitriding.–J.Y. Eom, V. Shankar Rao, H.S. Kwon, K.S. Nam, and S.C. Kwon; **18**(4), 861–867.

L

Lad, R.J.–Heteroepitaxial growth of tungsten oxide films on silicon(100) using a BaF_2 buffer layer.–L.D. Doucette, F. Santiago, S.L. Moran, and R.J. Lad; **18**(12), 2859–2868.

Lahajnar, G.–Role of water during AlN-hydrolysis-assisted solidification in ceramic suspensions studied by proton nuclear magnetic resonance T_2 relaxation.–S. Novak, G. Lahajnar, A. Sepe, and T. Kosmač; **18**(8), 1968–1974.

Lai, J.K.L.–Synthesis and structural characterization of rutile SnO_2 nanocrystals.–Zhiwen Chen, J.K.L. Lai, C.H. Shek, and Haydn Chen; **18**(6), 1289–1292(L).

Lanagan, Michael T.–Structure and microwave dielectric properties of $(Zn_{1-x}Ni_x)TiO_3$ ceramics.–Hyo Tae Kim, Joon-Cheol Hwang, Joong-Hee Nam, Byung Hyun Choi, and Michael T. Lanagan; **18**(5), 1067–1072.

Lanciotti, Jr., F.–Structural phase evolution of strontium-doped lead titanate thin films prepared by the soft chemical technique.–F.M. Pontes, S.H. Leal, P.S. Pizani, M.R.M.C. Santos, E.R. Leite, E. Longo, F. Lanciotti, Jr., T.M. Boschi, and J.A. Varela; **18**(3), 659–663.

Lanford, W.A.–Effects of process variables on properties and composition of a-Si:C:H films.–I.L. Moskowitz, W.A. Lanford, and S.V. Babu; **18**(1), 129–138.

Lange, Fred F.–Hydrothermal synthesis of $KNbO_3$ and $NaNbO_3$ powders.–Gregory K.L. Goh, Fred F. Lange, Sossina M. Haile, and Carlos G. Levi; **18**(2), 338–345.

–Synthesis of rutile titania powders: Agglomeration, dissolution, and reprecipitation phenomena.–Sascha M. Klein, Joon Hwan Choi, David J. Pine, and Fred F. Lange; **18**(6), 1457–1464.

–Synthesis of nanocrystalline aluminum–gallium nitride ($Al_xGa_{1-x}N$; $x = 0.1$ to 0.5) with oxide precursors via ammonolysis.–Sabine Faulhaber, Lars Loeffler, Jerry Hu, Edwin Kroke, Ralf Riedel, and Fred F. Lange; **18**(10), 2350–2358.

Lange, H.–Morphology and electronic properties of carbon nanotubes grown with Fe catalyst.–E. Kowalska, J. Radomska, P. Byszewski, P. Kowalczyk, K. Antonova, R. Diduszko, H. Lange, and P. Dłużewski; **18**(10), 2451–2458.

Lau, Cheryl–Reaction and phase separation mechanisms during synthesis of alloys by thermite type combustion reactions.–Cheryl Lau, Alexander S. Mukasyan, and Arvind Varma; **18**(1), 121–128.

Lawn, Brian R.–Effect of an adhesive interlayer on the fracture of a brittle coating on a supporting substrate.–Jong Ho Kim, Pedro Miranda, Do Kyung Kim, and Brian R. Lawn; **18**(1), 222–227.

Leal, S.H.–Structural phase evolution of strontium-doped lead titanate thin films prepared by the soft chemical technique.–F.M. Pontes, S.H. Leal, P.S. Pizani, M.R.M.C. Santos, E.R. Leite, E. Longo, F. Lanciotti, Jr., T.M. Boschi, and J.A. Varela; **18**(3), 659–663.

LeBret, J.B.–Electron microscopy study of tin whisker growth.–J.B. LeBret and M.G. Norton; **18**(3), 585–593.

Lecomte, I.–Synthesis and characterization of new inorganic polymeric composites based on kaolin or white clay and on ground-granulated blast furnace slag.–I. Lecomte, M. Liégeois, A. Rulmont, R. Cloots, and F. Maseri; **18**(11), 2571–2579.

Lecomte-Beckers, J.–Preparation of $BaZrO_3$ powders by a spray-drying process.–B. Robertz, F. Boschini, A. Rulmont, R. Cloots, I. Vandriessche, S. Hoste, and J. Lecomte-Beckers; **18**(6), 1325–1332.

Lee, Byeong-Joo–Modified embedded-atom method calculation for the Ni–W system.–Jae-Hyeok Shim, Sung Il Park, Young Whan Cho, and Byeong-Joo Lee; **18**(8), 1863–1867.

Lee, C.B.–Growth, characterization, and electrical properties of $PbZr_{0.52}Ti_{0.48}O_3$ thin films on buffered silicon substrates using pulsed laser deposition.–Walter M. Gilmore, III, Soma Chattopadhyay, Alex Kvit, A.K. Sharma, C.B. Lee, Ward J. Collis, J. Sankar, and J. Narayan; **18**(1), 111–114.

Lee, C.S.–An approach to durable poly(vinylidene fluoride) thin film loudspeaker.–C.S. Lee, J.Y. Kim, D.E. Lee, J. Joo, S. Han, Y.W. Beag, and S.K. Koh; **18**(12), 2904–2911.

Lee, Cheoljin–Shape-controllable synthesis of indium oxide structures: Nanopyramids and nanorods.–Ye Zhang, Hongbo Jia, Dapeng Yu, Xuhui Luo, Zhensheng Zhang, Xihong Chen, and Cheoljin Lee; **18**(12), 2793–2798.

Lee, D.E.–An approach to durable poly(vinylidene fluoride) thin film loudspeaker.–C.S. Lee, J.Y. Kim, D.E. Lee, J. Joo, S. Han, Y.W. Beag, and S.K. Koh; **18**(12), 2904–2911.

Lee, D.F.–Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates.–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(5), 1109–1122.

–Erratum: "Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates" [J. Mater. Res. 18, 1109 (2003)].–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(7), 1733(E).

Lee, E.J.–Island growth of Y_2BaCuO_5 nanoparticles in $(211_{\sim 1.5\ nm}/123_{\sim 10\ nm})\times N$ composite multilayer structures to enhance flux pinning of $YBa_2Cu_3O_{7-\delta}$ films.–T. Haugan, P.N. Barnes, I. Maartense, C.B. Cobb, E.J. Lee, and M. Sumption; **18**(11), 2618–2623.

Lee, Eun Gu–Photocatalytic properties of rutile TiO_2 acicular particles in aqueous 4-chlorophenol solution.–Sun-Jae Kim, Jong-Kuk Lee, Eun Gu Lee, Hee-Gyoun Lee, Seon-Jin Kim, and Kyoung Sub Lee; **18**(3), 729–732.

Lee, Eungu–Adhesion, passivation, and resistivity of a Ag(Mg) gate electrode for an amorphous silicon thin-film transistor.–Jaegab Lee, Heejung Yang, Jinhyung Lee, Hyunjung Shin, Jiyoung Kim, Changoh Jeong, Beomseok Cho, Kyuha Chung, and Eungu Lee; **18**(6), 1441–1446.

Lee, Hee-Gyoun–Photocatalytic properties of rutile TiO_2 acicular particles in aqueous 4-chlorophenol solution.–Sun-Jae Kim, Jong-Kuk Lee, Eun Gu Lee, Hee-Gyoun Lee, Seon-Jin Kim, and Kyoung Sub Lee; **18**(3), 729–732.

Lee, Hwack Joo–Crystal structures of $(Ba_{1-x}La_x)[Mg_{(1+x)/3}Nb_{(2-x)/3}]O_3$ with $0.9 \leq x \leq 1.0$.–Hyun Min Park, Hwack Joo Lee, Yang Koo Cho, and Sahn Nahm; **18**(4), 1003–1010.

Lee, J.H.–Mechanism of combustion and phase formation in the BaO_2–TiO_2–organic compound system.–J.H. Lee, H.H. Nersisyan, M.L. Simkins, and C.W. Won; **18**(8), 1926–1933.

Lee, Jae-Ean–Synthesis behavior and grain morphology in mullite ceramics with precursor pH and sintering temperature.–Jae-Won Kim, Jae-Ean Lee, Yeon-Gil Jung, Chang-Yong Jo, Jae-Ho Lee, and Ungyu Paik; **18**(1), 81–87.

Lee, Jae-Ho–Synthesis behavior and grain morphology in mullite ceramics with precursor pH and sintering temperature.–Jae-Won Kim, Jae-Ean Lee, Yeon-Gil Jung, Chang-Yong Jo, Jae-Ho Lee, and Ungyu Paik; **18**(1), 81–87.

Lee, Jaegab–Adhesion, passivation, and resistivity of a Ag(Mg) gate electrode for an amorphous silicon thin-film transistor.–Jaegab Lee, Heejung Yang, Jinhyung Lee, Hyunjung Shin, Jiyoung Kim, Changoh Jeong, Beomseok Cho, Kyuha Chung, and Eungu Lee; **18**(6), 1441–1446.

Lee, Jaeho–Effect of poly(acrylic acid) and poly(vinyl alcohol) on the solubility of colloidal $BaTiO_3$ in an aqueous medium.–Ungyu Paik, Vincent A. Hackley, Jaeho Lee, and Sangkyu Lee; **18**(5), 1266–1274.

Lee, Jinhyung–Adhesion, passivation, and resistivity of a Ag(Mg) gate electrode for an amorphous silicon thin-film transistor.–Jaegab Lee, Heejung Yang, Jinhyung Lee, Hyunjung Shin, Jiyoung Kim, Changoh Jeong, Beomseok Cho, Kyuha Chung, and Eungu Lee; **18**(6), 1441–1446.

Lee, Jong Kook–Synthesis and characterization of TiO_2 nanocrystalline powder prepared by homogeneous precipitation using urea.–Dong Seok Seo, Hwan Kim, Hang Chul Jung, and Jong Kook Lee; **18**(3), 571–577.

Lee, Jong-Kuk–Photocatalytic properties of rutile TiO_2 acicular particles in aqueous 4-chlorophenol solution.–Sun-Jae Kim, Jong-Kuk Lee, Eun Gu Lee, Hee-Gyoun Lee, Seon-Jin Kim, and Kyoung Sub Lee; **18**(3), 729–732.

Lee, Jung-Goo–Interface microstructure between Fe–42Ni alloy and pure Sn.–Chi-Won Hwang, K. Suganuma, Jung-Goo Lee, and H. Mori; **18**(5), 1202–1210.

Lee, Jung Heon–Hydration behavior of MgO single crystals and thin films.–Jung Heon Lee, Jae Hwan Eun, Soo Gil Kim, Sun Young Park, Mi Jung Lee, and Hyeong Joon Kim; **18**(12), 2895–2903.

Lee, Jyh-Wei–High-temperature MgO–C–Al refractories–metal reactions in high-aluminum-content alloy steels.–Jyh-Wei Lee and Jenq-Gong Duh; **18**(8), 1950–1959.

Lee, K.H.–Interfacial and twin boundary structures of nanostructured Cu–Ag filamentary composites.–K.H. Lee and S.I. Hong; **18**(9), 2194–2202.

Lee, K.Y.–Growth and ripening of $(Au,Ni)Sn_4$ phase in Pb-free and Pb-containing solders on Ni/Au metallization.–K.Y. Lee, M. Li, and K.N. Tu; **18**(11), 2562–2570.

Lee, Kyoung Sub–Photocatalytic properties of rutile TiO_2 acicular particles in aqueous 4-chlorophenol solution.–Sun-Jae Kim, Jong-Kuk Lee, Eun Gu Lee, Hee-Gyoun Lee, Seon-Jin Kim, and Kyoung Sub Lee; **18**(3), 729–732.

Lee, M.H.–Synthesis of Ni-based bulk metallic glass matrix composites containing ductile brass phase by warm extrusion of gas atomized powders.–M.H. Lee, D.H. Bae, D.H. Kim, and D.J. Sordelet; **18**(9), 2101–2108.

Lee, Mi Jung–Hydration behavior of MgO single crystals and thin films.–Jung Heon Lee, Jae Hwan Eun, Soo Gil Kim, Sun Young Park, Mi Jung Lee, and Hyeong Joon Kim; **18**(12), 2895–2903.

Lee, Sanboh–Model of fatigue damage in strain-rate-sensitive composite materials.–Sanboh Lee, Tinh Nguyen, and Tze-jer Chuang; **18**(1), 77–80.

–Wet oxidation kinetics of AlAs at elevated temperatures.–Sun-Chien Ko, Sanboh Lee, Hai-Lin Wang, and Y.T. Chou; **18**(5), 1027–1030(L).

–Quantitative study of water transport during the hydrolysis of polymer coatings exposed to water vapor.–Sanboh Lee, Tinh Nguyen, Eric Byrd, and Jon Martin; **18**(9), 2268–2275.

Lee, Sangkyu–Effect of poly(acrylic acid) and poly(vinyl alcohol) on the solubility of colloidal $BaTiO_3$ in an aqueous medium.–Ungyu Paik, Vincent A. Hackley, Jaeho Lee, and Sangkyu Lee; **18**(5), 1266–1274.

–Influence of the electrokinetic behaviors of abrasive ceria particles and the deposited plasma-enhanced tetraethylorthosilicate and chemically vapor deposited Si_3N_4 films in an aqueous medium on chemical mechanical planarization for shallow trench isolation.–Sang-Kyun Kim, Sangkyu Lee, Ungyu Paik, Takeo Katoh, and Jea-Gun Park; **18**(9), 2163–2169.

Lee, Seok-Joo–Optical absorption of Co^{2+} in $MgIn_2S_4$, $CdIn_2S_4$, and $HgIn_2S_4$ spinel crystals.–Seok-Joo Lee, Jae-Eun Kim, and Hae Yong Park; **18**(3), 733–736.

Lee, Seung-Ho–Effect of lanthanum on the piezoelectric properties of lead zirconate titanate–lead zinc niobate ceramics.–Seung-Ho Lee, Chang-Bun Yoon, Seung-Beom Seo, and Hyoun-Ee Kim; **18**(8), 1765–1770.

–Effects of mixed abrasives in chemical mechanical polishing of oxide films.–Zhenyu Lu, Seung-Ho Lee, Venkata R.K. Gorantla, S.V. Babu, and Egon Matijević; **18**(10), 2323–2330.

Lee, T.A.–Enthalpy of formation of cubic yttria-stabilized zirconia.–T.A. Lee, A. Navrotsky, and I. Molodetsky; **18**(4), 908–918.

Lee, Tae Kun–Experimental and theoretical characterization of the surface acoustic wave propagation properties of GaN epitaxial layers on c-plane sapphire.–Kook Hyun Choi, Hyeong Joon Kim, Su Jin Chung, Jin Yong Kim, Tae Kun Lee, and Young Jin Kim; **18**(5), 1157–1161.

Lee, W.Y.–Effects of additive and impurity species on the oxide morphology of silicon nitride.–I.V. Tsarenko, H. Du, and W.Y. Lee; **18**(4), 878–884.

Lee, Young-Taek–Effect of crystallinity on the dielectric loss of sputter-deposited $(Ba,Sr)TiO_3$ thin films in the microwave range.–Tae-Gon Kim, Jeongmin Oh, Taeho Moon, Yongjo Kim, Byungwoo Park, Young-Taek Lee, and Sangwook Nam; **18**(3), 682–686.

Lei, M.K.–Phase transformation of Er^{3+}-doped Al_2O_3 powders prepared by the sol-gel method.–X.J. Wang, M.K. Lei, T. Yang, and L.J. Yuan; **18**(10), 2401–2405.

Lei, Yi–Amorphous alloy composition with high glass-formation ability in the pseudoternary Zr–[1QC-$Al_{62}Cu_{25.5}Fe_{12.5}$]–[DQC-$Al_{70}Co_{15}Ni_{15}$] alloy system.–Yi Lei, M. Calvo-Dahlborg, J.M. Dubois, Zukun Hei, P. Weisbecker, and Chuang Dong; **18**(7), 1588–1593.

Lei, Yongquan–Microstructural evolution of body-centered cubic structure related Ti–Zr–Ni phases in non-stoichiometric Zr-based Zr–Ti–Mn–V–Ni hydride electrode alloys.–Xueyan Song, Yun Chen, Cesar Sequeira, Yongquan Lei, Qidong Wang, and Ze Zhang; **18**(1), 37–44.

Leite, E.R.–Structural phase evolution of strontium-doped lead titanate thin films prepared by the soft chemical technique.–F.M. Pontes, S.H. Leal, P.S. Pizani, M.R.M.C. Santos, E.R. Leite, E. Longo, F. Lanciotti, Jr., T.M. Boschi, and J.A. Varela; **18**(3), 659–663.

Lendvai, J.–Dynamic characterization of Portevin–Le Chatelier instabilities occurring in depth-sensing microhardness tests.–G. Bérces, J. Lendvai, A. Juhász, and N.Q. Chinh; **18**(12), 2874–2881.

Leonard, K.J.–Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates.–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(5), 1109–1122.

–Microstructural characterization of thick $YBa_2Cu_3O_{7-\delta}$ films on improved rolling-assisted biaxially textured substrates.–K.J. Leonard, S. Kang, A. Goyal, K.A. Yarborough, and D.M. Kroeger; **18**(7), 1723–1732.

–Erratum: "Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates" [J. Mater. Res. 18, 1109 (2003)].–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(7), 1733(E).

Leoni, M.–Synthesis and characterization of $BaSn(OH)_6$ and $BaSnO_3$ acicular particles.–M.T. Buscaglia, M. Leoni, M. Viviani, V. Buscaglia, A. Martinelli, A. Testino, and P. Nanni; **18**(3), 560–566.

Levi, Carlos G.–Hydrothermal synthesis of $KNbO_3$ and $NaNbO_3$ powders.–Gregory K.L. Goh, Fred F. Lange, Sossina M. Haile, and Carlos G. Levi; **18**(2), 338–345.

Li, B-J.–Solid-state synthesis of multiwalled carbon nanotubes.–S.P. Doherty, D.B. Buchholz, B-J. Li, and R.P.H. Chang; **18**(4), 941–949.

Li, B.S.–Optical properties and electrical characterization of *p*-type ZnO thin films prepared by thermally oxidizing Zn_3N_2 thin films.–B.S. Li, Y.C. Liu, Z.Z. Zhi, D.Z. Shen, Y.M. Lu, J.Y. Zhang, X.W. Fan, R.X. Mu, and Don O. Henderson; **18**(1), 8–13(L).

Li, B.Z.–Mixing entropy and the nucleation of silicides: Ni–Pd–Si and Co–Mn–Si ternary systems.–C. Detavernier, X.P. Qu, R.L. Van Meirhaeghe, B.Z. Li, and K. Maex; **18**(7), 1668–1678.

Li, Chao–Controlled growth of gallium nitride single-crystal nanowires using a chemical vapor deposition method.–Song Han, Wu Jin, Tao Tang, Chao Li, Daihua Zhang, Xiaolei Liu, Jie Han, and Chongwu Zhou; **18**(2), 245–249(L).

Li, D.X.–Evolution of microstructure in TiC/NiCr cermet induced by electropulsing.–W. Zhang, M.L. Sui, Y.Z. Zhou, J.D. Guo, G.H. He, and D.X. Li; **18**(7), 1543–1550.

Li, Dong-lin–Temperature dependence of piezoelectric properties of 0.67 $Pb(Mg_{1/3}Nb_{2/3})O_3$–0.33 $PbTiO_3$ single crystals.–Ping-chu Wang, Xiao-ming Pan, Dong-lin Li, Yuan-wei Song, Hao-su Luo, and Zhi-wen Yin; **18**(2), 537–541.

Li, Donglin–Sol-gel synthesis of porous crystalline TiO_2–P_2O_5 oxide with thermal stability.–Donglin Li, Haoshen Zhou, Mitsuhiro Hibino, and Itaru Honma; **18**(12), 2743–2746(L).

Li, Feng–Identification of the constituents of double-walled carbon nanotubes using Raman spectra taken with different laser-excitation energies.–Feng Li, S.G. Chou, Wencai Ren, J.A. Gardecki, A.K. Swan, M.S. Ünlü, B.B. Goldberg, Hui-Ming Cheng, and M.S. Dresselhaus; **18**(5), 1251–1258.

Li, Fuming–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Li, Guangshe–Grain-growth kinetics of rutile TiO_2 nanocrystals under hydrothermal conditions.–Guangshe Li, Liping Li, Juliana Boerio-Goates, and Brian F. Woodfield; **18**(11), 2664–2669.

Li, H.–Ordering in $(La,Sr)(Al,Ta)O_3$ substrates.–H. Li, L. Salamanca-Riba, R. Ramesh, and J.H. Scott; **18**(7), 1698–1704.

Li, Ji-Guang–Monodispersed Sc_2O_3 precursor particles via homogeneous precipitation: Synthesis, thermal decomposition, and the effects of supporting anions on powder properties.–Ji-Guang Li, Takayasu Ikegami, Toshiyuki Mori, and Yoshiyuki Yajima; **18**(5), 1149–1156.

–Low-temperature preparation of dense 10 mol%-Y_2O_3-doped CeO_2 ceramics using powders synthesized via carbonate coprecipitation.–Yarong Wang, Toshiyuki Mori, Ji-Guang Li, Takayasu Ikegami, and Yoshiyuki Yajima; **18**(5), 1239–1246.

–Fabrication of transparent Sc_2O_3 ceramics with powders thermally pyrolyzed from sulfate.–Ji-Guang Li, Takayasu Ikegami, and Toshiyuki Mori; **18**(8), 1816–1822.

Li, Jianmin–Synthesis of mesostructured lamellar lead sulfide in acidic media.–Shuxi Zhou, Yanxiong Ke, Jianmin Li, Shemin Lu, Guien Zhou, and Shuyuan Zhang; **18**(3), 549–551(L).

Li, Li–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Li, Liping–Grain-growth kinetics of rutile TiO_2 nanocrystals under hydrothermal conditions.–Guangshe Li, Liping Li, Juliana Boerio-Goates, and Brian F. Woodfield; **18**(11), 2664–2669.

Li, M.–Effects of substrate metallizations on solder/underbump metallization interfacial reactions in flip-chip packages during thermal aging.–F. Zhang, M. Li, C.C. Chum, and C-H. Tung; **18**(6), 1333–1341.

–Growth and ripening of $(Au,Ni)Sn_4$ phase in Pb-free and Pb-containing solders on Ni/Au metallization.–K.Y. Lee, M. Li, and K.N. Tu; **18**(11), 2562–2570.

Li, Y.–Glass-forming ability of Pr–(Cu,Ni)–Al alloys in eutectic system.–Y. Zhang, H. Tan, H.Z. Kong, B. Yao, and Y. Li; **18**(3), 664–671.

Li, Zhefeng–Low-temperature route to nanoscale P_3N_5 hollow spheres.–Hongzhou Gu, Yunle Gu, Zhefeng Li, Yongcheng Ying, and Yitai Qian; **18**(10), 2359–2363.

Li, Zheng–Formation, properties, thermal characteristics, and crystallization of hard magnetic Pr–Al–Fe–Cu bulk metallic glasses.–Zheng Li, Hai Yang Bai, Ming Xiang Pan, De Qian Zhao, Wan Lu Wang, and Wei Hua Wang; **18**(9), 2208–2213.

Liang, Hao–Radiative properties of $Eu(DBM)_3Phen$-doped poly(methyl methacrylate).–Hao Liang, Zhiqiang Zheng, Qijin Zhang, Hai Ming, Biao Chen, Jie Xu, and Hui Zhao; **18**(8), 1895–1899.

Liégeois, M.–Synthesis and characterization of new inorganic polymeric composites based on kaolin or white clay and on ground-granulated blast furnace slag.–I. Lecomte, M. Liégeois, A. Rulmont, R. Cloots, and F. Maseri; **18**(11), 2571–2579.

Lii, Ding-Fwu–Enhanced field emission from nitrogen-doped amorphous diamond.–Ming-Chi Kan, Jow-Lay Huang, James C. Sung, Kuei-Hsien Chen, and Ding-Fwu Lii; **18**(7), 1594–1599.

Lim, Sang Hwa–*In situ* deposition of iron nanoparticles on transmission electron microscopy grid in furnace aerosol reactor.–Kyun Young Park, Jong Kwan Park, and Sang Hwa Lim; **18**(10), 2285–2287(L).

Lin, C.H.–Thermal stability of sputtered copper films containing dilute insoluble tungsten: Thermal annealing study.–C.H. Lin, J.P. Chu, T. Mahalingam, T.N. Lin, and S.F. Wang; **18**(6), 1429–1434.

Lin, Hao–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Lin, Hong-Ching–Addition of Nb_2O_5 on the electrical properties of buried resistors in low-temperature cofired ceramics.–Ching-Tai Cheng, Jiang-Tsair Lin, and Hong-Ching Lin; **18**(5), 1211–1218.

Lin, I-Nan–Low-temperature growth of ZnO nanowires.–Yung-Kuan Tseng, I-Nan Lin, Kuo-Shung Liu, Tzer-Shen Lin, and I-Cherng Chen; **18**(3), 714–718.

Lin, Jiang-Tsair–Addition of Nb_2O_5 on the electrical properties of buried resistors in low-temperature cofired ceramics.–Ching-Tai Cheng, Jiang-Tsair Lin, and Hong-Ching Lin; **18**(5), 1211–1218.

–Addition of TiO_2 on the electrical properties of buried resistors in low-temperature cofired ceramics.–Ching-Tai Cheng, Jiang-Tsair Lin, and Ying-Chang Hung; **18**(9), 2235–2242.

Lin, Kwang-Lung–Microstructures and mechanical properties of Sn–8.55Zn–0.45Al–XAg solders.–Chia-Wei Huang and Kwang-Lung Lin; **18**(7), 1528–1534.

–Interfacial evolution between Cu and Pb-free Sn–Zn–Ag–Al solders upon aging at 150 °C.–Shou Chang Cheng and Kwang Lung Lin; **18**(8), 1795–1803.

–Behavior of intermetallics in liquid Sn–Zn–Ag solder alloys.–Jenn Ming Song and Kwang Lung Lin; **18**(9), 2060–2067.

–Electrodeposition of eutectic Sn–Zn alloy by pulse plating.–Kwang-Lung Lin and Li-Min Sun; **18**(9), 2203–2207.

–Effect of internal stress on elemental diffusion and crystallization of electroless Ni–Cu–P deposit on Al.–Jen-Che Hsu and Kwang-Lung Lin; **18**(9), 2221–2227.

Lin, Su-Jien–Investigation on the arc erosion behavior of new silver matrix composites: Part I. Reinforced by particles.–Shou-Yi Chang, Chia-Jung Hsu, Cher-Hao Hsu, and Su-Jien Lin; **18**(4), 804–816.

–Investigation on the arc erosion behavior of new silver matrix composites: Part II. Reinforced by short fibers.–Chia-Jung Hsu, Shou-Yi Chang, Liang-Yu Chou, and Su-Jien Lin; **18**(4), 817–826.

Lin, Su-Shia–Improved crystallinity and optical properties of AlO_x thin films by a ZnO interlayer.–Su-Shia Lin and Jow-Lay Huang; **18**(4), 965–972.

–Microstructure and optical properties of AlO_x thin films grown on ZnO-deposited glass.–Su-Shia Lin and Jow-Lay Huang; **18**(8), 1943–1949.

Lin, T.N.–Thermal stability of sputtered copper films containing dilute insoluble tungsten: Thermal annealing study.–C.H. Lin, J.P. Chu, T. Mahalingam, T.N. Lin, and S.F. Wang; **18**(6), 1429–1434.

Lin, Tzer-Shen–Low-temperature growth of ZnO nanowires.–Yung-Kuan Tseng, I-Nan Lin, Kuo-Shung Liu, Tzer-Shen Lin, and I-Cherng Chen; **18**(3), 714–718.

Lin, Y.H.–Electromigration failure in flip chip solder joints due to rapid dissolution of copper.–Y.C. Hu, Y.H. Lin, C.R. Kao, and K.N. Tu; **18**(11), 2544–2548(L).

Lin, Yueh–Influence of the emulsification conditions on the microstructures and electrochemical characteristics of spinel lithium manganese oxide powders.–Chung-Hsin Lu and Yueh Lin; **18**(3), 552–559.

Liu, B.H.–Chemical synthesis and characterization of boron/boron nitride core–shell nanostructures.–K.F. Huo, Z. Hu, J.J. Fu, H. Xu, X.Z. Wang, Y. Chen, Y.N. Lü, B.H. Liu, and J. Ding; **18**(7), 1641–1645.

Liu, B.X.–Amorphous alloys synthesized by interface-assisted ion beam mixing in the Ag–W system with the largest positive heat of formation.–R.F. Zhang and B.X. Liu; **18**(7), 1499–1501(L).

–Prediction of metastable phase formation in an immiscible Cu–Cr system from interatomic potential and *ab initio* calculation.–H.R. Gong, L.T. Kong, and B.X. Liu; **18**(10), 2300–2303(L).

Liu, C.–Effect of geometrical parameters on the field-emission properties of single-walled carbon nanotube ropes.–Z.G. Zhao, Y. Tong, C. Liu, and H.M. Cheng; **18**(9), 2188–2193.

Liu, H.W.–High-density aligned carbon nanotubes with uniform diameters.–P.J. Cao, Y.S. Gu, H.W. Liu, F. Shen, Y.G. Wang, Q.F. Zhang, J.L. Wu, and H.J. Gao; **18**(7), 1686–1690.

Liu, Jie–Fabrication of activated carbon fibers/carbon aerogels composites by gelation and supercritical drying in isopropanol.–Ruowen Fu, Bo Zheng, Jie Liu, Steve Weiss, Jackie Y. Ying, Mildred S. Dresselhaus, Gene Dresselhaus, Joe H. Satcher, Jr., and Theodore F. Baumann; **18**(12), 2765–2773.

Liu, Jun–Ultrasound-induced change of microstructure and photochromic properties of polyacrylamide thin films containing a polyoxometalate.–Wei Feng, Tierui Zhang, Jun Liu, Ran Lu, Yingying Zhao, and Jiannian Yao; **18**(3), 709–713.

Liu, Kuo-Shung–Low-temperature growth of ZnO nanowires.–Yung-Kuan Tseng, I-Nan Lin, Kuo-Shung Liu, Tzer-Shen Lin, and I-Cherng Chen; **18**(3), 714–718.

–Two-step oxygen injection process for growing ZnO nanorods.–Yung-Kuan Tseng, Hsu-Cheng Hsu, Wen-Feng Hsieh, Kuo-Shung Liu, and I-Cherng Chen; **18**(12), 2837–2844.

Liu, Xiaolei–Controlled growth of gallium nitride single-crystal nanowires using a chemical vapor deposition method.–Song Han, Wu Jin, Tao Tang, Chao Li, Daihua Zhang, Xiaolei Liu, Jie Han, and Chongwu Zhou; **18**(2), 245–249(L).

Liu, Y.C.–Optical properties and electrical characterization of *p*-type ZnO thin films prepared by thermally oxiding Zn_3N_2 thin films.–B.S. Li, Y.C. Liu, Z.Z. Zhi, D.Z. Shen, Y.M. Lu, J.Y. Zhang, X.W. Fan, R.X. Mu, and Don O. Henderson; **18**(1), 8–13(L).

Liu, Yaogang–Growth and properties of $KBe_2BO_3F_2$ crystal.–Jiyang Wang, Chenqian Zhang, Yaogang Liu, Jianxiu Zhang, Xiaobo Hu, Minhua Jiang, Chuangtian Chen, Yicheng Wu, and Zuyan Xu; **18**(10), 2478–2485.

Lloyd, Isabel K.–Microwave sintering and properties of AlN/TiB_2 composites.–Geng-fu Xu, Yuval Carmel, Tayo Olorunyolemi, Isabel K. Lloyd, and Otto C. Wilson, Jr.; **18**(1), 66–76.

Lockman, Z.–Surface-oxidation studies of cube-textured, pure nickel to form NiO as a potential $YBa_2Cu_3O_{7-x}$-coated conductor buffer layer.–Z. Lockman, A. Berenov, W. Goldacker, R. Nast, B. deBoer, B. Holzapfel, and J.L. MacManus-Driscoll; **18**(2), 327–337.

Loeffler, Lars–Synthesis of nanocrystalline aluminum–gallium nitride ($Al_xGa_{1-x}N$; $x = 0.1$ to 0.5) with oxide precursors via ammonolysis.–Sabine Faulhaber, Lars Loeffler, Jerry Hu, Edwin Kroke, Ralf Riedel, and Fred F. Lange; **18**(10), 2350–2358.

Lombardo, Stephen J.–Analytic method for the minimum time for binder removal from three-dimensional porous green bodies.–Stephen J. Lombardo and Z.C. Feng; **18**(11), 2717–2723.

Long, Gabrielle G.–Small-angle neutron scattering study of the role of feedstock particle size on the microstructural behavior of plasma-sprayed yttria-stabilized zirconia deposits.–Hacène Boukari, Andrew J. Allen, Gabrielle G. Long, Jan Ilavsky, Jay S. Wallace, Christopher C. Berndt, and Herbert Herman; **18**(3), 624–634.

Longo, E.–Structural phase evolution of strontium-doped lead titanate thin films prepared by the soft chemical technique.–F.M. Pontes, S.H. Leal, P.S. Pizani, M.R.M.C. Santos, E.R. Leite, E. Longo, F. Lanciotti, Jr., T.M. Boschi, and J.A. Varela; **18**(3), 659–663.

Lou, J.–Nanoindentation study of plasticity length scale effects in LIGA Ni microelectromechanical structures.–J. Lou, P. Shrotriya, T. Buchheit, D. Yang, and W.O. Soboyejo; **18**(3), 719–728.

Love, Logan–High-yield synthesis of carbon coils on tungsten substrates and their behavior in the presence of an electric field.–Jun Jiao, Erik Einarsson, David W. Tuggle, Logan Love, Josie Prado, and George M. Coia; **18**(11), 2580–2587.

Lu, Chung-Hsin–Influence of the emulsification conditions on the microstructures and electrochemical characteristics of spinel lithium manganese oxide powders.–Chung-Hsin Lu and Yueh Lin; **18**(3), 552–559.

Lu, D.R.–Tensile strength of zinc oxide films measured by a microbridge method.–C.W. Ong, D.G. Zong, M. Aravind, C.L. Choy, D.R. Lu; **18**(10), 2464–2472.

Lu, Jun–Pressure-dependent flow behavior of $Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10}Be_{22.5}$ bulk metallic glass.–Jun Lu and Guruswami Ravichandran; **18**(9), 2039–2049.

Lu, Ran–Ultrasound-induced change of microstructure and photochromic properties of polyacrylamide thin films containing a polyoxometalate.–Wei Feng, Tierui Zhang, Jun Liu, Ran Lu, Yingying Zhao, and Jiannian Yao; **18**(3), 709–713.

–Synthesis of hyperbranched poly(amine–ester)-protected noble metal nanoparticles in aqueous solution.–Chunyan Bao, Ming Jin, Ran Lu, Pengchong Xue, Tierui Zhang, Changhui Tan, and Yingying Zhao; **18**(6), 1392–1398.

Lu, Shemin–Synthesis of mesostructured lamellar lead sulfide in acidic media.–Shuxi Zhou, Yanxiong Ke, Jianmin Li, Shemin Lu, Guien Zhou, and Shuyuan Zhang; **18**(3), 549–551(L).

Lu, Y.M.–Optical properties and electrical characterization of *p*-type ZnO thin films prepared by thermally oxiding Zn_3N_2 thin films.–B.S. Li, Y.C. Liu, Z.Z. Zhi, D.Z. Shen, Y.M. Lu, J.Y. Zhang, X.W. Fan, R.X. Mu, and Don O. Henderson; **18**(1), 8–13(L).

Lü, Y.N.–Chemical synthesis and characterization of boron/boron nitride core–shell nanostructures.–K.F. Huo, Z. Hu, J.J. Fu, H. Xu, X.Z. Wang, Y. Chen, Y.N. Lü, B.H. Liu, and J. Ding; **18**(7), 1641–1645.

Lu, Zhenyu–Effects of mixed abrasives in chemical mechanical polishing of oxide films.–Zhenyu Lu, Seung-Ho Lee, Venkata R.K. Gorantla, S.V. Babu, and Egon Matijević; **18**(10), 2323–2330.

Luo, Hao-su–Temperature dependence of piezoelectric properties of 0.67 $Pb(Mg_{1/3}Nb_{2/3})O_3$–0.33 $PbTiO_3$ single crystals.–Ping-chu Wang, Xiao-ming Pan, Dong-lin Li, Yuan-wei Song, Hao-su Luo, and Zhi-wen Yin; **18**(2), 537–541.

Luo, Xuhui–Shape-controllable synthesis of indium oxide structures: Nanopyramids and nanorods.–Ye Zhang, Hongbo Jia, Dapeng Yu, Xuhui Luo, Zhensheng Zhang, Xihong Chen, and Cheoljin Lee; **18**(12), 2793–2798.

Lynn, K.G.–Strength enhancement of single crystal laser components.–K.E. Shafer, D.E. Eakins, D.F. Bahr, M.G. Norton, K.G. Lynn; **18**(11), 2537–2539(L).

M

Ma, E.–Nanostructures in Ti processed by severe plastic deformation.–Y.T. Zhu, J.Y. Huang, J. Gubicza, T. Ungár, Y.M. Wang, E. Ma, and R.Z. Valiev; **18**(8), 1908–1917.

–A new $Mg_{65}Cu_{7.5}Ni_{7.5}Zn_5Ag_5Y_{10}$ bulk metallic glass with strong glass-forming ability.–H. Ma, E. Ma, and J. Xu; **18**(10), 2288–2291(L).

Ma, H.–A new $Mg_{65}Cu_{7.5}Ni_{7.5}Zn_5Ag_5Y_{10}$ bulk metallic glass with strong glass-forming ability.–H. Ma, E. Ma, and J. Xu; **18**(10), 2288–2291(L).

Ma, N.G.–Formation of Mg–Mg_2Cu nanostructured eutectic in Mg-based metal matrix composite.–N.G. Ma, C.J. Deng, P. Yu, W.Y. Kwok, M. Aravind, D.H.L. Ng, and S.L.I. Chan; **18**(8), 1934–1942.

Maartense, I.–Island growth of Y_2BaCuO_5 nanoparticles in $(211_{\sim 1.5\ nm}/123_{\sim 10\ nm})\times N$ composite multilayer structures to enhance flux pinning of $YBa_2Cu_3O_{7-\delta}$ films.–T. Haugan, P.N. Barnes, I. Maartense, C.B. Cobb, E.J. Lee, and M. Sumption; **18**(11), 2618–2623.

Maček, Jadran–Citrate-nitrate gel transformation behavior during the synthesis of combustion-derived NiO-yttria-stabilized zirconia composite.–Marjan Marinšek, Klementina Zupan, and Jadran Maček; **18**(7), 1551–1560.

MacManus-Driscoll, J.L.–Surface-oxidation studies of cube-textured, pure nickel to form NiO as a potential $YBa_2Cu_3O_{7-x}$-coated conductor buffer layer.–Z. Lockman, A. Berenov, W. Goldacker, R. Nast, B. deBoer, B. Holzapfel, and J.L. MacManus-Driscoll; **18**(2), 327–337.

–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky, L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Mädler, L.–Simultaneous deposition of Au nanoparticles during flame synthesis of TiO_2 and SiO_2.–L. Mädler, W.J. Stark, and S.E. Pratsinis; **18**(1), 115–120.

Maeda, Masafumi–Recovery of platinum using magnesium vapor.–Toru H. Okabe, Sachiko Yamamoto, Yoshihiro Kayanuma, and Masafumi Maeda; **18**(8), 1960–1967.

Maehara, Keita–Fabrication of metal oxide–diamond composite films by electrophoretic deposition and anodic dissolution.–Kai Kamada, Keita Maehara, Maki Mukai, Shintaro Ida, and Yasumichi Matsumoto; **18**(12), 2826–2831.

Maex, K.–Mixing entropy and the nucleation of silicides: Ni–Pd–Si and Co–Mn–Si ternary systems.–C. Detavernier, X.P. Qu, R.L. Van Meirhaeghe, B.Z. Li, and K. Maex; **18**(7), 1668–1678.

Maglia, F.–Self-propagating high-temperature synthesis of functionally graded materials as thermal protection systems for high-temperature applications.–N. Bertolino, M. Monagheddu, A. Tacca, P. Giuliani, C. Zanotti, F. Maglia, and U. Anselmi Tamburini; **18**(2), 448–455.

–Self-propagating high-temperature synthesis microalloying of $MoSi_2$ with Nb and V.–F. Maglia, C. Milanese, U. Anselmi-Tamburini, and Z.A. Munir; **18**(8), 1842–1848.

Mahalingam, T.–Thermal stability of sputtered copper films containing dilute insoluble tungsten: Thermal annealing study.–C.H. Lin, J.P. Chu, T. Mahalingam, T.N. Lin, and S.F. Wang; **18**(6), 1429–1434.

Malde, N.–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky, L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Malzbender, J.–Determination of the interfacial fracture energies of cathodes and glass ceramic sealants in a planar solid-oxide fuel cell design.–Jürgen Malzbender, Rolf W. Steinbrech, and Lorenz Singheiser; **18**(4), 929–934.

–Mechanical methods to determine layer compliances within multilayered composites.–J. Malzbender and R.W. Steinbrech; **18**(6), 1374–1382.

–Determination of the stress-dependent stiffness of plasma-sprayed thermal barrier coatings using depth-sensitive indentation.–J. Malzbender and R.W. Steinbrech; **18**(8), 1975–1984.

Mancinelli, Chris–Tribological properties of a B2-type Al-Pd-Mn quasicrystal approximant.–Chris Mancinelli, Cynthia J. Jenks, Patricia A. Thiel, and Andrew J. Gellman; **18**(6), 1447–1456.

Mantas, P.Q.–Synthesis and dielectric properties of tungsten-based complex perovskites.–D.D. Khalyavin, Jiaping Han, A.M.R Senos, and P.Q. Mantas; **18**(11), 2600–2607.

Mao, Xin-Hui–Giant magnetoimpedance and stress-impedance effects in multilayered FeSiB/Cu/FeSiB films with a meander structure.–Xin-Hui Mao, Yong Zhou, Ji-An Chen, Jin-Qiang Yu, and Bing-Chu Cai; **18**(4), 868–871.

Marais, T.K.–Thin-film compound phase formation at Fe–Ge and Cr–Ge interfaces.–O.M. Ndwandwe, C.C. Theron, T.K. Marais, and R. Pretorius; **18**(8), 1900–1907.

Maria, J-P.–Wavelength-dependent Raman scattering of hydrogenated amorphous silicon carbon with red, green, and blue light excitation.–Minseo Park, V. Sakhrani, J-P. Maria, J.J. Cuomo, C.W. Teng, J.F. Muth, M.E. Ware, B.J. Rodriguez, and R.J. Nemanich; **18**(4), 768–771.

Marinenko, R.B.–Compositional homogeneity of ferroelectric (Pb,La)$(Ti,Zr)O_3$ thick films.–S. Bernik, R.B. Marinenko, J. Holc, Z. Samardžija, M. Čeh, and M. Kosec; **18**(2), 515–523.

Marinšek, Marjan–Citrate-nitrate gel transformation behavior during the synthesis of combustion-derived NiO-yttria-stabilized zirconia composite.–Marjan Marinšek, Klementina Zupan, and Jadran Maček; **18**(7), 1551–1560.

Markhsev, O.–Grain-growth kinetics in a nanocrystalline 2 yttria-stabilized tetragonal zirconia polycrystals ceramic with a silica-based glassy phase.–O. Markhsev and R. Chaim; **18**(4), 950–955.

Martin, Jon–Quantitative study of water transport during the hydrolysis of polymer coatings exposed to water vapor.–Sanboh Lee, Tinh Nguyen, Eric Byrd, and Jon Martin; **18**(9), 2268–2275.

Martin, P.M.–Fabrication of high-critical current density $YBa_2Cu_3O_{7-\delta}$ films using a fluorine-free sol gel approach.–Y. Xu, A. Goyal, N.A. Rutter, D. Shi, M. Paranthaman, S. Sathyamurthy, P.M. Martin, and D.M. Kroeger; **18**(3), 677–681.

Martinelli, A.–Synthesis and characterization of $BaSn(OH)_6$ and $BaSnO_3$ acicular particles.–M.T. Buscaglia, M. Leoni, M. Viviani, V. Buscaglia, A. Martinelli, A. Testino, and P. Nanni; **18**(3), 560–566.

Martinez, A.G. Tomba–Mechanical evaluation at high temperatures of hot gunning refractory mixtures.–G.I. Gasillón, A.G. Tomba Martinez, A.L. Cavalieri, M. de Córdova, and R. Topolevsky; **18**(2), 524–530.

Maseri, F.–Synthesis and characterization of new inorganic polymeric composites based on kaolin or white clay and on ground-granulated blast furnace slag.–I. Lecomte, M. Liégeois, A. Rulmont, R. Cloots, F. Maseri; **18**(11), 2571–2579.

Mashino, Tadahiko–Structural characterization of the $C_{60}[C(COOC_2H_5)_2]$ whiskers prepared by the liquid–liquid interfacial precipitation method.–Kun'ichi Miyazawa, Tadahiko Mashino, and Tadatomo Suga; **18**(11), 2730–2735.

Mason, T.O.–Phase stability of epitaxial $KTa_xNb_{1-x}O_3$ thin films deposited by metalorganic chemical vapor deposition.–B.M. Nichols, B.H. Hoerman, J-H. Hwang, T.O. Mason, and B.W. Wessels; **18**(1), 106–110.

Massazza, M.–Joint differential scanning calorimetry, electrical resistivity, and microhardness study of aging in two AlCuMg alloys.–G. Riontino, M. Massazza, and S. Abis; **18**(7), 1522–1527.

Masuda, M.–Study on the nature of the electrochemically synthesized hard Fe–15.4 mass% Ni–0.70 mass% C alloy film.–A.S.M.A. Haseeb, Y. Hayashi, M. Masuda, and M. Arita; **18**(4), 840–847.

Mata, M.–Mechanical property evaluation through sharp indentations in elastoplastic and fully plastic contact regimes.–M. Mata and J. Alcalá; **18**(7), 1705–1709.

Mates, Thomas E.–Effect of oxygen on the thermomechanical behavior of passivated Cu thin films.–Jonathan B. Shu, Susan B. Clyburn, Thomas E. Mates, and Shefford P. Baker; **18**(9), 2122–2134.

Matijević, Egon–Conversion of uniform colloidal Cu_2O spheres to copper in polyols.–Zorica Crnjak Orel, Egon Matijević, and Dan V. Goia; **18**(4), 1017–1022.

–Effects of mixed abrasives in chemical mechanical polishing of oxide films.–Zhenyu Lu, Seung-Ho Lee, Venkata R.K. Gorantla, S.V. Babu, Egon Matijević; **18**(10), 2323–2330.

Matsubara, Eiichiro–Development of laboratory x-ray fluorescence holography equipment.–Yukio Takahashi, Kouichi Hayashi, Kimio Wakoh, Naomi Nishiki, and Eiichiro Matsubara; **18**(6), 1471–1473.

Matsubara, Hiroyuki–Anisotropic thermal expansion in yttrium silicate.–Koichiro Fukuda and Hiroyuki Matsubara; **18**(7), 1715–1722.

Matsuda, K.–Linear strain hardening in elastoplastic indentation contact.–M. Sakai, T. Akatsu, S. Numata, and K. Matsuda; **18**(9), 2087–2096.

Matsumoto, Yasumichi–Fabrication of metal oxide–diamond composite films by electrophoretic deposition and anodic dissolution.–Kai Kamada, Keita Maehara, Maki Mukai, Shintaro Ida, Yasumichi Matsumoto; **18**(12), 2826–2831.

Matsumura, K.–Spatial and temporal spreading behaviors of light in glass particle-dispersed epoxy matrix composites evaluated by pico-second order light pulse profile.–K. Matsumura and Y. Kagawa; **18**(11), 2644–2652.

Matusch, Dirk–Energetics of oxidation of RE–Si–Al–O–N glasses.–Yahong Zhang, Alexandra Navrotsky, Dirk Matusch, and Hans Jürgen Seifert; **18**(7), 1607–1613.

Mayo, Merrilea J.–Agglomerate formation during drying.–Alejandro Vertanessian, Andrew Allen, and Merrilea J. Mayo; **18**(2), 495–506.

–Thermodynamics of the tetragonal-to-monoclinic phase transformation in fine and nanocrystalline yttria-stabilized zirconia powders.–Arun Suresh, Merrilea J. Mayo, and Wallace D. Porter; **18**(12), 2912–2921.

Mazumder, J.–Microstructure characterization of oxide coatings deposited by pulsed excimer laser ablation.–M.H. Jilavi, W.M. Kriven, H. Chung, and J. Mazumder; **18**(7), 1623–1630.

McIntyre, Paul C.–Structural analysis of coexisting tetragonal and rhombohedral phases in polycrystalline $Pb(Zr_{0.35}Ti_{0.65})O_3$ thin films.–Maxim B. Kelman, Paul C. McIntyre, Bryan C. Hendrix, Steven M. Bilodeau, Jeffrey F. Roeder, and Sean Brennan; **18**(1), 173–179.

McKinlay, Karen–Evolution of microstructure during the thermal processing of titania and vanadium-modified titania gels.–Francis J. Allison, David M. Grant, Karen McKinlay, Craig Bailey, and Philip G. Harrison; **18**(3), 594–603.

Meacham, B.E.–Effect of combined metal-carbon additions on the microstructure and structure of Sm_2Fe_{17}.–B.E. Meacham and J.E. Shield; **18**(2), 279–283.

Mei, Sen–Fabrication of α-sialon sheets by tape casting and pressureless sintering.–Xin Xu, Sen Mei, and José M.F. Ferreira; **18**(6), 1363–1367.

Meletis, E.I.–Composition and growth-temperature effect on the microstructure of epitaxial $La_{1-x}Sr_xMnO_3$ (x = 0, 0.2) thin films on (001) $LaAlO_3$.–J.C. Jiang, E.I. Meletis, and K.I. Gnanasekar; **18**(11), 2556–2561.

Men, H.–Fabrication of ternary Mg–Cu–Gd bulk metallic glass with high glass-forming ability under air atmosphere.–H. Men and D.H. Kim; **18**(7), 1502–1504(L).

Meng, G.W.–Tellurium nanowire arrays synthesized by electrochemical and electrophoretic deposition.–A.W. Zhao, C.H. Ye, G.W. Meng, L.D. Zhang, and P.M. Ajayan; **18**(10), 2318–2322.

Messing, Gary L.–Dielectric and piezoelectric properties of textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ ceramics prepared by templated grain growth.–Cihangir Duran, Susan Trolier-McKinstry, and Gary L. Messing; **18**(1), 228–238(E).

Meyer, III, Harry M.–Micromechanical properties of a laser-induced iron oxide–aluminum matrix composite coating.–S. Nayak, Laura Riester, Harry M. Meyer, III, and Narendra B. Dahotre; **18**(4), 833–839.

Miedaner, A.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

Miki, Takeshi–Control of crystallization and crystal orientation of alkoxy-derived $SrBi_2Ta_2O_9$ thin films by ultraviolet irradiation.–Kaori Nishizawa, Takeshi Miki, Kazuyuki Suzuki, and Kazumi Kato; **18**(4), 899–907.

Milanese, C.–Self-propagating high-temperature synthesis microalloying of $MoSi_2$ with Nb and V.–F. Maglia, C. Milanese, U. Anselmi-Tamburini, and Z.A. Munir; **18**(8), 1842–1848.

Ming, Hai–Radiative properties of $Eu(DBM)_3Phen$-doped poly(methyl methacrylate).–Hao Liang, Zhiqiang Zheng, Qijin Zhang, Hai Ming, Biao Chen, Jie Xu, and Hui Zhao; **18**(8), 1895–1899.

Ming, N.B.–Preparation of monodisperse silica particles with controllable size and shape.–J.H. Zhang, P. Zhan, Z.L. Wang, W.Y. Zhang, and N.B. Ming; **18**(3), 649–653.

–Sonochemical method for the synthesis of antimony sulfide microcrystallites with controllable morphology.–J.H. Zhang, Z. Chen, Z.L. Wang, and N.B. Ming; **18**(8), 1804–1808.

Mintzer, Sergio R.–Nanostructural study of sol-gel-derived zirconium oxides.–María C. Caracoche, Patricia C. Rivas, Mario M. Cervera, Ricardo Caruso, Edgardo Benavídez, Oscar de Sanctis, and Sergio R. Mintzer; **18**(1), 208–215.

Miranda, Pedro–Effect of an adhesive interlayer on the fracture of a brittle coating on a supporting substrate.–Jong Ho Kim, Pedro Miranda, Do Kyung Kim, and Brian R. Lawn; **18**(1), 222–227.

–Modeling of contact-induced radial cracking in ceramic bilayer coatings on compliant substrates.–Chun-Hway Hsueh and Pedro Miranda; **18**(5), 1275–1283.

Misra, A.–Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers.–X. Zhang, A. Misra, H. Wang, T.D. Shen, J.G. Swadener, J.D. Embury, H. Kung, R.G. Hoagland, and M. Nastasi; **18**(7), 1600–1606.

Mitsuhashi, Takefumi–Thermal diffusivity of $(Ca_{1-x}Sr_x)_3Co_4O_9$ thin films using transient grating configuration.–Yoshiaki Takata, Yutaka Adachi, Hajime Haneda, Yoshiki Wada, Takefumi Mitsuhashi, Kenji Itaka, and Hideomi Koinuma; **18**(10), 2473–2477.

Miyamoto, Yoshinari–Electromagnetic properties of photonic crystals with diamond structure containing defects.–Shingo Kanehira, Soshu Kirihara, Yoshinari Miyamoto, Kazuaki Sakoda, and Mitsuo Wada Takeda; **18**(9), 2214–2220.

Miyashita, N.–Heat-treatment retention time dependence of polyvinylidenechloride-based carbons on their application to electric double-layer capacitors.–M. Endo, Y.J. Kim, K. Ishii, T. Inoue, T. Nomura, N. Miyashita, and M.S. Dresselhaus; **18**(3), 693–701.

Miyazawa, Kun'ichi–Characterizing high-pressure compressed C_{60} whiskers and C_{60} powder.–Kun'ichi Miyazawa, Minoru Akaishi, Yusuke Kuwasaki, and Tadatomo Suga; **18**(1), 166–172.

–Structural investigation of the C_{60}/C_{70} whiskers fabricated by forming liquid–liquid interfaces of toluene with dissolved C_{60}/C_{70} and isopropyl alcohol.–Kun'ichi Miyazawa, Koichi Hamamoto, Satoru Nagata, and Tadatomo Suga; **18**(5), 1096–1103.

–Structural characterization of the $C_{60}[C(COOC_2H_5)_2]$ whiskers prepared by the liquid–liquid interfacial precipitation method.–Kun'ichi Miyazawa, Tadahiko Mashino, and Tadatomo Suga; **18**(11), 2730–2735.

Mizuno, Mineo–Bioactive behaviors of porous apatite- and wollastonite-containing glass-ceramic in two kinds of simulated body fluid.–Yunlong Zhang, Mineo Mizuno, Masaaki Yanagisawa, and Hiroaki Takadama; **18**(2), 433–441.

Molodetsky, I.–Enthalpy of formation of cubic yttria-stabilized zirconia.–T.A. Lee, A. Navrotsky, and I. Molodetsky; **18**(4), 908–918.

Monagheddu, M.–Self-propagating high-temperature synthesis of functionally graded materials as thermal protection systems for high-temperature applications.–N. Bertolino, M. Monagheddu, A. Tacca, P. Giuliani, C. Zanotti, F. Maglia, and U. Anselmi Tamburini; **18**(2), 448–455.

Montanari, G.C.–Thermal endurance evaluation of poly(butylene terephthalate) by conventional and analytical methods.–S. Giannoni, G.C. Montanari, A. Motori, and A. Saccani; **18**(6), 1342–1346.

Moon, Taeho–Effect of crystallinity on the dielectric loss of sputter-deposited $(Ba,Sr)TiO_3$ thin films in the microwave range.–Tae-Gon Kim, Jeongmin Oh, Taeho Moon, Yongjo Kim, Byungwoo Park, Young-Taek Lee, and Sangwook Nam; **18**(3), 682–686.

Mor, G.K.–Fabrication of nanoporous tungsten oxide by galvanostatic anodization.–Niloy Mukherjee, Maggie Paulose, Oomman K. Varghese, G.K. Mor, and Craig A. Grimes; **18**(10), 2296–2299(L).

–Fabrication of tapered, conical-shaped titania nanotubes.–G.K. Mor, Oomman K. Varghese, Maggie Paulose, Niloy Mukherjee, and Craig A. Grimes; **18**(11), 2588–2593.

Moran, S.L.–Heteroepitaxial growth of tungsten oxide films on silicon(100) using a BaF_2 buffer layer.–L.D. Doucette, F. Santiago, S.L. Moran, and R.J. Lad; **18**(12), 2859–2868.

Morell, G.–Synthesis and characterization of sulfur-incorporated microcrystalline diamond and nanocrystalline carbon thin films by hot filament chemical vapor deposition.–S. Gupta, B.R. Weiner, and G. Morell; **18**(2), 363–381.

–Influence of sulfur incorporation on field-emission properties of microcrystalline diamond thin films.–S. Gupta, B.R. Weiner, and G. Morell; **18**(11), 2708–2716.

Morenza, J.L.–Microcolumn development on titanium by multipulse laser irradiation in nitrogen.–E. György, A. Pérez del Pino, P. Serra, and J.L. Morenza; **18**(9), 2228–2234.

Mori, Fumihiko–Synthesis of rutile and anatase TiO_2 nanoparticles from Ti-peroxy compound aqueous solution with polyols.–Naofumi Uekawa, Miki Suzuki, Takahiro Ohmiya, Fumihiko Mori, Yong Jun Wu, and Kazuyuki Kakegawa; **18**(4), 797–803.

Mori, H.–Interface microstructure between Fe–42Ni alloy and pure Sn.–Chi-Won Hwang, K. Suganuma, Jung-Goo Lee, and H. Mori; **18**(5), 1202–1210.

Mori, Kenkichi–Chemical bonding characteristics and dielectric properties of $Nd_2(Ba_{1-x}Sr_x)ZnO_5$ solid solutions.–Akinori Kan, Hirotaka Ogawa, Kenkichi Mori, Hitoshi Ohsato, and Yoshinori Andou; **18**(10), 2427–2434.

Mori, Toshiyuki–Photoinduced hydrophilicity and photocatalytic decomposition of endocrine-disrupting chemical pentachlorophenol on hollandite.–Toshiyuki Mori, Mamoru Watanabe, Hiromitsu Nakajima, Masaru Harada, Kenjiro Fujimoto, Satoshi Awatsu, and Yoshio Hasegawa; **18**(5), 1046–1053.

–Monodispersed Sc_2O_3 precursor particles via homogeneous precipitation: Synthesis, thermal decomposition, and the effects of supporting anions on powder properties.–Ji-Guang Li, Takayasu Ikegami, Toshiyuki Mori, and Yoshiyuki Yajima; **18**(5), 1149–1156.

–Low-temperature preparation of dense 10 mol%-Y_2O_3-doped CeO_2 ceramics using powders synthesized via carbonate coprecipitation.–Yarong Wang, Toshiyuki Mori, Ji-Guang Li, Takayasu Ikegami, and Yoshiyuki Yajima; **18**(5), 1239–1246.

–Fabrication of transparent Sc_2O_3 ceramics with powders thermally pyrolyzed from sulfate.–Ji-Guang Li, Takayasu Ikegami, and Toshiyuki Mori; **18**(8), 1816–1822.

Moskowitz, I.L.–Effects of process variables on properties and composition of a-Si:C:H films.–I.L. Moskowitz, W.A. Lanford, and S.V. Babu; **18**(1), 129–138.

Motegi, Tetsuichi–Extraction of rare earth from La–Ni alloys by the glass slag method.–Tetsuji Saito, Hironori Sato, and Tetsuichi Motegi; **18**(12), 2814–2819.

Motojima, Seiji–Polymorphism in ZrP crystal.–Hiroshi Iwanaga, Takeshi Hashishin, Seiji Motojima, Masaki Ichihara, and Shin Takeuchi; **18**(3), 567–570.

Motori, A.–Thermal endurance evaluation of poly(butylene terephthalate) by conventional and analytical methods.–S. Giannoni, G.C. Montanari, A. Motori, and A. Saccani; **18**(6), 1342–1346.

Mu, R.X.–Optical properties and electrical characterization of *p*-type ZnO thin films prepared by thermally oxiding Zn_3N_2 thin films.–B.S. Li, Y.C. Liu, Z.Z. Zhi, D.Z. Shen, Y.M. Lu, J.Y. Zhang, X.W. Fan, R.X. Mu, and Don O. Henderson; **18**(1), 8–13(L).

Mukai, Maki–Fabrication of metal oxide–diamond composite films by electrophoretic deposition and anodic dissolution.–Kai Kamada, Keita Maehara, Maki Mukai, Shintaro Ida, and Yasumichi Matsumoto; **18**(12), 2826–2831.

Mukasyan, Alexander S.–Reaction and phase separation mechanisms during synthesis of alloys by thermite type combustion reactions.–Cheryl Lau, Alexander S. Mukasyan, and Arvind Varma; **18**(1), 121–128.

Mukherjee, Niloy–Fabrication of nanoporous tungsten oxide by galvanostatic anodization.–Niloy Mukherjee, Maggie Paulose, Oomman K. Varghese, G.K. Mor, and Craig A. Grimes; **18**(10), 2296–2299(L).

–Fabrication of tapered, conical-shaped titania nanotubes.–G.K. Mor, Oomman K. Varghese, Maggie Paulose, Niloy Mukherjee, and Craig A. Grimes; **18**(11), 2588–2593.

Mukhopadhyay, Indrajit–Synthesis of vapor-grown carbon fibers from camphor without catalyst and their characterization.–Debabrata Pradhan, Maheshwar Sharon, and Indrajit Mukhopadhyay; **18**(9), 2033–2038.

Mulholland, George W.–Cosolvent-assisted spray pyrolysis for the generation of metal particles.–Jung Hyeun Kim, Valeri I. Babushok, Thomas A. Germer, George W. Mulholland, and Sheryl H. Ehrman; **18**(7), 1614–1622.

Munir, Z.–Investigation of mechanically activated field-activated pressure-assisted synthesis processing parameters for producing dense nanostructured FeAl.–S. Paris, Ch. Valot, L. Gosmain, E. Gaffet, F. Bernard, and Z. Munir; **18**(10), 2331–2338.

Munir, Z.A.–Self-propagating high-temperature synthesis microalloying of $MoSi_2$ with Nb and V.–F. Maglia, C. Milanese, U. Anselmi-Tamburini, and Z.A. Munir; **18**(8), 1842–1848.

Muñoz-Saldaña, J.–Ferroelectric domains in coarse-grained lead zirconate titanate ceramics characterized by scanning force microscopy.–J. Muñoz-Saldaña, M.J. Hoffmann, and G.A. Schneider; **18**(8), 1777–1786.

–Mechanical properties and low-temperature aging of tetragonal zirconia polycrystals processed by hot isostatic pressing.–J. Muñoz-Saldaña, H. Balmori-Ramírez, D. Jaramillo-Vigueras, T. Iga, and G.A. Schneider; **18**(10), 2415–2426.

Murakami, M.–Magnetic and microstructure study of bulk $(Sm_{0.33}Eu_{0.33}Gd_{0.33})Ba_2Cu_3O_y$ with submicron Gd_2BaCuO_5 second-phase particles.–M. Muralidhar, M. Jirsa, N. Sakai, Y. Wu, and M. Murakami; **18**(5), 1073–1080.

Muralidhar, M.–Magnetic and microstructure study of bulk $(Sm_{0.33}Eu_{0.33}Gd_{0.33})Ba_2Cu_3O_y$ with submicron Gd_2BaCuO_5 second-phase particles.–M. Muralidhar, M. Jirsa, N. Sakai, Y. Wu, and M. Murakami; **18**(5), 1073–1080.

Murthy, G.V.S.–Biomimetic synthesis of superparamagnetic iron oxide particles in proteins.–Arvind Sinha, Suprabha Nayar, G.V.S. Murthy, P.A. Joy, V. Rao, and P. Ramachandrarao; **18**(6), 1309–1313.

Muth, J.F.–Wavelength-dependent Raman scattering of hydrogenated amorphous silicon carbon with red, green, and blue light excitation.–Minseo Park, V. Sakhrani, J-P. Maria, J.J. Cuomo, C.W. Teng, J.F. Muth, M.E. Ware, B.J. Rodriguez, and R.J. Nemanich; **18**(4), 768–771.

N

Nadler, Jason H.–Oxide reduction and sintering of Fe–Cr alloy honeycombs.–Jason H. Nadler, Thomas H. Sanders, Jr., and Robert F. Speyer; **18**(8), 1787–1794.

Nagata, Satoru–Structural investigation of the C_{60}/C_{70} whiskers fabricated by forming liquid–liquid interfaces of toluene with dissolved C_{60}/C_{70} and isopropyl alcohol.–Kun'ichi Miyazawa, Koichi Hamamoto, Satoru Nagata, and Tadatomo Suga; **18**(5), 1096–1103.

Nahm, Sahn–Crystal structures of $(Ba_{1-x}La_x)[Mg_{(1+x)/3}Nb_{(2-x)/3}]O_3$ with $0.9 \leq x \leq 1.0$.–Hyun Min Park, Hwack Joo Lee, Yang Koo Cho, and Sahn Nahm; **18**(4), 1003–1010.

Nakahara, Hironori–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Nakahira, Atsushi–Transmission electron microscopic studies on an initial stage in the conversion process from α-tricalcium phosphate to hydroxyapatite.–Masato Tamai, Toshiyuki Isshiki, Koji Nishio, Mitsuhiro Nakamura, Atsushi Nakahira, and Hisamitsu Endoh; **18**(11), 2633–2638.

Nakajima, Hiromitsu–Photoinduced hydrophilicity and photocatalytic decomposition of endocrine-disrupting chemical pentachlorophenol on hollandite.–Toshiyuki Mori, Mamoru Watanabe, Hiromitsu Nakajima, Masaru Harada, Kenjiro Fujimoto, Satoshi Awatsu, and Yoshio Hasegawa; **18**(5), 1046–1053.

Nakamura, Mitsuhiro–Transmission electron microscopic studies on an initial stage in the conversion process from α-tricalcium phosphate to hydroxyapatite.–Masato Tamai, Toshiyuki Isshiki, Koji Nishio, Mitsuhiro Nakamura, Atsushi Nakahira, and Hisamitsu Endoh; **18**(11), 2633–2638.

Nakane, K.–Formation of composite gel fiber from cellulose acetate and zirconium tetra-*n*-butoxide and entrap-immobilization of β-galactosidase on the fiber.–K. Nakane, T. Ogihara, N. Ogata, and Y. Kurokawa; **18**(3), 672–676.

Nakayama, Masaharu–Electron spin resonance and x-ray photoelectron spectroscopic studies on an electrochemically deposited film of mixed manganese/vanadium oxides.–Masaharu Nakayama, Masanori Nishio, and Kotaro Ogura; **18**(10), 2364–2370.

–Spectroscopic and paramagnetic properties of molybdenum oxyhydroxide films electrochemically formed from the Keggin-type $(PMo_{12}O_{40})^{3-}$ complex.–Masaharu Nakayama, Takahiro Ii, and Kotaro Ogura; **18**(10), 2509–2514.

Nam, Joong-Hee–Structure and microwave dielectric properties of $(Zn_{1-x}Ni_x)TiO_3$ ceramics.–Hyo Tae Kim, Joon-Cheol Hwang, Joong-Hee Nam, Byung Hyun Choi, and Michael T. Lanagan; **18**(5), 1067–1072.

Nam, K.S.–Experiments and modeling study on growth behavior of Cr-nitrides formed on electroplated hard Cr during ion-nitriding.–J.Y. Eom, V. Shankar Rao, H.S. Kwon, K.S. Nam, and S.C. Kwon; **18**(4), 861–867.

Nam, Sangwook–Effect of crystallinity on the dielectric loss of sputter-deposited $(Ba,Sr)TiO_3$ thin films in the microwave range.–Tae-Gon Kim, Jeongmin Oh, Taeho Moon, Yongjo Kim, Byungwoo Park, Young-Taek Lee, and Sangwook Nam; **18**(3), 682–686.

Nandi, Arun K.–Tailoring of the self-organized structure of sulfonated polyaniline from a fibrillar network to a colloidal aggregate.–Tushar Jana and Arun K. Nandi; **18**(7), 1691–1697.

Nanni, P.–Synthesis and characterization of $BaSn(OH)_6$ and $BaSnO_3$ acicular particles.–M.T. Buscaglia, M. Leoni, M. Viviani, V. Buscaglia, A. Martinelli, A. Testino, and P. Nanni; **18**(3), 560–566.

Narayan, J.–Growth, characterization, and electrical properties of $PbZr_{0.52}Ti_{0.48}O_3$ thin films on buffered silicon substrates using pulsed laser deposition.–Walter M. Gilmore, III, Soma Chattopadhyay, Alex Kvit, A.K. Sharma, C.B. Lee, Ward J. Collis, J. Sankar, and J. Narayan; **18**(1), 111–114.

Nast, R.–Surface-oxidation studies of cube-textured, pure nickel to form NiO as a potential $YBa_2Cu_3O_{7-x}$-coated conductor buffer layer.–Z. Lockman, A. Berenov, W. Goldacker, R. Nast, B. deBoer, B. Holzapfel, and J.L. MacManus-Driscoll; **18**(2), 327–337.

Nastasi, M.–Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers.–X. Zhang, A. Misra, H. Wang, T.D. Shen, J.G. Swadener, J.D. Embury, H. Kung, R.G. Hoagland, and M. Nastasi; **18**(7), 1600–1606.

Naugle, D.G.–Structural, magnetic, and transport properties of pulsed-laser deposition $La_{0.65}Ca_{0.35}MnO_3$ films grown under different substrate arrangements in the laser plume.–B.I. Belevtsev, D.G. Naugle, K.D.D. Rathnayaka, I.N. Chukanova, J.H. Ross, and V.M. Ishchuk; **18**(10), 2406–2414.

Navrotsky, Alexandra–Enthalpy of formation of cubic yttria-stabilized zirconia.–T.A. Lee, A. Navrotsky, and I. Molodetsky; **18**(4), 908–918.

–Energetics of oxidation of RE–Si–Al–O–N glasses.–Yahong Zhang, Alexandra Navrotsky, Dirk Matusch, and Hans Jürgen Seifert; **18**(7), 1607–1613.

–Enthalpies of formation of $LaBO_3$ perovskites (B = Al, Ga, Sc, and In).–Jihong Cheng and Alexandra Navrotsky; **18**(10), 2501–2508.

Nayak, S.–Micromechanical properties of a laser-induced iron oxide–aluminum matrix composite coating.–S. Nayak, Laura Riester, Harry M. Meyer, III, and Narendra B. Dahotre; **18**(4), 833–839.

Nayar, Suprabha–Biomimetic synthesis of superparamagnetic iron oxide particles in proteins.–Arvind Sinha, Suprabha Nayar, G.V.S. Murthy, P.A. Joy, V. Rao, and P. Ramachandrarao; **18**(6), 1309–1313.

Nazri, G.A.–Enhanced hydrogen sorption capacities and kinetics of Mg_2Ni alloys by ball-milling with carbon and Pd coating.–R. Janot, L. Aymard, A. Rougier, G.A. Nazri, and J.M. Tarascon; **18**(8), 1749–1752(L).

Ndwandwe, O.M.–Thin-film compound phase formation at Fe–Ge and Cr–Ge interfaces.–O.M. Ndwandwe, C.C. Theron, T.K. Marais, and R. Pretorius; **18**(8), 1900–1907.

Nelson, Tracy W.–A new route to bulk nanocrystalline materials.–Jian-Qing Su, Tracy W. Nelson, and Colin J. Sterling; **18**(8), 1757–1760(L).

Nemanich, Robert J.–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

–Wavelength-dependent Raman scattering of hydrogenated amorphous silicon carbon with red, green, and blue light excitation.–Minseo Park, V. Sakhrani, J-P. Maria, J.J. Cuomo, C.W. Teng, J.F. Muth, M.E. Ware, B.J. Rodriguez, and R.J. Nemanich; **18**(4), 768–771.

Nemetschek, R.–Growth of CeO_2 thin films deposited on biaxially textured nickel substrates.–D. Eyidi, M.D. Croitoru, O. Eibl, R. Nemetschek, and W. Prusseit; **18**(1), 14–26.

Nersisyan, H.H.–Mechanism of combustion and phase formation in the BaO_2–TiO_2–organic compound system.–J.H. Lee, H.H. Nersisyan, M.L. Simkins, and C.W. Won; **18**(8), 1926–1933.

Neto, V.F.–Promoting secondary nucleation using methane modulations during diamond chemical vapor deposition to produce smoother, harder, and better quality films.–N. Ali, V.F. Neto, and J. Gracio; **18**(2), 296–304.

Ng, D.H.L.–Formation of Mg–Mg_2Cu nanostructured eutectic in Mg-based metal matrix composite.–N.G. Ma, C.J. Deng, P. Yu, W.Y. Kwok, M. Aravind, D.H.L. Ng, and S.L.I. Chan; **18**(8), 1934–1942.

Ng, H.P.–Strain-rate sensitivity of hardness of nanocrystalline $Ni_{75at.\%}Al_{25at.\%}$ alloy film.–A.H.W. Ngan, J.B. Pethica, and H.P. Ng; **18**(2), 382–386.

Ngan, A.H.W.–Strain-rate sensitivity of hardness of nanocrystalline $Ni_{75at.\%}Al_{25at.\%}$ alloy film.–A.H.W. Ngan, J.B. Pethica, and H.P. Ng; **18**(2), 382–386.

–Accurate measurement of tip–sample contact size during nanoindentation of viscoelastic materials.–B. Tang and A.H.W. Ngan; **18**(5), 1141–1148.

Nguyen, Tinh–Model of fatigue damage in strain-rate-sensitive composite materials.–Sanboh Lee, Tinh Nguyen, and Tze-jer Chuang; **18**(1), 77–80.

–Quantitative study of water transport during the hydrolysis of polymer coatings exposed to water vapor.–Sanboh Lee, Tinh Nguyen, Eric Byrd, and Jon Martin; **18**(9), 2268–2275.

Nichols, B.M.–Phase stability of epitaxial $KTa_xNb_{1-x}O_3$ thin films deposited by metalorganic chemical vapor deposition.–B.M. Nichols, B.H. Hoerman, J-H. Hwang, T.O. Mason, and B.W. Wessels; **18**(1), 106–110.

Nicholson, Patrick S.–Instability of Si_3N_4/, SiC/, and $MoSi_2$/ethanol suspensions.–Yoko Fukada and Patrick S. Nicholson; **18**(1), 45–52.

Niida, H.–Spontaneous reduction of europium ions below 250 °C in organic–inorganic hybrid low-melting phosphite glasses.–H. Niida, M. Takahashi, T. Uchino, and T. Yoko; **18**(1), 1–3(L).

–Preparation and structure of organic–inorganic hybrid low-melting phosphite glasses from phosphonic acid H_3PO_3.–Haruki Niida, Masahide Takahashi, Takashi Uchino, and Toshinobu Yoko; **18**(5), 1081–1086.

Niihara, Koichi–Silicon nitride ceramics with sodium ion conductive grain boundary phase.–Hirokazu Kawaoka, Tohru Sekino, Takafumi Kusunose, and Koichi Niihara; **18**(12), 2752–2755(L).

Nishii, Junji–X-ray absorption fine structure study on the formation of Cu–Br bonds in (Br + Cu) ion implanted silica glass.–Kohei Fukumi, Akiyoshi Chayahara, Atsushi Kinomura, Hiroyuki Kageyama, Kohei Kadono, Naoyuki Kitamura, Junji Nishii, and Yuji Horino; **18**(4), 885–894.

Nishiki, Naomi–Development of laboratory x-ray fluorescence holography equipment.–Yukio Takahashi, Kouichi Hayashi, Kimio Wakoh, Naomi Nishiki, and Eiichiro Matsubara; **18**(6), 1471–1473.

Nishino, Junichi–Preparation of ZnO by a nearby vaporizing chemical vapor deposition method.–Junichi Nishino and Yoshio Nosaka; **18**(9), 2029–2032(L).

Nishio, Koji–Transmission electron microscopic studies on an initial stage in the conversion process from α-tricalcium phosphate to hydroxyapatite.–Masato Tamai, Toshiyuki Isshiki, Koji Nishio, Mitsuhiro Nakamura, Atsushi Nakahira, and Hisamitsu Endoh; **18**(11), 2633–2638.

Nishio, Masanori–Electron spin resonance and x-ray photoelectron spectroscopic studies on an electrochemically deposited film of mixed manganese/vanadium oxides.–Masaharu Nakayama, Masanori Nishio, and Kotaro Ogura; **18**(10), 2364–2370.

Nishizawa, Kaori–Control of crystallization and crystal orientation of alkoxy-derived $SrBi_2Ta_2O_9$ thin films by ultraviolet irradiation.–Kaori Nishizawa, Takeshi Miki, Kazuyuki Suzuki, and Kazumi Kato; **18**(4), 899–907.

Nomura, T.–Heat-treatment retention time dependence of polyvinylidenechloride-based carbons on their application to electric double-layer capacitors.–M. Endo, Y.J. Kim, K. Ishii, T. Inoue, T. Nomura, N. Miyashita, and M.S. Dresselhaus; **18**(3), 693–701.

Norga, G.J.–Role of fluorite phase formation in the texture selection of sol-gel-prepared $Pb(Zr_{1-x},Ti_x)O_3$ films on Pt electrode layers.–G.J. Norga, F. Vasiliu, L. Fè, D.J. Wouters, and O. Van der Biest; **18**(5), 1232–1238.

Norton, M.G.–Electron microscopy study of tin whisker growth.–J.B. LeBret and M.G. Norton; **18**(3), 585–593.

–Strength enhancement of single crystal laser components.–K.E. Shafer, D.E. Eakins, D.F. Bahr, M.G. Norton, and K.G. Lynn; **18**(11), 2537–2539(L).

Nosaka, Yoshio–Preparation of ZnO by a nearby vaporizing chemical vapor deposition method.–Junichi Nishino and Yoshio Nosaka; **18**(9), 2029–2032(L).

Notis, M.R.–Nanoindentation measurements on Cu–Sn and Ag–Sn intermetallics formed in Pb-free solder joints.–R.R. Chromik, R.P. Vinci, S.L. Allen, and M.R. Notis; **18**(9), 2251–2261.

Novak, S.–Role of water during AlN-hydrolysis-assisted solidification in ceramic suspensions studied by proton nuclear magnetic resonance T_2 relaxation.–S. Novak, G. Lahajnar, A. Sepe, and T. Kosmač; **18**(8), 1968–1974.

Nuesca, Guillermo–Low-temperature metalorganic chemical vapor deposition of Al_2O_3 for advanced complementary metal-oxide semiconductor gate dielectric applications.–Spyridon Skordas, Filippos Papadatos, Guillermo Nuesca, John J. Sullivan, Eric T. Eisenbraun, and Alain E. Kaloyeros; **18**(8), 1868–1876.

Numata, S.–Linear strain hardening in elastoplastic indentation contact.–M. Sakai, T. Akatsu, S. Numata, and K. Matsuda; **18**(9), 2087–2096.

O

Oberly, C.E.–New approach to depositing yttria-stabilized zirconia buffer layers for coated conductors.–S. Sambasivan, I. Kim, S. Barnett, M.A. Zurbuchen, J. Ji, B.W. Kang, A. Goyal, P.N. Barnes, and C.E. Oberly; **18**(4), 919–928.

Obradors, Xavier–Identification of Nd163 phase in melt-textured $NdBa_2Cu_3O_{7-\delta}$ bulk samples.–Marcello Gombos, Vicente Gomis, Anna Esther Carrillo, Antonio Vecchione, Sandro Pace, and Xavier Obradors; **18**(9), 2050–2054.

Ogata, N.–Formation of composite gel fiber from cellulose acetate and zirconium tetra-*n*-butoxide and entrap-immobilization of β-galactosidase on the fiber.–K. Nakane, T. Ogihara, N. Ogata, and Y. Kurokawa; **18**(3), 672–676.

Ogata, Shigenobu–An *ab initio* study of the ideal tensile and shear strength of single-crystal β-Si_3N_4.–Shigenobu Ogata, Naoto Hirosaki, Cenk Kocer, and Yoji Shibutani; **18**(5), 1168–1172.

Ogawa, Hirotaka–Chemical bonding characteristics and dielectric properties of $Nd_2(Ba_{1-x},Sr_x)ZnO_5$ solid solutions.–Akinori Kan, Hirotaka Ogawa, Kenkichi Mori, Hitoshi Ohsato, and Yoshinori Andou; **18**(10), 2427–2434.

Ogihara, T.–Formation of composite gel fiber from cellulose acetate and zirconium tetra-*n*-butoxide and entrap-immobilization of β-galactosidase on the fiber.–K. Nakane, T. Ogihara, N. Ogata, and Y. Kurokawa; **18**(3), 672–676.

Ogura, Kotaro–Electron spin resonance and x-ray photoelectron spectroscopic studies on an electrochemically deposited film of mixed manganese/vanadium oxides.–Masaharu Nakayama, Masanori Nishio, and Kotaro Ogura; **18**(10), 2364–2370.

–Spectroscopic and paramagnetic properties of molybdenum oxyhydroxide films electrochemically formed from the Keggin-type $(PMo_{12}O_{40})^{3-}$ complex.–Masaharu Nakayama, Takahiro Ii, and Kotaro Ogura; **18**(10), 2509–2514.

Oh, Jeongmin–Effect of crystallinity on the dielectric loss of sputter-deposited (Ba,Sr)TiO_3 thin films in the microwave range.–Tae-Gon Kim, Jeongmin Oh, Taeho Moon, Yongjo Kim, Byungwoo Park, Young-Taek Lee, and Sangwook Nam; **18**(3), 682–686.

Oh, T.S.–Effect of supersaturation of Cu on reaction and intermetallic compound formation between Sn–Cu solder and thin film metallization.–J.S. Ha, T.S. Oh, and K.N. Tu; **18**(9), 2109–2114.

Oh, U.C.–Segregation of aluminum in Si and SiO_2 films deposited by plasma-enhanced chemical vapor deposition in fabrication of low-temperature poly Si thin-film transitor.–U.C. Oh, Kwang Nam Kim, Sung Chul Kim, Hye Dong Kim, and Ho Kyoon Chung; **18**(4), 973–978.

Ohji, T.–Thermally stable high-strength porous alumina.–D. Doni Jayaseelan, S. Ueno, J.H. She, T. Ohji, and S. Kanzaki; **18**(4), 751–754(L).

Ohmiya, Takahiro–Synthesis of rutile and anatase TiO_2 nanoparticles from Ti-peroxy compound aqueous solution with polyols.–Naofumi Uekawa, Miki Suzuki, Takahiro Ohmiya, Fumihiko Mori, Yong Jun Wu, and Kazuyuki Kakegawa; **18**(4), 797–803.

Ohmura, T.–Relationship between nanohardness and microstructures in high-purity Fe–C as-quenched and quench-tempered martensite.–T. Ohmura, T. Hara, and K. Tsuzaki; **18**(6), 1465–1470.

Ohsato, Hitoshi–Chemical bonding characteristics and dielectric properties of $Nd_2(Ba_{1-x}Sr_x)ZnO_5$ solid solutions.–Akinori Kan, Hirotaka Ogawa, Kenkichi Mori, Hitoshi Ohsato, and Yoshinori Andou; **18**(10), 2427–2434.

Okabe, Toru H.–Recovery of platinum using magnesium vapor.–Toru H. Okabe, Sachiko Yamamoto, Yoshihiro Kayanuma, and Masafumi Maeda; **18**(8), 1960–1967.

Okuyama, Hideo–Electrophoretic deposition of α-alumina particles in a strong magnetic field.–Tetsuo Uchikoshi, Tohru S. Suzuki, Hideo Okuyama, and Yoshio Sakka; **18**(2), 254–256(L).

Olagnon, C.–High-temperature deformation of mullite and analysis of creep curves.–H. Rhanim, C. Olagnon, G. Fantozzi, and A. Azim; **18**(8), 1771–1776.

Oliveira, V.–Characterization of columns grown during KrF laser micromachining of Al_2O_3–TiC ceramics.–V. Oliveira and R. Vilar; **18**(5), 1123–1130.

Olorunyolemi, Tayo–Microwave sintering and properties of AlN/TiB_2 composites.–Geng-fu Xu, Yuval Carmel, Tayo Olorunyolemi, Isabel K. Lloyd, and Otto C. Wilson, Jr.; **18**(1), 66–76.

Olson, B.W.–Influence of structure and chemistry on piezoelectric properties of lead zirconate titanate in a microelectromechanical systems power generation application.–L.M.R. Eakins, B.W. Olson, C.D. Richards, R.F. Richards, and D.F. Bahr; **18**(9), 2079–2086.

Olson, Gregory B.–Characterization of the microstructure and phase equilibria calculations for the powder metallurgy superalloy IN100.–Agnieszka M. Wusatowska-Sarnek, Gautam Ghosh, Gregory B. Olson, Martin J. Blackburn, and Mark Aindow; **18**(11), 2653–2663.

Ong, C.W.–Tensile strength of zinc oxide films measured by a microbridge method.–C.W. Ong, D.G. Zong, M. Aravind, C.L. Choy, and D.R. Lu; **18**(10), 2464–2472.

Ong, R.J.–Chemical solution deposition of biaxially oriented (Ba, Sr)TiO_3 thin films on ⟨100⟩ Ni.–R.J. Ong, J.T. Dawley, and P.G. Clem; **18**(10), 2310–2317.

Onuma, M.–Evaluation of nanoscale inhomogeneity in as-quenched state of Cu–Hf–Ti alloys.–J. Saida, T. Osuna, A. Inoue, and M. Onuma; **18**(9), 2013–2016(L).

Orel, Zorica Crnjak–Conversion of uniform colloidal Cu_2O spheres to copper in polyols.–Zorica Crnjak Orel, Egon Matijević, and Dan V. Goia; **18**(4), 1017–1022.

Osuna, T.–Evaluation of nanoscale inhomogeneity in as-quenched state of Cu–Hf–Ti alloys.–J. Saida, T. Osuna, A. Inoue, and M. Onuma; **18**(9), 2013–2016(L).

Ottosson, M.–Influence of deposition parameters on the stress of magnetron sputter-deposited AlN thin films on Si(100) substrates.–G.F. Iriarte, F. Engelmark, M. Ottosson, and I.V. Katardjiev; **18**(2), 423–432.

–Erratum: "Influence of deposition parameters on the stress of magnetron sputter-deposited AlN thin films on Si(100) substrates" [J. Mater. Res. 18, 423 (2003)].–G.F. Iriarte, F. Engelmark, M. Ottosson, and I.V. Katardjiev; **18**(7), 1733(E).

Ouyang, Lian–Compound growth and microstructure of carbon nanotube.–Zaoli Zhang, Lian Ouyang, Zujin Shi, and Zhennan Gu; **18**(10), 2459–2463.

Oyen, Michelle L.–Load–displacement behavior during sharp indentation of viscous–elastic–plastic materials.–Michelle L. Oyen and Robert F. Cook; **18**(1), 139–150.

Özenbaş, M.–Micropatterned lead zirconium titanate thin films.–J.S. Vartuli, M. Özenbaş, C-M. Chun, M. Trau, and I.A. Aksay; **18**(5), 1259–1265.

P

Pace, Sandro–Identification of Nd163 phase in melt-textured $NdBa_2Cu_3O_{7-\delta}$ bulk samples.–Marcello Gombos, Vicente Gomis, Anna Esther Carrillo, Antonio Vecchione, Sandro Pace, and Xavier Obradors; **18**(9), 2050–2054.

Paidar, V.–Polarization of plastic deformation modes in polysynthetically twinned TiAl crystals.–V. Paidar, K. Kishida, and M. Yamaguchi; **18**(3), 702–708.

Paik, Ungyu–Synthesis behavior and grain morphology in mullite ceramics with precursor pH and sintering temperature.–Jae-Won Kim, Jae-Ean Lee, Yeon-Gil Jung, Chang-Yong Jo, Jae-Ho Lee, and Ungyu Paik; **18**(1), 81–87.

–Effect of poly(acrylic acid) and poly(vinyl alcohol) on the solubility of colloidal $BaTiO_3$ in an aqueous medium.–Ungyu Paik, Vincent A. Hackley, Jaeho Lee, and Sangkyu Lee; **18**(5), 1266–1274.

–Influence of the electrokinetic behaviors of abrasive ceria particles and the deposited plasma-enhanced tetraethylorthosilicate and chemically vapor deposited Si_3N_4 films in an aqueous medium on chemical mechanical planarization for shallow trench isolation.–Sang-Kyun Kim, Sangkyu Lee, Ungyu Paik, Takeo Katoh, and Jea-Gun Park; **18**(9), 2163–2169.

Pan, Ming Xiang–Formation, properties, thermal characteristics, and crystallization of hard magnetic Pr–Al–Fe–Cu bulk metallic glasses.–Zheng Li, Hai Yang Bai, Ming Xiang Pan, De Qian Zhao, Wan Lu Wang, and Wei Hua Wang; **18**(9), 2208–2213.

–Relationship between glass transition temperature and Debye temperature in bulk metallic glasses.–Wei Hua Wang, Ping Wen, D.Q. Zhao, M.X. Pan, and Ru Ju Wang; **18**(12), 2747–2751(L).

Pan, Weijian–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Pan, Xiao-ming–Temperature dependence of piezoelectric properties of 0.67 $Pb(Mg_{1/3}Nb_{2/3})O_3$–0.33 $PbTiO_3$ single crystals.–Ping-chu Wang, Xiao-ming Pan, Dong-lin Li, Yuan-wei Song, Hao-su Luo, and Zhi-wen Yin; **18**(2), 537–541.

Pandey, Dhananjai–Evolution of crystallographic phases in the system $(Pb_{1-x}Ca_x)TiO_3$: A Rietveld study.–Amreesh Chandra and Dhananjai Pandey; **18**(2), 407–414.

–Crystallographic phases, phase transitions, and barrier layer formation in $(1 - x)$ $[Pb(Fe_{1/2}Nb_{1/2})O_3]$–$xPbTiO_3$.–Satendra Pal Singh, Akhilesh Kumar Singh, Dhananjai Pandey, H. Sharma, and Om Parkash; **18**(11), 2677–2687.

Pang, Shujie–Formation, corrosion behavior, and mechanical properties of bulk glassy Zr–Al–Co–Nb alloys.–Shujie Pang, Tao Zhang, Katsuhiko Asami, and Akihisa Inoue; **18**(7), 1652–1658.

Papadatos, Filippos–Low-temperature metalorganic chemical vapor deposition of Al_2O_3 for advanced complementary metal-oxide semiconductor gate dielectric applications.–Spyridon Skordas, Filippos Papadatos, Guillermo Nuesca, John J. Sullivan, Eric T. Eisenbraun, and Alain E. Kaloyeros; **18**(8), 1868–1876.

Paranthaman, M.–Fabrication of high-critical current density $YBa_2Cu_3O_{7-\delta}$ films using a fluorine-free sol gel approach.–Y. Xu, A. Goyal, N.A. Rutter, D. Shi, M. Paranthaman, S. Sathyamurthy, P.M. Martin, and D.M. Kroeger; **18**(3), 677–681.

–High critical current density $YBa_2Cu_3O_{7-\delta}$ coatings on $LaMnO_3$-buffered biaxially textured Cu tapes for coated conductor applications.–T. Aytug, A. Goyal, N. Rutter, M. Paranthaman, J.R. Thompson, H.Y. Zhai, and D.K. Christen; **18**(4), 872–877.

–Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates.–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(5), 1109–1122.

–Erratum: "Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates" [J. Mater. Res. 18, 1109 (2003)].–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(7), 1733(E).

–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Paris, S.–Investigation of mechanically activated field-activated pressure-assisted synthesis processing parameters for producing dense nanostructured FeAl.–S. Paris, Ch. Valot, L. Gosmain, E. Gaffet, F. Bernard, and Z. Munir; **18**(10), 2331–2338.

Park, Byungwoo–Effect of crystallinity on the dielectric loss of sputter-deposited $(Ba,Sr)TiO_3$ thin films in the microwave range.–Tae-Gon Kim, Jeongmin Oh, Taeho Moon, Yongjo Kim, Byungwoo Park, Young-Taek Lee, and Sangwook Nam; **18**(3), 682–686.

Park, Hae Yong–Optical absorption of Co^{2+} in $MgIn_2S_4$, $CdIn_2S_4$, and $HgIn_2S_4$ spinel crystals.–Seok-Joo Lee, Jae-Eun Kim, and Hae Yong Park; **18**(3), 733–736.

Park, Hyun Min–Crystal structures of $(Ba_{1-x}La_x)[Mg_{(1+x)/3}Nb_{(2-x)/3}]O_3$ with $0.9 \leq x \leq 1.0$.–Hyun Min Park, Hwack Joo Lee, Yang Koo Cho, and Sahn Nahm; **18**(4), 1003–1010.

Park, Jang-Ung–Effect of organic modifiers on the thermo-optic characteristics of inorganic–organic hybrid material films.–Eun-Seok Kang, Jang-Ung Park, and Byeong-Soo Bae; **18**(8), 1889–1894.

Park, Jea-Gun–Influence of the electrokinetic behaviors of abrasive ceria particles and the deposited plasma-enhanced tetraethylorthosilicate and chemically vapor deposited Si_3N_4 films in an aqueous medium on chemical mechanical planarization for shallow trench isolation.–Sang-Kyun Kim, Sangkyu Lee, Ungyu Paik, Takeo Katoh, and Jea-Gun Park; **18**(9), 2163–2169.

Park, Jong Kwan–*In situ* deposition of iron nanoparticles on transmission electron microscopy grid in furnace aerosol reactor.–Kyun Young Park, Jong Kwan Park, and Sang Hwa Lim; **18**(10), 2285–2287(L).

Park, Kyun Young–*In situ* deposition of iron nanoparticles on transmission electron microscopy grid in furnace aerosol reactor.–Kyun Young Park, Jong Kwan Park, and Sang Hwa Lim; **18**(10), 2285–2287(L).

Park, Minseo–Wavelength-dependent Raman scattering of hydrogenated amorphous silicon carbon with red, green, and blue light excitation.–Minseo Park, V. Sakhrani, J-P. Maria, J.J. Cuomo, C.W. Teng, J.F. Muth, M.E. Ware, B.J. Rodriguez, and R.J. Nemanich; **18**(4), 768–771.

Park, Oun-Ho–Photoluminescence of mesoporous silica films impregnated with an erbium complex.–Oun-Ho Park, Se-Young Seo, Ji-In Jung, Jae Young Bae, and Byeong-Soo Bae; **18**(5), 1039–1042(L).

Park, Sun Young–Hydration behavior of MgO single crystals and thin films.–Jung Heon Lee, Jae Hwan Eun, Soo Gil Kim, Sun Young Park, Mi Jung Lee, and Hyeong Joon Kim; **18**(12), 2895–2903.

Park, Sung Il–Modified embedded-atom method calculation for the Ni–W system.–Jae-Hyeok Shim, Sung Il Park, Young Whan Cho, and Byeong-Joo Lee; **18**(8), 1863–1867.

Parkash, Om–Crystallographic phases, phase transitions, and barrier layer formation in $(1-x)[Pb(Fe_{1/2}Nb_{1/2})O_3]$–$xPbTiO_3$.–Satendra Pal Singh, Akhilesh Kumar Singh, Dhananjai Pandey, H. Sharma, Om Parkash; **18**(11), 2677–2687.

Patel, Nilesh–Thermal properties of kinetic spray Al–SiC metal-matrix composite.–Gary L. Eesley, Alaa Elmoursi, and Nilesh Patel; **18**(4), 855–860.

Patterson, S.–Thermal and structural properties of B_2O_3–H_2O glasses.–R. Brüning and S. Patterson; **18**(10), 2494–2500.

Paul, Rick L.–Distribution of chlorine in quartz determined by neutron beam focusing prompt gamma activation analysis and micro-x-ray fluorescence.–H. Heather Chen-Mayer, William J. Heward, Rick L. Paul, Frederic J. Klug, and Yan Gao; **18**(10), 2486–2493.

Paulose, Maggie–Crystallization and high-temperature structural stability of titanium oxide nanotube arrays.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Craig A. Grimes, and Elizabeth C. Dickey; **18**(1), 156–165.

–Fabrication of nanoporous tungsten oxide by galvanostatic anodization.–Niloy Mukherjee, Maggie Paulose, Oomman K. Varghese, G.K. Mor, and Craig A. Grimes; **18**(10), 2296–2299(L).

–Fabrication of tapered, conical-shaped titania nanotubes.–G.K. Mor, Oomman K. Varghese, Maggie Paulose, Niloy Mukherjee, and Craig A. Grimes; **18**(11), 2588–2593.

–Synthesis of CuO and Cu_2O crystalline nanowires using $Cu(OH)_2$ nanowire templates.–Wenzhong Wang, Oomman K. Varghese, Chuanmin Ruan, Maggie Paulose, and Craig A. Grimes; **18**(12), 2756–2759(L).

Peelamedu, Ramesh–Ultralow dielectric constant nickel–zinc ferrites using microwave sintering.–Ramesh Peelamedu, Craig Grimes, Dinesh Agrawal, Rustum Roy, and Purushotham Yadoji; **18**(10), 2292–2295(L).

Pennycook, S.J.–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$/$LaMnO_3$/MgO/TiN heterostructures on Cu metal substrates for development of coated conductors.–C. Cantoni, D.K. Christen, M. Varela, J.R. Thompson, S.J. Pennycook, E.D. Specht, and A. Goyal; **18**(10), 2387–2400.

Penumadu, D.–Mechanical properties of blended single-wall carbon nanotube composites.–D. Penumadu, A. Dutta, G.M. Pharr, and B. Files; **18**(8), 1849–1853.

Perkins, J.D.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

Pethica, J.B.–Strain-rate sensitivity of hardness of nanocrystalline $Ni_{75at.\%}Al_{25at.\%}$ alloy film.–A.H.W. Ngan, J.B. Pethica, and H.P. Ng; **18**(2), 382–386.

Pharr, G.M.–A method for making substrate-independent hardness measurements of soft metallic films on hard substrates by nanoindentation.–Ting Y. Tsui, C.A. Ross, and G.M. Pharr; **18**(6), 1383–1391.

–Mechanical properties of blended single-wall carbon nanotube composites.–D. Penumadu, A. Dutta, G.M. Pharr, and B. Files; **18**(8), 1849–1853.

–Rapid structural and chemical characterization of ternary phase diagrams using synchrotron radiation.–E.D. Specht, A. Rar, G.M. Pharr, E.P George, P. Zschack, H. Hong, and J. Ilavsky; **18**(10), 2522–2527.

Pike, G.E.–Current concentration at defects in ZnO varistor material.–R.A. Anderson and G.E. Pike; **18**(4), 994–1002.

Pine, David J.–Synthesis of rutile titania powders: Agglomeration, dissolution, and reprecipitation phenomena.–Sascha M. Klein, Joon Hwan Choi, David J. Pine, and Fred F. Lange; **18**(6), 1457–1464.

Pingsuthiwong, Charoendee–Electrodeposition of diamondlike carbon films on nickel substrates.–Alex Minhua Chen, Charoendee Pingsuthiwong, and Teresa Diane Golden; **18**(7), 1561–1565.

Pino, A. Pérez del–Microcolumn development on titanium by multipulse laser irradiation in nitrogen.–E. György, A. Pérez del Pino, P. Serra, and J.L. Morenza; **18**(9), 2228–2234.

Pirouz, P.–Transition from brittle fracture to ductile behavior in 4H–SiC.–Ming Zhang, H.M. Hobgood, J.L. Demenet, and P. Pirouz; **18**(5), 1087–1095.

Pizani, P.S.–Structural phase evolution of strontium-doped lead titanate thin films prepared by the soft chemical technique.–F.M. Pontes, S.H. Leal, P.S. Pizani, M.R.M.C. Santos, E.R. Leite, E. Longo, F. Lanciotti, Jr., T.M. Boschi, and J.A. Varela; **18**(3), 659–663.

–Residual strain field in indented GaAs.–Pascal Puech, François Demangeot, Paulo Sergio Pizani, Samuel Wey, and Chantal Fontaine; **18**(6), 1474–1480.

Ploog, Klaus H.–Photoluminescence intensity of GaN films with widely varying dislocation density.–Yue Jun Sun, Oliver Brandt, and Klaus H. Ploog; **18**(5), 1247–1250.

Polycarpou, Andreas A.–Determination of hardness from nanoscratch experiments: Corrections for interfacial shear stress and elastic recovery.–Noureddine Tayebi, Thomas F. Conry, and Andreas A. Polycarpou; **18**(9), 2150–2162.

Pontes, F.M.–Structural phase evolution of strontium-doped lead titanate thin films prepared by the soft chemical technique.–F.M. Pontes, S.H. Leal, P.S. Pizani, M.R.M.C. Santos, E.R. Leite, E. Longo, F. Lanciotti, Jr., T.M. Boschi, and J.A. Varela; **18**(3), 659–663.

Porter, Wallace D.–Thermodynamics of the tetragonal-to-monoclinic phase transformation in fine and nanocrystalline yttria-stabilized zirconia powders.–Arun Suresh, Merrilea J. Mayo, and Wallace D. Porter; **18**(12), 2912–2921.

Pradhan, Debabrata–Synthesis of vapor-grown carbon fibers from camphor without catalyst and their characterization.–Debabrata Pradhan, Maheshwar Sharon, and Indrajit Mukhopadhyay; **18**(9), 2033–2038.

Prado, Josie–High-yield synthesis of carbon coils on tungsten substrates and their behavior in the presence of an electric field.–Jun Jiao, Erik Einarsson, David W. Tuggle, Logan Love, Josie Prado, and George M. Coia; **18**(11), 2580–2587.

Prado, Miguel O.–Sintering polydispersed spherical glass particles.–Miguel O. Prado, Edgar D. Zanotto, and Catia Fredericci; **18**(6), 1347–1354.

Pratsinis, Sotiris E.–Simultaneous deposition of Au nanoparticles during flame synthesis of TiO_2 and SiO_2.–L. Mädler, W.J. Stark, and S.E. Pratsinis; **18**(1), 115–120.

–Carbon-coated titania nanostructured particles: Continuous, one-step flame-synthesis.–Hendrik K. Kammler and Sotiris E. Pratsinis; **18**(11), 2670–2676.

Pretorius, R.–Thin-film compound phase formation at Fe–Ge and Cr–Ge interfaces.–O.M. Ndwandwe, C.C. Theron, T.K. Marais, and R. Pretorius; **18**(8), 1900–1907.

Prusseit, W.–Growth of CeO_2 thin films deposited on biaxially textured nickel substrates.–D. Eyidi, M.D. Croitoru, O. Eibl, R. Nemetschek, and W. Prusseit; **18**(1), 14–26.

Pryds, N.–Crystallization of $Cu_{60}Ti_{20}Zr_{20}$ metallic glass with and without pressure.–J.Z. Jiang, B. Yang, K. Saksl, H. Franz, and N. Pryds; **18**(4), 895–898.

Puech, Pascal–Residual strain field in indented GaAs.–Pascal Puech, François Demangeot, Paulo Sergio Pizani, Samuel Wey, and Chantal Fontaine; **18**(6), 1474–1480.

Pugh, D.V.–Formation of nanoporous platinum by selective dissolution of Cu from $Cu_{0.75}Pt_{0.25}$.–D.V. Pugh, A. Dursun, and S.G. Corcoran; **18**(1), 216–221.

Q

Qian, J.–Micron diamond composites with nanocrystalline silicon carbide bonding.–J. Qian, T.W. Zerda, D. He, L. Daemen, and Y. Zhao; **18**(5), 1173–1178.

Qian, Yi-Tai–Fabrication of mesoporous CdS nanorods by chemical etching.–Lin Yang, Jian Yang, Zheng-Hua Wang, Jing-Hui Zeng, Li Yang, and Yi-Tai Qian; **18**(2), 396–401.

Qian, Yitai–Low-temperature route to nanoscale P_3N_5 hollow spheres.–Hongzhou Gu, Yunle Gu, Zhefeng Li, Yongcheng Ying, Yitai Qian; **18**(10), 2359–2363.

Qiang, J.B.–Composition rule of bulk metallic glasses and quasicrystals using electron concentration criterion.–Y.M. Wang, J.B. Qiang, C.H. Wong, C.H. Shek, and C. Dong; **18**(3), 642–648.

Qiu, Jianrong–Long-lasting phosphorescence and photostimulated long-lasting phosphorescence in Mn^{2+}-doped aluminophosphofluoride glasses irradiated by a femtosecond laser.–Xiongwei Jiang, Jianrong Qiu, Youyu Fan, Hefang Hu, and Congshan Zhu; **18**(3), 616–619.

–Photoinduced formation of colloidal Au by a near-infrared femtosecond laser.–Chongjun Zhao, Shiliang Qu, Jianrong Qiu, and Congshan Zhu; **18**(7), 1710–1714.

–Laser-controlled precipitation of gold nanoparticles in silicate glasses.–Xiongwei Jiang, Jianrong Qiu, Huidan Zeng, and Congshan Zhu; **18**(9), 2097–2100.

Qiu, Xiao-Feng–Controllable synthesis of palladium nanoparticles via a simple sonoelectrochemical method.–Xiao-Feng Qiu, Jin-Zhong Xu, Jian-Ming Zhu, Jun-Jie Zhu, Shu Xu, and Hong-Yuan Chen; **18**(6), 1399–1404.

Qu, Shiliang–Photoinduced formation of colloidal Au by a near-infrared femtosecond laser.–Chongjun Zhao, Shiliang Qu, Jianrong Qiu, and Congshan Zhu; **18**(7), 1710–1714.

Qu, X.P.–Mixing entropy and the nucleation of silicides: Ni–Pd–Si and Co–Mn–Si ternary systems.–C. Detavernier, X.P. Qu, R.L. Van Meirhaeghe, B.Z. Li, and K. Maex; **18**(7), 1668–1678.

Quijada, R.–Porous silica derived from chitosan-containing hybrid composites.–J. Retuert, R. Quijada, V. Arias, and M. Yazdani-Pedram; **18**(2), 487–494.

R

Radomska, J.–Morphology and electronic properties of carbon nanotubes grown with Fe catalyst.–E. Kowalska, J. Radomska, P. Byszewski, P. Kowalczyk, K. Antonova, R. Diduszko, H. Lange, and P. Dłużewski; **18**(10), 2451–2458.

Raj, Rishi–Polymer-derived SiCN composites with magnetic properties.–Atanu Saha, Sandeep R. Shah, Rishi Raj, and Stephen E. Russek; **18**(11), 2549–2551(L).

Ramachandrarao, P.–Biomimetic synthesis of superparamagnetic iron oxide particles in proteins.–Arvind Sinha, Suprabha Nayar, G.V.S. Murthy, P.A. Joy, V. Rao, and P. Ramachandrarao; **18**(6), 1309–1313.

Ramasamy, P.–Raman study of gaseous bubble inclusions in bismuth germanate and bismuth germanium silicon oxide single crystals.–V. Vaithianathan, R. Kesavamoorthy, C.V. Kannan, P. Santhanaraghavan, and P. Ramasamy; **18**(4), 762–767.

Ramesh, R.–Ordering in $(La,Sr)(Al,Ta)O_3$ substrates.–H. Li, L. Salamanca-Riba, R. Ramesh, and J.H. Scott; **18**(7), 1698–1704.

Ramirez-Castellanos, J.–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky, L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Rao, K.V.–Imaging of piezoelectric activity in laser-ablated c-axis-oriented $LiNbO_3$/ZnO thin film multilayer on glass using atomic force microscopy.–Parmanand Sharma, K. Sreenivas, L.M. Belova, and K.V. Rao; **18**(9), 2025–2028(L).

Rao, R.V. Subba–Stability of the $Mg_{65}Y_{10}Cu_{15}Ag_{10}$ metallic glass in neutral and weakly acidic media.–R.V. Subba Rao, U. Wolff, S. Baunack, J. Eckert, and A. Gebert; **18**(1), 97–105.

Rao, V.–Biomimetic synthesis of superparamagnetic iron oxide particles in proteins.–Arvind Sinha, Suprabha Nayar, G.V.S. Murthy, P.A. Joy, V. Rao, and P. Ramachandrarao; **18**(6), 1309–1313.

Rao, V. Shankar–Experiments and modeling study on growth behavior of Cr-nitrides formed on electroplated hard Cr during ion-nitriding.–J.Y. Eom, V. Shankar Rao, H.S. Kwon, K.S. Nam, and S.C. Kwon; **18**(4), 861–867.

Rar, A.–Rapid structural and chemical characterization of ternary phase diagrams using synchrotron radiation.–E.D. Specht, A. Rar, G.M. Pharr, E.P George, P. Zschack, H. Hong, and J. Ilavsky; **18**(10), 2522–2527.

Rathnayaka, K.D.D.–Structural, magnetic, and transport properties of pulsed-laser deposition $La_{0.65}Ca_{0.35}MnO_3$ films grown under different substrate arrangements in the laser plume.–B.I. Belevtsev, D.G. Naugle, K.D.D. Rathnayaka, I.N. Chukanova, J.H. Ross, and V.M. Ishchuk; **18**(10), 2406–2414.

Rätzke, Klaus–Diffusion and isotope effect in bulk-metallic glass-forming Pd–Cu–Ni–P alloys from the glass to the equilibrium melt.–Volker Zöllmer, Klaus Rätzke, and Franz Faupel; **18**(11), 2688–2696.

Ravichandran, Guruswami–Pressure-dependent flow behavior of $Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10}Be_{22.5}$ bulk metallic glass.–Jun Lu and Guruswami Ravichandran; **18**(9), 2039–2049.

Reaney, I.M.–Domain variance and superstructure across the antiferroelectric/ferroelectric phase boundary in $Pb_{1-1.5x}La_x(Zr_{0.9}Ti_{0.1})O_3$.–Jesper Knudsen, D.I. Woodward, and Ian M. Reaney; **18**(2), 262–271.

–Decomposition of $NiMn_2O_4$ spinels.–G.D.C. Csete de Györgyfalva and I.M. Reaney; **18**(6), 1301–1308.

Reguer, A.–Optimum tribological improvement of aluminum using oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, and R.G. St-Jacques; **18**(8), 1761–1764(L).

–Selective modification of the tribological properties of aluminum through temperature and dose control in oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, and R.G. St-Jacques; **18**(12), 2779–2792.

Ren, Wencai–Identification of the constituents of double-walled carbon nanotubes using Raman spectra taken with different laser-excitation energies.–Feng Li, S.G. Chou, Wencai Ren, J.A. Gardecki, A.K. Swan, M.S. Ünlü, B.B. Goldberg, Hui-Ming Cheng, and M.S. Dresselhaus; **18**(5), 1251–1258.

Retuert, J.–Porous silica derived from chitosan-containing hybrid composites.–J. Retuert, R. Quijada, V. Arias, and M. Yazdani-Pedram; **18**(2), 487–494.

Rhanim, H.–High-temperature deformation of mullite and analysis of creep curves.–H. Rhanim, C. Olagnon, G. Fantozzi, and A. Azim; **18**(8), 1771–1776.

Rhee, Seung-Hyun–Thermal stress characteristics of two-level Al(Cu) interconnect structure.–Seung-Hyun Rhee and Paul S. Ho; **18**(4), 848–854.

Richards, C.D.–Influence of structure and chemistry on piezoelectric properties of lead zirconate titanate in a microelectromechanical systems power generation application.–L.M.R. Eakins, B.W. Olson, C.D. Richards, R.F. Richards, and D.F. Bahr; **18**(9), 2079–2086.

Richards, R.F.–Influence of structure and chemistry on piezoelectric properties of lead zirconate titanate in a microelectromechanical systems power generation application.–L.M.R. Eakins, B.W. Olson, C.D. Richards, R.F. Richards, and D.F. Bahr; **18**(9), 2079–2086.

Riedel, Ralf–Synthesis of nanocrystalline aluminum–gallium nitride ($Al_xGa_{1-x}N$; x = 0.1 to 0.5) with oxide precursors via ammonolysis.–Sabine Faulhaber, Lars Loeffler, Jerry Hu, Edwin Kroke, Ralf Riedel, and Fred F. Lange; **18**(10), 2350–2358.

Riester, Laura–Micromechanical properties of a laser-induced iron oxide–aluminum matrix composite coating.–S. Nayak, Laura Riester, Harry M. Meyer, III, and Narendra B. Dahotre; **18**(4), 833–839.

Riontino, G.–Joint differential scanning calorimetry, electrical resistivity, and microhardness study of aging in two AlCuMg alloys.–G. Riontino, M. Massazza, and S. Abis; **18**(7), 1522–1527.

Rivas, Patricia C.–Nanostructural study of sol-gel-derived zirconium oxides.–María C. Caracoche, Patricia C. Rivas, Mario M. Cervera, Ricardo Caruso, Edgardo Benavídez, Oscar de Sanctis, and Sergio R. Mintzer; **18**(1), 208–215.

Robertz, B.–Preparation of $BaZrO_3$ powders by a spray-drying process.–B. Robertz, F. Boschini, A. Rulmont, R. Cloots, I. Vandriessche, S. Hoste, and J. Lecomte-Beckers; **18**(6), 1325–1332.

Rödel, Jürgen–Viscous Poisson's coefficient determined by discontinuous hot forging.–Ruzhong Zuo, Emil Aulbach, and Jürgen Rödel; **18**(9), 2170–2176.

Rodriguez, B.J.–Wavelength-dependent Raman scattering of hydrogenated amorphous silicon carbon with red, green, and blue light excitation.–Minseo Park, V. Sakhrani, J-P. Maria, J.J. Cuomo, C.W. Teng, J.F. Muth, M.E. Ware, B.J. Rodriguez, and R.J. Nemanich; **18**(4), 768–771.

Rodriguez, Mark A.–Field-induced strain associated with polarization reversal in a rhombohedral ferroelectric ceramic.–Pin Yang, George R. Burns, and Mark A. Rodriguez; **18**(12), 2869–2873.

Roeder, Jeffrey F.–Structural analysis of coexisting tetragonal and rhombohedral phases in polycrystalline $Pb(Zr_{0.35}Ti_{0.65})O_3$ thin films.–Maxim B. Kelman, Paul C. McIntyre, Bryan C. Hendrix, Steven M. Bilodeau, Jeffrey F. Roeder, and Sean Brennan; **18**(1), 173–179.

Rojac, Tadej–Subsolidus phase equilibria in the RuO_2–Bi_2O_3–CeO_2 system.–Marko Hrovat, Andreja Benčan, Janez Holc, Tadej Rojac, and Marija Kosec; **18**(6), 1297–1300(L).

Rosales, P.–Effect of hydrogen dilution on electronic properties of a-SiH_x films deposited by low-frequency plasma.–A.I. Kosarev, A.J. Torres, C. Zuniga, A.S. Abramov, P. Rosales, and A. Sibaja; **18**(8), 1918–1925.

Ross, C.A.–A method for making substrate-independent hardness measurements of soft metallic films on hard substrates by nanoindentation.–Ting Y. Tsui, C.A. Ross, and G.M. Pharr; **18**(6), 1383–1391.

Ross, J.H.–Structural, magnetic, and transport properties of pulsed-laser deposition $La_{0.65}Ca_{0.35}MnO_3$ films grown under different substrate arrangements in the laser plume.–B.I. Belevtsev, D.G. Naugle, K.D.D. Rathnayaka, I.N. Chukanova, J.H. Ross, and V.M. Ishchuk; **18**(10), 2406–2414.

Rougier, A.–Enhanced hydrogen sorption capacities and kinetics of Mg_2Ni alloys by ball-milling with carbon and Pd coating.–R. Janot, L. Aymard, A. Rougier, G.A. Nazri, and J.M. Tarascon; **18**(8), 1749–1752(L).

Roy, Rustum–Ultralow dielectric constant nickel–zinc ferrites using microwave sintering.–Ramesh Peelamedu, Craig Grimes, Dinesh Agrawal, Rustum Roy, and Purushotham Yadoji; **18**(10), 2292–2295(L).

Ruan, Chuanmin–Synthesis of CuO and Cu_2O crystalline nanowires using $Cu(OH)_2$ nanowire templates.–Wenzhong Wang, Oomman K. Varghese, Chuanmin Ruan, Maggie Paulose, and Craig A. Grimes; **18**(12), 2756–2759(L).

Ruddell, David E.–Transmission electron microscopy study of the structure of radio frequency sputter-deposited yttria-stabilized zirconia thin films.–David E. Ruddell, Brian R. Stoner, and Jeffrey Y. Thompson; **18**(1), 195–200.

Rujijanagul, Gobwute–Perovskite phase formation and ferroelectric properties of the lead nickel niobate–lead zinc niobate–lead zirconate titanate ternary system.–Naratip Vittayakorn, Gobwute Rujijanagul, Tawee Tunkasiri, Xiaoli Tan, and David P. Cann; **18**(12), 2882–2889.

Rulmont, A.–Preparation of $BaZrO_3$ powders by a spray-drying process.–B. Robertz, F. Boschini, A. Rulmont, R. Cloots, I. Vandriessche, S. Hoste, and J. Lecomte-Beckers; **18**(6), 1325–1332.

–Synthesis and characterization of new inorganic polymeric composites based on kaolin or white clay and on ground-granulated blast furnace slag.–I. Lecomte, M. Liégeois, A. Rulmont, R. Cloots, and F. Maseri; **18**(11), 2571–2579.

Rusakova, I.A.–Mesoporous crystalline SnO_2 of large surface area.–Chien-Yueh Tung, Nae-Lih Wu, and I.A. Rusakova; **18**(12), 2890–2894.

Russek, Stephen E.–Polymer-derived SiCN composites with magnetic properties.–Atanu Saha, Sandeep R. Shah, Rishi Raj, and Stephen E. Russek; **18**(11), 2549–2551(L).

Rutter, N.A.–Fabrication of high-critical current density $YBa_2Cu_3O_{7-\delta}$ films using a fluorine-free sol gel approach.–Y. Xu, A. Goyal, N.A. Rutter, D. Shi, M. Paranthaman, S. Sathyamurthy, P.M. Martin, and D.M. Kroeger; **18**(3), 677–681.

–High critical current density $YBa_2Cu_3O_{7-\delta}$ coatings on $LaMnO_3$-buffered biaxially textured Cu tapes for coated conductor applications.–T. Aytug, A. Goyal, N. Rutter, M. Paranthaman, J.R. Thompson, H.Y. Zhai, and D.K. Christen; **18**(4), 872–877.

–Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates.–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(5), 1109–1122.

–Erratum: "Thickness dependence of microstructure and critical current density of $YBa_2Cu_3O_{7-\delta}$ on rolling-assisted biaxially textured substrates" [J. Mater. Res. 18, 1109 (2003)].–K.J. Leonard, A. Goyal, D.M. Kroeger, J.W. Jones, S. Kang, N. Rutter, M. Paranthaman, D.F. Lee, and B.W. Kang; **18**(7), 1733(E).

Ryu, Ho J.–Generalized shear-lag model for load transfer in SiC/Al metal-matrix composites.–Ho J. Ryu, Seung I. Cha, and Soon H. Hong; **18**(12), 2851–2858.

Ryu, Y.S.–Improvement in the crystallinity and electrical properties in $Hg_{1-x}Cd_xTe$ epilayers utilizing CdTe buffer layers grown on GaAs substrates by a two-step annealing process.–Y.S. Ryu, B.S. Song, H.J. Kim, T.W. Kang, and T.W. Kim; **18**(2), 257–261.

S

Saccani, A.–Thermal endurance evaluation of poly(butylene terephthalate) by conventional and analytical methods.–S. Giannoni, G.C. Montanari, A. Motori, and A. Saccani; **18**(6), 1342–1346.

Saha, Atanu–Polymer-derived SiCN composites with magnetic properties.–Atanu Saha, Sandeep R. Shah, Rishi Raj, and Stephen E. Russek; **18**(11), 2549–2551(L).

Sahoo, R.–Strong green and red emission of a newly developed calcium fluoroaluminate: Eu^{3+} phosphor.–R. Sahoo, S.K. Bhattacharya, and R. Debnath; **18**(3), 609–615.

Saida, J.–Mechanically induced devitrifications of ball-milled $Zr_{70}Pd_{20}Ni_{10}$ glassy alloy powders.–M. Sherif El-Eskandarany, J. Saida, and A. Inoue; **18**(2), 250–253(L).

–Evaluation of nanoscale inhomogeneity in as-quenched state of Cu–Hf–Ti alloys.–J. Saida, T. Osuna, A. Inoue, and M. Onuma; **18**(9), 2013–2016(L).

Saito, Tetsuji–Extraction of rare earth from La–Ni alloys by the glass slag method.–Tetsuji Saito, Hironori Sato, and Tetsuichi Motegi; **18**(12), 2814–2819.

Sakai, M.–Elastic recovery in the unloading process of pyramidal microindentation.–M. Sakai; **18**(7), 1631–1640.

–Linear strain hardening in elastoplastic indentation contact.–M. Sakai, T. Akatsu, S. Numata, and K. Matsuda; **18**(9), 2087–2096.

Sakai, N.–Magnetic and microstructure study of bulk $(Sm_{0.33}Eu_{0.33}Gd_{0.33})Ba_2Cu_3O_x$ with submicron Gd_2BaCuO_5 second-phase particles.–M. Muralidhar, M. Jirsa, N. Sakai, Y. Wu, and M. Murakami; **18**(5), 1073–1080.

Sakamoto, Wataru–Synthesis of a $KNbO_3$ particle/polymer hybrid from metalorganics.–Toshinobu Yogo, Kouichi Banno, Wataru Sakamoto, and Shin-ichi Hirano; **18**(7), 1679–1685.

Sakhrani, V.–Wavelength-dependent Raman scattering of hydrogenated amorphous silicon carbon with red, green, and blue light excitation.–Minseo Park, V. Sakhrani, J-P. Maria, J.J. Cuomo, C.W. Teng, J.F. Muth, M.E. Ware, B.J. Rodriguez, and R.J. Nemanich; **18**(4), 768–771.

Sakka, Yoshio–Electrophoretic deposition of α-alumina particles in a strong magnetic field.–Tetsuo Uchikoshi, Tohru S. Suzuki, Hideo Okuyama, and Yoshio Sakka; **18**(2), 254–256(L).

Sakoda, Kazuaki–Electromagnetic properties of photonic crystals with diamond structure containing defects.–Shingo Kanehira, Soshu Kirihara, Yoshinari Miyamoto, Kazuaki Sakoda, and Mitsuo Wada Takeda; **18**(9), 2214–2220.

Saksl, K.–Crystallization of $Cu_{60}Ti_{20}Zr_{20}$ metallic glass with and without pressure.–J.Z. Jiang, B. Yang, K. Saksl, H. Franz, and N. Pryds; **18**(4), 895–898.

Salamanca-Riba, L.–Role of Pb excess in the crystallization of lead zirconate titanate films derived via sol-gel processing.–Randolph N. Jacobs and L. Salamanca-Riba; **18**(6), 1405–1411.

–Ordering in $(La,Sr)(Al,Ta)O_3$ substrates.–H. Li, L. Salamanca-Riba, R. Ramesh, and J.H. Scott; **18**(7), 1698–1704.

Salaneck, W.R.–X-ray photoelectron spectroscopy study of the metal/polymer contacts involving aluminum and poly(3,4–ethylenedioxythiophene)–poly(styrenesulfonic acid) derivatives.–S.K.M. Jönsson, W.R. Salaneck, and M. Fahlman; **18**(5), 1219–1226.

Samardžija, Z.–Compositional homogeneity of ferroelectric (Pb,La)$(Ti,Zr)O_3$ thick films.–S. Bernik, R.B. Marinenko, J. Holc, Z. Samardžija, M. Čeh, and M. Kosec; **18**(2), 515–523.

Sambasivan, S.–New approach to depositing yttria-stabilized zirconia buffer layers for coated conductors.–S. Sambasivan, I. Kim, S. Barnett, M.A. Zurbuchen, J. Ji, B.W. Kang, A. Goyal, P.N. Barnes, and C.E. Oberly; **18**(4), 919–928.

Sampath, S.–Dielectric properties of plasma-spray-deposited $BaTiO_3$ and $Ba_{0.68}Sr_{0.32}TiO_3$ thick films.–K. Ahn, B.W. Wessels, and S. Sampath; **18**(5), 1227–1231.

Sanctis, Oscar de–Nanostructural study of sol-gel-derived zirconium oxides.–María C. Caracoche, Patricia C. Rivas, Mario M. Cervera, Ricardo Caruso, Edgardo Benavídez, Oscar de Sanctis, and Sergio R. Mintzer; **18**(1), 208–215.

Sanders, Jr., Thomas H.–Oxide reduction and sintering of Fe–Cr alloy honeycombs.–Jason H. Nadler, Thomas H. Sanders, Jr., and Robert F. Speyer; **18**(8), 1787–1794.

Sandhage, Ken H.–Incongruent reduction of tungsten carbide by a zirconium-copper melt.–Zbigniew Grzesik, Matthew B. Dickerson, and Ken H. Sandhage; **18**(9), 2135–2140.

Sands, Tim–Effect of oxygen partial pressure during pulsed laser deposition on the orientation of CeO_2 thin films grown on (100) silicon.–Woong Choi and Tim Sands; **18**(8), 1753–1756(L).

Sandstrom, Mary M.–Sol-gel synthesis of textured lanthanum titanate thin films.–Mary M. Sandstrom and Paul Fuierer; **18**(2), 357–362.

Sankar, J.–Growth, characterization, and electrical properties of $PbZr_{0.52}Ti_{0.48}O_3$ thin films on buffered silicon substrates using pulsed laser deposition.–Walter M. Gilmore, III, Soma Chattopadhyay, Alex Kvit, A.K. Sharma, C.B. Lee, Ward J. Collis, J. Sankar, and J. Narayan; **18**(1), 111–114.

Sano, Toyohide–Enhancement of thermoelectric figure of merit by incorporation of large single crystals in $Ca_3Co_4O_9$ bulk materials.–Ryoji Funahashi, Saori Urata, Toyohide Sano, and Masaaki Kitawaki; **18**(7), 1646–1651.

Santhanaraghavan, P.–Raman study of gaseous bubble inclusions in bismuth germanate and bismuth germanium silicon oxide single crystals.–V. Vaithianathan, R. Kesavamoorthy, C.V. Kannan, P. Santhanaraghavan, and P. Ramasamy; **18**(4), 762–767.

Santiago, F.–Heteroepitaxial growth of tungsten oxide films on silicon(100) using a BaF_2 buffer layer.–L.D. Doucette, F. Santiago, S.L. Moran, and R.J. Lad; **18**(12), 2859–2868.

Santos, M.R.M.C.–Structural phase evolution of strontium-doped lead titanate thin films prepared by the soft chemical technique.–F.M. Pontes, S.H. Leal, P.S. Pizani, M.R.M.C. Santos, E.R. Leite, E. Longo, F. Lanciotti, Jr., T.M. Boschi, and J.A. Varela; **18**(3), 659–663.

Sasai, Ryo–Molecular orientation of methylene blue intercalated in layer-charge-controlled montmorillonites.–Yoshiro Kaneko, Nobuo Iyi, Juraj Bujdák, Ryo Sasai, and Takektoshi Fujita; **18**(11), 2639–2643.

Satcher, Jr., Joe H.–Fabrication of activated carbon fibers/carbon aerogels composites by gelation and supercritical drying in isopropanol.–Ruowen Fu, Bo Zheng, Jie Liu, Steve Weiss, Jackie Y. Ying, Mildred S. Dresselhaus, Gene Dresselhaus, Joe H. Satcher, Jr., and Theodore F. Baumann; **18**(12), 2765–2773.

Sathyamurthy, S.–Fabrication of high-critical current density $YBa_2Cu_3O_{7-\delta}$ films using a fluorine-free sol gel approach.–Y. Xu, A. Goyal, N.A. Rutter, D. Shi, M. Paranthaman, S. Sathyamurthy, P.M. Martin, and D.M. Kroeger; **18**(3), 677–681.

Sato, Hironori–Extraction of rare earth from La–Ni alloys by the glass slag method.–Tetsuji Saito, Hironori Sato, and Tetsuichi Motegi; **18**(12), 2814–2819.

Schneider, G.A.–Ferroelectric domains in coarse-grained lead zirconate titanate ceramics characterized by scanning force microscopy.–J. Muñoz-Saldaña, M.J. Hoffmann, and G.A. Schneider; **18**(8), 1777–1786.

–Mechanical properties and low-temperature aging of tetragonal zirconia polycrystals processed by hot isostatic pressing.–J. Muñoz-Saldaña, H. Balmori-Ramírez, D. Jaramillo-Vigueras, T. Iga, G.A. Schneider; **18**(10), 2415–2426.

Schoenitz, Mirko–Structure and properties of Al–Mg mechanical alloys.–Mirko Schoenitz and Edward L. Dreizin; **18**(8), 1827–1836.

Schröter, K.–Comments on "Mechanical relaxation time scales in a Zr-Ti-Ni-Cu-Be bulk metallic glass" by Daewoong Suh and Reinhold H. Dauskardt [J. Mater. Res. 17, 1254 (2002)].–K. Schröter; **18**(8), 1998–1999(C).

Schultz, L.–Tensile and fatigue fracture mechanisms of a Zr-based bulk metallic glass.–Z.F. Zhang, J. Eckert, and L. Schultz; **18**(2), 456–465.

Scott, J.H.–Ordering in $(La,Sr)(Al,Ta)O_3$ substrates.–H. Li, L. Salamanca-Riba, R. Ramesh, and J.H. Scott; **18**(7), 1698–1704.

Seifert, Hans Jürgen–Energetics of oxidation of RE–Si–Al–O–N glasses.–Yahong Zhang, Alexandra Navrotsky, Dirk Matusch, and Hans Jürgen Seifert; **18**(7), 1607–1613.

Sekino, Tohru–Silicon nitride ceramics with sodium ion conductive grain boundary phase.–Hirokazu Kawaoka, Tohru Sekino, Takafumi Kusunose, and Koichi Niihara; **18**(12), 2752–2755(L).

Sengupta, L.–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

Senna, Mamoru–Fabrication of nano-sized Si powders with a narrow size distribution by two-step milling.–Bong-Chull Kim, Hiroyuki Uono, Tooru Fuse, Tadashi Ishihara, and Mamoru Senna; **18**(6), 1368–1373.

Senos, A.M.R–Synthesis and dielectric properties of tungsten-based complex perovskites.–D.D. Khalyavin, Jiaping Han, A.M.R Senos, and P.Q. Mantas; **18**(11), 2600–2607.

Seo, Dong Seok–Synthesis and characterization of TiO_2 nanocrystalline powder prepared by homogeneous precipitation using urea.–Dong Seok Seo, Hwan Kim, Hang Chul Jung, and Jong Kook Lee; **18**(3), 571–577.

Seo, Se-Young–Photoluminescence of mesoporous silica films impregnated with an erbium complex.–Oun-Ho Park, Se-Young Seo, Ji-In Jung, Jae Young Bae, and Byeong-Soo Bae; **18**(5), 1039–1042(L).

Seo, Seung-Beom–Effect of lanthanum on the piezoelectric properties of lead zirconate titanate–lead zinc niobate ceramics.–Seung-Ho Lee, Chang-Bun Yoon, Seung-Beom Seo, and Hyoun-Ee Kim; **18**(8), 1765–1770.

Sepe, A.–Role of water during AlN-hydrolysis-assisted solidification in ceramic suspensions studied by proton nuclear magnetic resonance T_2 relaxation.–S. Novak, G. Lahajnar, A. Sepe, and T. Kosmač; **18**(8), 1968–1974.

Sequeira, Cesar–Microstructural evolution of body-centered cubic structure related Ti–Zr–Ni phases in non-stoichiometric Zr-based Zr–Ti–Mn–V–Ni hydride electrode alloys.–Xueyan Song, Yun Chen, Cesar Sequeira, Yongquan Lei, Qidong Wang, and Ze Zhang; **18**(1), 37–44.

Šerák, Jan–Casting properties of the high-strength AlZnMgCuNiSi alloys.–Dalibor Vojtěch, Elšad Tagiev, Čestmír Barta, Čestmír Barta, Jr., Jan Šerák, Petr Janda, and Ondřej Eckert; **18**(3), 635–641.

Seraphin, Supapan–Microstructural evolution of low-dose separation by implanted oxygen materials implanted at 65 and 100 keV.–Jun Sik Jeoung, Philip Anderson, and Supapan Seraphin; **18**(9), 2177–2187.

Serra, P.–Microcolumn development on titanium by multipulse laser irradiation in nitrogen.–E. György, A. Pérez del Pino, P. Serra, and J.L. Morenza; **18**(9), 2228–2234.

Shafer, K.E.–Strength enhancement of single crystal laser components.–K.E. Shafer, D.E. Eakins, D.F. Bahr, M.G. Norton, and K.G. Lynn; **18**(11), 2537–2539(L).

Shaffer, E.–Optimum tribological improvement of aluminum using oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, and R.G. St-Jacques; **18**(8), 1761–1764(L).

–Selective modification of the tribological properties of aluminum through temperature and dose control in oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, and R.G. St-Jacques; **18**(12), 2779–2792.

Shah, Sandeep R.–Polymer-derived SiCN composites with magnetic properties.–Atanu Saha, Sandeep R. Shah, Rishi Raj, and Stephen E. Russek; **18**(11), 2549–2551(L).

Shang, C.H.–Bulk processing of high-performance nanocrystalline intermetallics.–C.H. Shang, R.C. Cammarata, C. Van Heerden, T.P. Weihs, and C.L. Chien; **18**(9), 2017–2020(L).

Shannigrahi, Santiranjan–Effects of poly(ethylene glycol) additive molecular weight on the microstructure and properties of sol-gel-derived lead zirconate titanate thin films.–Shuhui Yu, Kui Yao, Santiranjan Shannigrahi, and Francis Tay Eng Hock; **18**(3), 737–741.

Sharma, A.K.–Growth, characterization, and electrical properties of $PbZr_{0.52}Ti_{0.48}O_3$ thin films on buffered silicon substrates using pulsed laser deposition.–Walter M. Gilmore, III, Soma Chattopadhyay, Alex Kvit, A.K. Sharma, C.B. Lee, Ward J. Collis, J. Sankar, and J. Narayan; **18**(1), 111–114.

Sharma, H.–Crystallographic phases, phase transitions, and barrier layer formation in $(1 - x)$ $[Pb(Fe_{1/2}Nb_{1/2})O_3]$–$xPbTiO_3$.–Satendra Pal Singh, Akhilesh Kumar Singh, Dhananjai Pandey, H. Sharma, and Om Parkash; **18**(11), 2677–2687.

Sharma, P.–On the grain-size-dependent elastic modulus of nanocrystalline materials with and without grain-boundary sliding.–P. Sharma and S. Ganti; **18**(8), 1823–1826.

Sharma, Parmanand–Interaction of surface acoustic waves and ultraviolet light in ZnO films.–Parmanand Sharma, Sanjeev Kumar, and K. Sreenivas; **18**(3), 545–548(L).

–Imaging of piezoelectric activity in laser-ablated c-axis-oriented $LiNbO_3$/ZnO thin film multilayer on glass using atomic force microscopy.–Parmanand Sharma, K. Sreenivas, L.M. Belova, and K.V. Rao; **18**(9), 2025–2028(L).

Sharon, Maheshwar–Synthesis of vapor-grown carbon fibers from camphor without catalyst and their characterization.–Debabrata Pradhan, Maheshwar Sharon, and Indrajit Mukhopadhyay; **18**(9), 2033–2038.

She, J.H.–Thermally stable high-strength porous alumina.–D. Doni Jayaseelan, S. Ueno, J.H. She, T. Ohji, and S. Kanzaki; **18**(4), 751–754(L).

Shek, C.H.–Composition rule of bulk metallic glasses and quasicrystals using electron concentration criterion.–Y.M. Wang, J.B. Qiang, C.H. Wong, C.H. Shek, and C. Dong; **18**(3), 642–648.

–Synthesis and structural characterization of rutile SnO_2 nanocrystals.–Zhiwen Chen, J.K.L. Lai, C.H. Shek, and Haydn Chen; **18**(6), 1289–1292(L).

Shen, B.L.–Mechanical properties of Fe-based bulk glassy alloys in Fe–B–Si–Nb and Fe–Ga–P–C–B–Si systems.–A. Inoue, B.L. Shen, A.R. Yavari, and A.L. Greer; **18**(6), 1487–1492.

–Fabrication of large-size Fe-based glassy cores with good soft magnetic properties by spark plasma sintering.–Baolong Shen and Akihisa Inoue; **18**(9), 2115–2121.

–Soft magnetic properties of nanocrystalline Fe–Co–B–Si–Nb–Cu alloys in ribbon and bulk forms.–Akihisa Inoue and Baolong Shen; **18**(12), 2799–2806.

Shen, D.Z.–Optical properties and electrical characterization of *p*-type ZnO thin films prepared by thermally oxiding Zn_3N_2 thin films.–B.S. Li, Y.C. Liu, Z.Z. Zhi, D.Z. Shen, Y.M. Lu, J.Y. Zhang, X.W. Fan, R.X. Mu, and Don O. Henderson; **18**(1), 8–13(L).

Shen, F.–High-density aligned carbon nanotubes with uniform diameters.–P.J. Cao, Y.S. Gu, H.W. Liu, F. Shen, Y.G. Wang, Q.F. Zhang, J.L. Wu, and H.J. Gao; **18**(7), 1686–1690.

Shen, T.D.–Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers.–X. Zhang, A. Misra, H. Wang, T.D. Shen, J.G. Swadener, J.D. Embury, H. Kung, R.G. Hoagland, and M. Nastasi; **18**(7), 1600–1606.

Shen, Y-L.–Strength and interface-constrained plasticity in thin metal films.–Y-L. Shen; **18**(10), 2281–2284(L).

Shen, Z.Q.–Glass formation in a (Ti,Zr,Hf)–(Cu,Ni,Ag)–Al high-order alloy system by mechanical alloying.–L.C. Zhang, Z.Q. Shen, and J. Xu; **18**(9), 2141–2149.

Sherman, Dov–Shape and energies of a dynamically propagating crack under bending.–Dov Sherman and Ilan Be'ery; **18**(10), 2379–2386.

Shi, D.–Fabrication of high-critical current density $YBa_2Cu_3O_{7-\delta}$ films using a fluorine-free sol gel approach.–Y. Xu, A. Goyal, N.A. Rutter, D. Shi, M. Paranthaman, S. Sathyamurthy, P.M. Martin, and D.M. Kroeger; **18**(3), 677–681.

Shi, Zujin–Compound growth and microstructure of carbon nanotube.–Zaoli Zhang, Lian Ouyang, Zujin Shi, and Zhennan Gu; **18**(10), 2459–2463.

Shibutani, Yoji–An *ab initio* study of the ideal tensile and shear strength of single-crystal β–Si_3N_4.–Shigenobu Ogata, Naoto Hirosaki, Cenk Kocer, and Yoji Shibutani; **18**(5), 1168–1172.

Shield, J.E.–Effect of combined metal-carbon additions on the microstructure and structure of Sm_2Fe_{17}.–B.E. Meacham and J.E. Shield; **18**(2), 279–283.

Shih, D.Y.–Study of the reaction mechanism between electroless Ni–P and Sn and its effect on the crystallization of Ni–P.–Y.C. Sohn, Jin Yu, S.K. Kang, W.K. Choi, D.Y. Shih; **18**(1), 4–7(L).

Shim, Jae-Hyeok–Modified embedded-atom method calculation for the Ni–W system.–Jae-Hyeok Shim, Sung Il Park, Young Whan Cho, and Byeong-Joo Lee; **18**(8), 1863–1867.

Shin, Hyunjung–Adhesion, passivation, and resistivity of a Ag(Mg) gate electrode for an amorphous silicon thin-film transistor.–Jaegab Lee, Heejung Yang, Jinhyung Lee, Hyunjung Shin, Jiyoung Kim, Changoh Jeong, Beomseok Cho, Kyuha Chung, and Eungu Lee; **18**(6), 1441–1446.

Shin, Woong-Chul–Ultrathin HfO_2 gate dielectric grown by plasma-enhanced chemical vapor deposition using $Hf[OC(CH_3)_3]_4$ as a precursor in the absence of O_2.–Kyu-Jeong Choi, Woong-Chul Shin, and Soon-Gil Yoon; **18**(1), 60–65.

Shiue, Jyh-Tzong–Effect of CeO_2 on the reaction kinetics for the formation of $Sr_{0.5}Ba_{0.5}Ce_xNb_2O_{6+\delta}$.–Jyh-Tzong Shiue and Tsang-Tse Fang; **18**(11), 2594–2599.

Shrotriya, P.–Nanoindentation study of plasticity length scale effects in LIGA Ni microelectromechanical structures.–J. Lou, P. Shrotriya, T. Buchheit, D. Yang, and W.O. Soboyejo; **18**(3), 719–728.

Shu, Jonathan B.–Effect of oxygen on the thermomechanical behavior of passivated Cu thin films.–Jonathan B. Shu, Susan B. Clyburn, Thomas E. Mates, and Shefford P. Baker; **18**(9), 2122–2134.

Sibaja, A.–Effect of hydrogen dilution on electronic properties of a-SiH_x films deposited by low-frequency plasma.–A.I. Kosarev, A.J. Torres, C. Zuniga, A.S. Abramov, P. Rosales, and A. Sibaja; **18**(8), 1918–1925.

Siegelin, F.–Interface characteristics affecting electrical properties of Y-doped SiC.–F. Siegelin, H-J. Kleebe, and L.S. Sigl; **18**(11), 2608–2617.

Sievers, Sibylle–Room-temperature preparation of biaxially textured indium tin oxide thin films with ion-beam-assisted deposition.–Karola Thiele, Sibylle Sievers, Christian Jooss, Jörg Hoffmann, and Herbert C. Freyhardt; **18**(2), 442–447.

Sigl, L.S.–Interface characteristics affecting electrical properties of Y-doped SiC.–F. Siegelin, H-J. Kleebe, and L.S. Sigl; **18**(11), 2608–2617.

Sigmund, Wolfgang M.–Observation and formation mechanism of stable face-centered-cubic Fe nanorods in carbon nanotubes.–Hansoo Kim, Michael J. Kaufman, Wolfgang M. Sigmund, David Jacques, and Rodney Andrews; **18**(5), 1104–1108.

–Synthesis of hierarchical zinc oxide nanotubes.–Hansoo Kim and Wolfgang M. Sigmund; **18**(12), 2845–2850.

Simkins, M.L.–Mechanism of combustion and phase formation in the BaO_2–TiO_2–organic compound system.–J.H. Lee, H.H. Nersisyan, M.L. Simkins, and C.W. Won; **18**(8), 1926–1933.

Singh, Akhilesh Kumar–Crystallographic phases, phase transitions, and barrier layer formation in $(1 - x)$ $[Pb(Fe_{1/2}Nb_{1/2})O_3]$–$x PbTiO_3$.–Satendra Pal Singh, Akhilesh Kumar Singh, Dhananjai Pandey, H. Sharma, and Om Parkash; **18**(11), 2677–2687.

Singh, Gurvinderjit–Canonical-glass-like behavior of the polycrystalline relaxor ferroelectric $(1 - x)PbMg_{1/3}Nb_{2/3}O_3$–$xPbZrO_3$: Heat-capacity study.–Gurvinderjit Singh, V.S. Tiwari, Arun Kumar, and V.K. Wadhawan; **18**(2), 531–536.

Singh, R.K.–Effect of furfuryl alcohol on the properties of hydrated cement mortar.–V.K. Singh, R.K. Singh, and S.D. Khatri; **18**(5), 1131–1140.

Singh, Satendra Pal–Crystallographic phases, phase transitions, and barrier layer formation in $(1 - x)$ $[Pb(Fe_{1/2}Nb_{1/2})O_3]$–$x PbTiO_3$.–Satendra Pal Singh, Akhilesh Kumar Singh, Dhananjai Pandey, H. Sharma, and Om Parkash; **18**(11), 2677–2687.

Singh, V.K.–Effect of furfuryl alcohol on the properties of hydrated cement mortar.–V.K. Singh, R.K. Singh, and S.D. Khatri; **18**(5), 1131–1140.

Singheiser, Lorenz–Determination of the interfacial fracture energies of cathodes and glass ceramic sealants in a planar solid-oxide fuel cell design.–Jürgen Malzbender, Rolf W. Steinbrech, and Lorenz Singheiser; **18**(4), 929–934.

Sinha, Arvind–Biomimetic synthesis of superparamagnetic iron oxide particles in proteins.–Arvind Sinha, Suprabha Nayar, G.V.S. Murthy, P.A. Joy, V. Rao, and P. Ramachandrarao; **18**(6), 1309–1313.

Skordas, Spyridon–Low-temperature metalorganic chemical vapor deposition of Al_2O_3 for advanced complementary metal-oxide semiconductor gate dielectric applications.–Spyridon Skordas, Filippos Papadatos, Guillermo Nuesca, John J. Sullivan, Eric T. Eisenbraun, and Alain E. Kaloyeros; **18**(8), 1868–1876.

Soboyejo, W.O.–Nanoindentation study of plasticity length scale effects in LIGA Ni microelectromechanical structures.–J. Lou, P. Shrotriya, T. Buchheit, D. Yang, and W.O. Soboyejo; **18**(3), 719–728.

Sohn, Y.C.–Study of the reaction mechanism between electroless Ni–P and Sn and its effect on the crystallization of Ni–P.–Y.C. Sohn, Jin Yu, S.K. Kang, W.K. Choi, and D.Y. Shih; **18**(1), 4–7(L).

Soloukhin, Victor A.–Subsurface cracking during indentation on hybrid coatings on polycarbonate.–Victor A. Soloukhin, José C.M. Brokken-Zijp, and Gijsbertus de With; **18**(2), 507–514.

Song, B.S.–Improvement in the crystallinity and electrical properties in $Hg_{1-x}Cd_xTe$ epilayers utilizing CdTe buffer layers grown on GaAs substrates by a two-step annealing process.–Y.S. Ryu, B.S. Song, H.J. Kim, T.W. Kang, and T.W. Kim; **18**(2), 257–261.

Song, F.–Effects of nanostructures on the fracture strength of the interfaces in nacre.–F. Song and Y.L. Bai; **18**(8), 1741–1744(L).

Song, Ho-Jun–Composition and temperature dependence of optical energy gaps of $TlGa_{1-x}Sb_xS_2$ single crystals.–Moon-Seog Jin, Jae-Yeol Kim, Koung-Suk Kim, Sung-Hyu Choe, and Ho-Jun Song; **18**(3), 620–623.

Song, Jenn Ming–Behavior of intermetallics in liquid Sn–Zn–Ag solder alloys.–Jenn Ming Song and Kwang Lung Lin; **18**(9), 2060–2067.

Song, Xueyan–Microstructural evolution of body-centered cubic structure related Ti–Zr–Ni phases in non-stoichiometric Zr-based Zr–Ti–Mn–V–Ni hydride electrode alloys.–Xueyan Song, Yun Chen, Cesar Sequeira, Yongquan Lei, Qidong Wang, and Ze Zhang; **18**(1), 37–44.

Song, Yuan-wei–Temperature dependence of piezoelectric properties of 0.67 $Pb(Mg_{1/3}Nb_{2/3})O_3$–0.33 $PbTiO_3$ single crystals.–Ping-chu Wang, Xiao-ming Pan, Dong-lin Li, Yuan-wei Song, Hao-su Luo, and Zhi-wen Yin; **18**(2), 537–541.

Sordelet, D.J.–Synthesis of Ni-based bulk metallic glass matrix composites containing ductile brass phase by warm extrusion of gas atomized powders.–M.H. Lee, D.H. Bae, D.H. Kim, and D.J. Sordelet; **18**(9), 2101–2108.

Specht, E.D.–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$/$LaMnO_3$/MgO/TiN heterostructures on Cu metal substrates for development of coated conductors.–C. Cantoni, D.K. Christen, M. Varela, J.R. Thompson, S.J. Pennycook, E.D. Specht, and A. Goyal; **18**(10), 2387–2400.

–Rapid structural and chemical characterization of ternary phase diagrams using synchrotron radiation.–E.D. Specht, A. Rar, G.M. Pharr, E.P George, P. Zschack, H. Hong, and J. Ilavsky; **18**(10), 2522–2527.

Sperling, Evan A.–Processing and microstructural characterization of sputter-deposited Ni/Ni_3Al multilayered thin films.–Evan A. Sperling, Rajarshi Banerjee, Gregory B. Thompson, Jason P. Fain, Peter M. Anderson, and Hamish L. Fraser; **18**(4), 979–987.

Speyer, Robert F.–Oxide reduction and sintering of Fe–Cr alloy honeycombs.–Jason H. Nadler, Thomas H. Sanders, Jr., and Robert F. Speyer; **18**(8), 1787–1794.

Sreenivas, K.–Interaction of surface acoustic waves and ultraviolet light in ZnO films.–Parmanand Sharma, Sanjeev Kumar, and K. Sreenivas; **18**(3), 545–548(L).

–Imaging of piezoelectric activity in laser-ablated c-axis-oriented $LiNbO_3$/ZnO thin film multilayer on glass using atomic force microscopy.–Parmanand Sharma, K. Sreenivas, L.M. Belova, and K.V. Rao; **18**(9), 2025–2028(L).

St-Jacques, R.G.–Optimum tribological improvement of aluminum using oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, and R.G. St-Jacques; **18**(8), 1761–1764(L).

–Selective modification of the tribological properties of aluminum through temperature and dose control in oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, R.G. St-Jacques; **18**(12), 2779–2792.

Stan, L.–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Stark, W.J.–Simultaneous deposition of Au nanoparticles during flame synthesis of TiO_2 and SiO_2.–L. Mädler, W.J. Stark, and S.E. Pratsinis; **18**(1), 115–120.

Steinbrech, R.W.–Determination of the interfacial fracture energies of cathodes and glass ceramic sealants in a planar solid-oxide fuel cell design.–Jürgen Malzbender, Rolf W. Steinbrech, and Lorenz Singheiser; **18**(4), 929–934.

–Mechanical methods to determine layer compliances within multilayered composites.–J. Malzbender and R.W. Steinbrech; **18**(6), 1374–1382.

–Determination of the stress-dependent stiffness of plasma-sprayed thermal barrier coatings using depth-sensitive indentation.–J. Malzbender and R.W. Steinbrech; **18**(8), 1975–1984.

Stemmer, S.–Composition control of radio-frequency magnetron sputter-deposited $La_{0.5}Sr_{0.5}CoO_{3-\delta}$ thin films.–D.O. Klenov, W. Donner, L. Chen, A.J. Jacobson, and S. Stemmer; **18**(1), 188–194.

Sterling, Colin J.–A new route to bulk nanocrystalline materials.–Jian-Qing Su, Tracy W. Nelson, and Colin J. Sterling; **18**(8), 1757–1760(L).

Sterne, Philip A.–Temperature dependence of positron annihilation in a Zr–Ti–Ni–Cu–Be bulk metallic glass.–Daewoong Suh, Reinhold H. Dauskardt, P. Asoka-Kumar, Philip A. Sterne, and Richard H. Howell; **18**(9), 2021–2024(L).

Stevenson, Jeffry W.–Novel silver/mica multilayer compressive seals for solid-oxide fuel cells: The effect of thermal cycling and material degradation on leak behavior.–Yeong-Shyung Chou and Jeffry W. Stevenson; **18**(9), 2243–2250.

Stolyarov, V.V.–Microstructures and mechanical properties of ultrafine-grained Ti foil processed by equal-channel angular pressing and cold rolling.–Y.T. Zhu, Y.R. Kolobov, G.P. Grabovetskaya, V.V. Stolyarov, N.V. Girsova, and R.Z. Valiev; **18**(4), 1011–1016.

Stoner, Brian R.–Transmission electron microscopy study of the structure of radio frequency sputter-deposited yttria-stabilized zirconia thin films.–David E. Ruddell, Brian R. Stoner, and Jeffrey Y. Thompson; **18**(1), 195–200.

Su, Caili–Self-reinforced Y-α-sialon ceramics with barium aluminosilicate as an additive.–Feng Ye, Mikio Iwasa, Caili Su, and Sheng Chen; **18**(10), 2446–2450.

Su, Jian-Qing–A new route to bulk nanocrystalline materials.–Jian-Qing Su, Tracy W. Nelson, and Colin J. Sterling; **18**(8), 1757–1760(L).

Suga, Tadatomo–Characterizing high-pressure compressed C_{60} whiskers and C_{60} powder.–Kun'ichi Miyazawa, Minoru Akaishi, Yusuke Kuwasaki, and Tadatomo Suga; **18**(1), 166–172.

–Structural investigation of the C_{60}/C_{70} whiskers fabricated by forming liquid–liquid interfaces of toluene with dissolved C_{60}/C_{70} and isopropyl alcohol.–Kun'ichi Miyazawa, Koichi Hamamoto, Satoru Nagata, and Tadatomo Suga; **18**(5), 1096–1103.

–Structural characterization of the $C_{60}[C(COOC_2H_5)_2]$ whiskers prepared by the liquid–liquid interfacial precipitation method.–Kun'ichi Miyazawa, Tadahiko Mashino, and Tadatomo Suga; **18**(11), 2730–2735.

Suganuma, K.–Interface microstructure between Fe–42Ni alloy and pure Sn.–Chi-Won Hwang, K. Suganuma, Jung-Goo Lee, and H. Mori; **18**(5), 1202–1210.

Suganuma, Katsuaki–Interface microstructures between Ni–P alloy plating and Sn–Ag–(Cu) lead-free solders.–Chi-Won Hwang, Katsuaki Suganuma, Masayuki Kiso, and Shigeo Hashimoto; **18**(11), 2540–2543(L).

Suh, Daewoong–Reply to the comments of K. Schröter.–Daewoong Suh and Reinhold H. Dauskardt; **18**(8), 2000–2001(C).

–Temperature dependence of positron annihilation in a Zr–Ti–Ni–Cu–Be bulk metallic glass.–Daewoong Suh, Reinhold H. Dauskardt, P. Asoka-Kumar, Philip A. Sterne, and Richard H. Howell; **18**(9), 2021–2024(L).

Sui, M.L.–Evolution of microstructure in TiC/NiCr cermet induced by electropulsing.–W. Zhang, M.L. Sui, Y.Z. Zhou, J.D. Guo, G.H. He, and D.X. Li; **18**(7), 1543–1550.

Sullivan, John J.–Low-temperature metalorganic chemical vapor deposition of Al_2O_3 for advanced complementary metal-oxide semiconductor gate dielectric applications.–Spyridon Skordas, Filippos Papadatos, Guillermo Nuesca, John J. Sullivan, Eric T. Eisenbraun, and Alain E. Kaloyeros; **18**(8), 1868–1876.

Sumption, M.–Island growth of Y_2BaCuO_5 nanoparticles in $(211_{\sim 1.5\ nm}/123_{\sim 10\ nm})\times N$ composite multilayer structures to enhance flux pinning of $YBa_2Cu_3O_{7-\delta}$ films.–T. Haugan, P.N. Barnes, I. Maartense, C.B. Cobb, E.J. Lee, and M. Sumption; **18**(11), 2618–2623.

Sun, Jian–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Sun, Li-Min–Electrodeposition of eutectic Sn–Zn alloy by pulse plating.–Kwang-Lung Lin and Li-Min Sun; **18**(9), 2203–2207.

Sun, Yue Jun–Photoluminescence intensity of GaN films with widely varying dislocation density.–Yue Jun Sun, Oliver Brandt, and Klaus H. Ploog; **18**(5), 1247–1250.

Sung, James C.–Enhanced field emission from nitrogen-doped amorphous diamond.–Ming-Chi Kan, Jow-Lay Huang, James C. Sung, Kuei-Hsien Chen, and Ding-Fwu Lii; **18**(7), 1594–1599.

Sung, Yun-Mo–Influence of nanoparticle seeding on the phase formation kinetics of sol-gel-derived $Sr_{0.7}Bi_{2.4}Ta_2O_9$ thin films.–Yun-Mo Sung, Gopinathan M. Anilkumar, and Seung-Joon Hwang; **18**(2), 387–395.

–Suppression of pyrochlore phase formation in $Sr_{0.7}Bi_{2.4}Ta_2O_9$ thin films using nanoseed layer.–Se-Yeon Jung, Seung-Joon Hwang, and Yun-Mo Sung; **18**(8), 1745–1748(L).

Suresh, Arun–Thermodynamics of the tetragonal-to-monoclinic phase transformation in fine and nanocrystalline yttria-stabilized zirconia powders.–Arun Suresh, Merrilea J. Mayo, and Wallace D. Porter; **18**(12), 2912–2921.

Suzuki, Kazuyuki–Control of crystallization and crystal orientation of alkoxy-derived $SrBi_2Ta_2O_9$ thin films by ultraviolet irradiation.–Kaori Nishizawa, Takeshi Miki, Kazuyuki Suzuki, and Kazumi Kato; **18**(4), 899–907.

Suzuki, Miki–Synthesis of rutile and anatase TiO_2 nanoparticles from Ti-peroxy compound aqueous solution with polyols.–Naofumi Uekawa, Miki Suzuki, Takahiro Ohmiya, Fumihiko Mori, Yong Jun Wu, and Kazuyuki Kakegawa; **18**(4), 797–803.

Suzuki, Tohru S.–Electrophoretic deposition of α-alumina particles in a strong magnetic field.–Tetsuo Uchikoshi, Tohru S. Suzuki, Hideo Okuyama, and Yoshio Sakka; **18**(2), 254–256(L).

Swadener, J.G.–Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers.–X. Zhang, A. Misra, H. Wang, T.D. Shen, J.G. Swadener, J.D. Embury, H. Kung, R.G. Hoagland, and M. Nastasi; **18**(7), 1600–1606.

Swain, M.V.–Microstructure evolution in monocrystalline silicon in cyclic microindentations.–I. Zarudi, L.C. Zhang, and M.V. Swain; **18**(4), 758–761(L).

–Determination of fracture toughness from the extra penetration produced by indentation-induced pop-in.–J.S. Field, M.V. Swain, and R.D. Dukino; **18**(6), 1412–1419.

Swan, A.K.–Identification of the constituents of double-walled carbon nanotubes using Raman spectra taken with different laser-excitation energies.–Feng Li, S.G. Chou, Wencai Ren, J.A. Gardecki, A.K. Swan, M.S. Ünlü, B.B. Goldberg, Hui-Ming Cheng, and M.S. Dresselhaus; **18**(5), 1251–1258.

Swartzendruber, L.–Partial melt processing of solid-solution $Bi_2Sr_2CaCu_2O_{8+\delta}$ thick-film conductors with nanophase Al_2O_3 additions.–T. Haugan, W. Wong-Ng, L.P. Cook, M.D. Vaudin, L. Swartzendruber, and P.N. Barnes; **18**(5), 1054–1066.

T

Tacca, A.–Self-propagating high-temperature synthesis of functionally graded materials as thermal protection systems for high-temperature applications.–N. Bertolino, M. Monagheddu, A. Tacca, P. Giuliani, C. Zanotti, F. Maglia, and U. Anselmi Tamburini; **18**(2), 448–455.

Tachibana, Takeshi–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Tagiev, Elšad–Casting properties of the high-strength AlZnMgCuNiSi alloys.–Dalibor Vojtěch, Elšad Tagiev, Čestmír Barta, Čestmír Barta, Jr., Jan Šerák, Petr Janda, and Ondřej Eckert; **18**(3), 635–641.

Takadama, Hiroaki–Bioactive behaviors of porous apatite- and wollastonite-containing glass-ceramic in two kinds of simulated body fluid.–Yunlong Zhang, Mineo Mizuno, Masaaki Yanagisawa, and Hiroaki Takadama; **18**(2), 433–441.

Takahashi, M.–Spontaneous reduction of europium ions below 250 °C in organic–inorganic hybrid low-melting phosphite glasses.–H. Niida, M. Takahashi, T. Uchino, and T. Yoko; **18**(1), 1–3(L).

–Preparation and structure of organic–inorganic hybrid low-melting phosphite glasses from phosphonic acid H_3PO_3.–Haruki Niida, Masahide Takahashi, Takashi Uchino, and Toshinobu Yoko; **18**(5), 1081–1086.

Takahashi, Yukio–Development of laboratory x-ray fluorescence holography equipment.–Yukio Takahashi, Kouichi Hayashi, Kimio Wakoh, Naomi Nishiki, and Eiichiro Matsubara; **18**(6), 1471–1473.

Takata, Yoshiaki–Thermal diffusivity of $(Ca_{1-x}Sr_x)_3Co_4O_9$ thin films using transient grating configuration.–Yoshiaki Takata, Yutaka Adachi, Hajime Haneda, Yoshiki Wada, Takefumi Mitsuhashi, Kenji Itaka, and Hideomi Koinuma; **18**(10), 2473–2477.

Takeda, Mitsuo Wada–Electromagnetic properties of photonic crystals with diamond structure containing defects.–Shingo Kanehira, Soshu Kirihara, Yoshinari Miyamoto, Kazuaki Sakoda, and Mitsuo Wada Takeda; **18**(9), 2214–2220.

Takeuchi, Shin–Polymorphism in ZrP crystal.–Hiroshi Iwanaga, Takeshi Hashishin, Seiji Motojima, Masaki Ichihara, and Shin Takeuchi; **18**(3), 567–570.

Takeuchi, Tomonari–Preparation of $BaTiO_3/SrTiO_3$ composite dielectric ceramics with a flat temperature dependence of permittivity.–Tomonari Takeuchi and Hiroyuki Kageyama; **18**(8), 1809–1815.

Tamai, Masato–Transmission electron microscopic studies on an initial stage in the conversion process from α-tricalcium phosphate to hydroxyapatite.–Masato Tamai, Toshiyuki Isshiki, Koji Nishio, Mitsuhiro Nakamura, Atsushi Nakahira, and Hisamitsu Endoh; **18**(11), 2633–2638.

Tamburini, U. Anselmi–Self-propagating high-temperature synthesis of functionally graded materials as thermal protection systems for high-temperature applications.–N. Bertolino, M. Monagheddu, A. Tacca, P. Giuliani, C. Zanotti, F. Maglia, and U. Anselmi Tamburini; **18**(2), 448–455.

Tan, Changhui–Synthesis of hyperbranched poly(amine–ester)-protected noble metal nanoparticles in aqueous solution.–Chunyan Bao, Ming Jin, Ran Lu, Pengchong Xue, Tierui Zhang, Changhui Tan, and Yingying Zhao; **18**(6), 1392–1398.

Tan, H.–Glass-forming ability of Pr–(Cu,Ni)–Al alloys in eutectic system.–Y. Zhang, H. Tan, H.Z. Kong, B. Yao, and Y. Li; **18**(3), 664–671.

Tan, Xiaoli–Perovskite phase formation and ferroelectric properties of the lead nickel niobate–lead zinc niobate–lead zirconate titanate ternary system.–Naratip Vittayakorn, Gobwute Rujijanagul, Tawee Tunkasiri, Xiaoli Tan, and David P. Cann; **18**(12), 2882–2889.

Tang, B.–Accurate measurement of tip–sample contact size during nanoindentation of viscoelastic materials.–B. Tang and A.H.W. Ngan; **18**(5), 1141–1148.

Tang, Tao–Controlled growth of gallium nitride single-crystal nanowires using a chemical vapor deposition method.–Song Han, Wu Jin, Tao Tang, Chao Li, Daihua Zhang, Xiaolei Liu, Jie Han, and Chongwu Zhou; **18**(2), 245–249(L).

Tarascon, J.M.–Enhanced hydrogen sorption capacities and kinetics of Mg_2Ni alloys by ball-milling with carbon and Pd coating.–R. Janot, L. Aymard, A. Rougier, G.A. Nazri, and J.M. Tarascon; **18**(8), 1749–1752(L).

Tayebi, Noureddine–Determination of hardness from nanoscratch experiments: Corrections for interfacial shear stress and elastic recovery.–Noureddine Tayebi, Thomas F. Conry, and Andreas A. Polycarpou; **18**(9), 2150–2162.

Teja, Amyn S.–Continuous hydrothermal crystallization of α–Fe_2O_3 and Co_3O_4 nanoparticles.–Yalin Hao and Amyn S. Teja; **18**(2), 415–422.

Teng, C.W.–Wavelength-dependent Raman scattering of hydrogenated amorphous silicon carbon with red, green, and blue light excitation.–Minseo Park, V. Sakhrani, J-P. Maria, J.J. Cuomo, C.W. Teng, J.F. Muth, M.E. Ware, B.J. Rodriguez, and R.J. Nemanich; **18**(4), 768–771.

Terreault, B.–Optimum tribological improvement of aluminum using oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, and R.G. St-Jacques; **18**(8), 1761–1764(L).

–Selective modification of the tribological properties of aluminum through temperature and dose control in oxygen plasma source ion implantation.–M. Bolduc, B. Terreault, A. Reguer, E. Shaffer, and R.G. St-Jacques; **18**(12), 2779–2792.

Testino, A.–Synthesis and characterization of $BaSn(OH)_6$ and $BaSnO_3$ acicular particles.–M.T. Buscaglia, M. Leoni, M. Viviani, V. Buscaglia, A. Martinelli, A. Testino, and P. Nanni; **18**(3), 560–566.

Theron, C.C.–Thin-film compound phase formation at Fe–Ge and Cr–Ge interfaces.–O.M. Ndwandwe, C.C. Theron, T.K. Marais, and R. Pretorius; **18**(8), 1900–1907.

Thiel, Patricia A.–Tribological properties of a B2-type Al-Pd-Mn quasicrystal approximant.–Chris Mancinelli, Cynthia J. Jenks, Patricia A. Thiel, and Andrew J. Gellman; **18**(6), 1447–1456.

Thiele, Karola–Room-temperature preparation of biaxially textured indium tin oxide thin films with ion-beam-assisted deposition.–Karola Thiele, Sibylle Sievers, Christian Jooss, Jörg Hoffmann, and Herbert C. Freyhardt; **18**(2), 442–447.

Thomas, L.E.–Microstructural features of Al-implanted 4H–SiC.–C.M. Wang, Y. Zhang, W.J. Weber, W. Jiang, and L.E. Thomas; **18**(4), 772–779.

Thompson, Gregory B.–Processing and microstructural characterization of sputter-deposited Ni/Ni_3Al multilayered thin films.–Evan A. Sperling, Rajarshi Banerjee, Gregory B. Thompson, Jason P. Fain, Peter M. Anderson, and Hamish L. Fraser; **18**(4), 979–987.

Thompson, J.R.–High critical current density $YBa_2Cu_3O_{7-\delta}$ coatings on $LaMnO_3$-buffered biaxially textured Cu tapes for coated conductor applications.–T. Aytug, A. Goyal, N. Rutter, M. Paranthaman, J.R. Thompson, H.Y. Zhai, and D.K. Christen; **18**(4), 872–877.

–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}/LaMnO_3/MgO/TiN$ heterostructures on Cu metal substrates for development of coated conductors.–C. Cantoni, D.K. Christen, M. Varela, J.R. Thompson, S.J. Pennycook, E.D. Specht, and A. Goyal; **18**(10), 2387–2400.

Thompson, Jeffrey Y.–Transmission electron microscopy study of the structure of radio frequency sputter-deposited yttria-stabilized zirconia thin films.–David E. Ruddell, Brian R. Stoner, and Jeffrey Y. Thompson; **18**(1), 195–200.

Tiwari, V.S.–Canonical-glass-like behavior of the polycrystalline relaxor ferroelectric $(1-x)PbMg_{1/3}Nb_{2/3}O_3$–$xPbZrO_3$: Heat-capacity study.–Gurvinderjit Singh, V.S. Tiwari, Arun Kumar, and V.K. Wadhawan; **18**(2), 531–536.

Tong, Y.–Effect of geometrical parameters on the field-emission properties of single-walled carbon nanotube ropes.–Z.G. Zhao, Y. Tong, C. Liu, and H.M. Cheng; **18**(9), 2188–2193.

Topolevsky, R.–Mechanical evaluation at high temperatures of hot gunning refractory mixtures.–G.I. Gasillón, A.G. Tomba Martinez, A.L. Cavalieri, M. de Córdova, and R. Topolevsky; **18**(2), 524–530.

Torres, A.J.–Effect of hydrogen dilution on electronic properties of a-SiH_x films deposited by low-frequency plasma.–A.I. Kosarev, A.J. Torres, C. Zuniga, A.S. Abramov, P. Rosales, and A. Sibaja; **18**(8), 1918–1925.

Traoré, Karfa–Structural transformation of a kaolinite and calcite mixture to gehlenite and anorthite.–Karfa Traoré and Philippe Blanchart; **18**(2), 475–481.

Trau, M.–Micropatterned lead zirconium titanate thin films.–J.S. Vartuli, M. Özenbaş, C-M. Chun, M. Trau, and I.A. Aksay; **18**(5), 1259–1265.

Trolier-McKinstry, Susan–Dielectric and piezoelectric properties of textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ ceramics prepared by templated grain growth.–Cihangir Duran, Susan Trolier-McKinstry, and Gary L. Messing; **18**(1), 228–238(E).

Tsarenko, I.V.–Effects of additive and impurity species on the oxide morphology of silicon nitride.–I.V. Tsarenko, H. Du, and W.Y. Lee; **18**(4), 878–884.

Tseng, Yung-Kuan–Low-temperature growth of ZnO nanowires.–Yung-Kuan Tseng, I-Nan Lin, Kuo-Shung Liu, Tzer-Shen Lin, and I-Cherng Chen; **18**(3), 714–718.

–Two-step oxygen injection process for growing ZnO nanorods.–Yung-Kuan Tseng, Hsu-Cheng Hsu, Wen-Feng Hsieh, Kuo-Shung Liu, and I-Cherng Chen; **18**(12), 2837–2844.

Tsui, Ting Y.–A method for making substrate-independent hardness measurements of soft metallic films on hard substrates by nanoindentation.–Ting Y. Tsui, C.A. Ross, and G.M. Pharr; **18**(6), 1383–1391.

Tsuji, Hiroshi–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Tsuzaki, K.–Relationship between nanohardness and microstructures in high-purity Fe–C as-quenched and quench-tempered martensite.–T. Ohmura, T. Hara, and K. Tsuzaki; **18**(6), 1465–1470.

Tu, K.N.–Effect of supersaturation of Cu on reaction and intermetallic compound formation between Sn–Cu solder and thin film metallization.–J.S. Ha, T.S. Oh, and K.N. Tu; **18**(9), 2109–2114.

–Electromigration failure in flip chip solder joints due to rapid dissolution of copper.–Y.C. Hu, Y.H. Lin, C.R. Kao, and K.N. Tu; **18**(11), 2544–2548(L).

–Growth and ripening of $(Au,Ni)Sn_4$ phase in Pb-free and Pb-containing solders on Ni/Au metallization.–K.Y. Lee, M. Li, and K.N. Tu; **18**(11), 2562–2570.

Tuggle, David W.–High-yield synthesis of carbon coils on tungsten substrates and their behavior in the presence of an electric field.–Jun Jiao, Erik Einarsson, David W. Tuggle, Logan Love, Josie Prado, and George M. Coia; **18**(11), 2580–2587.

Tung, C-H.–Effects of substrate metallizations on solder/underbump metallization interfacial reactions in flip-chip packages during thermal aging.–F. Zhang, M. Li, C.C. Chum, and C-H. Tung; **18**(6), 1333–1341.

Tung, Chien-Yueh–Mesoporous crystalline SnO_2 of large surface area.–Chien-Yueh Tung, Nae-Lih Wu, and I.A. Rusakova; **18**(12), 2890–2894.

Tunkasiri, Tawee–Perovskite phase formation and ferroelectric properties of the lead nickel niobate–lead zinc niobate–lead zirconate titanate ternary system.–Naratip Vittayakorn, Gobwute Rujijanagul, Tawee Tunkasiri, Xiaoli Tan, and David P. Cann; **18**(12), 2882–2889.

Turunen, M.P.K.–Effects of surface treatment on the adhesion of copper to a hybrid polymer material.–J. Ge, M.P.K. Turunen, M. Kusevic, and J.K. Kivilahti; **18**(11), 2697–2707.

Tymiak, Natalia I.–Highly localized acoustic emission monitoring of nanoscale indentation contacts.–Natalia I. Tymiak, Antanas Daugela, Thomas J. Wyrobek, and Oden L. Warren; **18**(4), 784–796.

U

Uchikoshi, Tetsuo–Electrophoretic deposition of α-alumina particles in a strong magnetic field.–Tetsuo Uchikoshi, Tohru S. Suzuki, Hideo Okuyama, and Yoshio Sakka; **18**(2), 254–256(L).

Uchino, T.–Spontaneous reduction of europium ions below 250 °C in organic–inorganic hybrid low-melting phosphite glasses.–H. Niida, M. Takahashi, T. Uchino, and T. Yoko; **18**(1), 1–3(L).

–Preparation and structure of organic–inorganic hybrid low-melting phosphite glasses from phosphonic acid H_3PO_3.–Haruki Niida, Masahide Takahashi, Takashi Uchino, and Toshinobu Yoko; **18**(5), 1081–1086.

Uekawa, Naofumi–Synthesis of rutile and anatase TiO_2 nanoparticles from Ti-peroxy compound aqueous solution with polyols.–Naofumi Uekawa, Miki Suzuki, Takahiro Ohmiya, Fumihiko Mori, Yong Jun Wu, and Kazuyuki Kakegawa; **18**(4), 797–803.

Ueng, Tzuu-Hsing–Effects of additives on the microstructure and dielectric properties of $Ba_2Ti_9O_{20}$ microwave ceramic.–Sea-Fue Wang, Yung-Fu Hsu, Tzuu-Hsing Ueng, Chung-Chuang Chiang, Jinn P. Chu, and Chi-Yuen Huang; **18**(5), 1179–1187.

Ueno, S.–Thermally stable high-strength porous alumina.–D. Doni Jayaseelan, S. Ueno, J.H. She, T. Ohji, and S. Kanzaki; **18**(4), 751–754(L).

Ungár, T.–Nanostructures in Ti processed by severe plastic deformation.–Y.T. Zhu, J.Y. Huang, J. Gubicza, T. Ungár, Y.M. Wang, E. Ma, and R.Z. Valiev; **18**(8), 1908–1917.

Ünlü, M.S.–Identification of the constituents of double-walled carbon nanotubes using Raman spectra taken with different laser-excitation energies.–Feng Li, S.G. Chou, Wencai Ren, J.A. Gardecki, A.K. Swan, M.S. Ünlü, B.B. Goldberg, Hui-Ming Cheng, and M.S. Dresselhaus; **18**(5), 1251–1258.

Uono, Hiroyuki–Fabrication of nano-sized Si powders with a narrow size distribution by two-step milling.–Bong-Chull Kim, Hiroyuki Uono, Tooru Fuse, Tadashi Ishihara, and Mamoru Senna; **18**(6), 1368–1373.

Urata, Saori–Enhancement of thermoelectric figure of merit by incorporation of large single crystals in $Ca_3Co_4O_9$ bulk materials.–Ryoji Funahashi, Saori Urata, Toyohide Sano, and Masaaki Kitawaki; **18**(7), 1646–1651.

V

Vaithianathan, V.–Raman study of gaseous bubble inclusions in bismuth germanate and bismuth germanium silicon oxide single crystals.–V. Vaithianathan, R. Kesavamoorthy, C.V. Kannan, P. Santhanaraghavan, and P. Ramasamy; **18**(4), 762–767.

Valiev, R.Z.–Microstructures and mechanical properties of ultrafine-grained Ti foil processed by equal-channel angular pressing and cold rolling.–Y.T. Zhu, Y.R. Kolobov, G.P. Grabovetskaya, V.V. Stolyarov, N.V. Girsova, and R.Z. Valiev; **18**(4), 1011–1016.

–Nanostructures in Ti processed by severe plastic deformation.–Y.T. Zhu, J.Y. Huang, J. Gubicza, T. Ungár, Y.M. Wang, E. Ma, and R.Z. Valiev; **18**(8), 1908–1917.

Vallet-Regi, M.–Microstructural characterization of $YBa_2Cu_3O_{7-\delta}$ thick films grown at very high rates and high temperatures by pulsed laser deposition.–A. Berenov, N. Malde, Y. Bugoslavsky, L.F. Cohen, S.J. Foltyn, P. Dowden, J. Ramirez-Castellanos, J.M. Gonzalez-Calbet, M. Vallet-Regi, and J.L. MacManus-Driscoll; **18**(4), 956–964.

Valot, Ch.–Investigation of mechanically activated field-activated pressure-assisted synthesis processing parameters for producing dense nanostructured FeAl.–S. Paris, Ch. Valot, L. Gosmain, E. Gaffet, F. Bernard, and Z. Munir; **18**(10), 2331–2338.

Van der Biest, O.–Role of fluorite phase formation in the texture selection of sol-gel-prepared $Pb(Zr_{1-x},Ti_x)O_3$ films on Pt electrode layers.–G.J. Norga, F. Vasiliu, L. Fè, D.J. Wouters, and O. Van der Biest; **18**(5), 1232–1238.

–Unlubricated tribological performance of advanced ceramics and composites at fretting contacts with alumina.–Bikramjit Basu, Jozef Vleugels, and Omer Van Der Biest; **18**(6), 1314–1324.

Van Heerden, C.–Bulk processing of high-performance nanocrystalline intermetallics.–C.H. Shang, R.C. Cammarata, C. Van Heerden, T.P. Weihs, and C.L. Chien; **18**(9), 2017–2020(L).

Van Heerden, D.–Sputter-deposition and characterization of paramelaconite.–K.J. Blobaum, D. Van Heerden, A.J. Wagner, D.H. Fairbrother, and T.P. Weihs; **18**(7), 1535–1542.

Van Meirhaeghe, R.L.–Mixing entropy and the nucleation of silicides: Ni–Pd–Si and Co–Mn–Si ternary systems.–C. Detavernier, X.P. Qu, R.L. Van Meirhaeghe, B.Z. Li, and K. Maex; **18**(7), 1668–1678.

Vandeperre, L.J.–Thermal shock of porous silicon nitride with preferentially aligned grains.–L.J. Vandeperre, Y. Inagaki, and W.J. Clegg; **18**(11), 2724–2729.

Vandriessche, I.–Preparation of $BaZrO_3$ powders by a spray-drying process.–B. Robertz, F. Boschini, A. Rulmont, R. Cloots, I. Vandriessche, S. Hoste, and J. Lecomte-Beckers; **18**(6), 1325–1332.

Varela, J.A.–Structural phase evolution of strontium-doped lead titanate thin films prepared by the soft chemical technique.–F.M. Pontes, S.H. Leal, P.S. Pizani, M.R.M.C. Santos, E.R. Leite, E. Longo, F. Lanciotti, Jr., T.M. Boschi, and J.A. Varela; **18**(3), 659–663.

Varela, M.–Deposition and characterization of $YBa_2Cu_3O_{7-\delta}$/$LaMnO_3$/MgO/TiN heterostructures on Cu metal substrates for development of coated conductors.–C. Cantoni, D.K. Christen, M. Varela, J.R. Thompson, S.J. Pennycook, E.D. Specht, and A. Goyal; **18**(10), 2387–2400.

Varghese, Oomman K.–Crystallization and high-temperature structural stability of titanium oxide nanotube arrays.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Craig A. Grimes, and Elizabeth C. Dickey; **18**(1), 156–165.

–Fabrication of nanoporous tungsten oxide by galvanostatic anodization.–Niloy Mukherjee, Maggie Paulose, Oomman K. Varghese, G.K. Mor, and Craig A. Grimes; **18**(10), 2296–2299(L).

–Fabrication of tapered, conical-shaped titania nanotubes.–G.K. Mor, Oomman K. Varghese, Maggie Paulose, Niloy Mukherjee, and Craig A. Grimes; **18**(11), 2588–2593.

–Synthesis of CuO and Cu_2O crystalline nanowires using $Cu(OH)_2$ nanowire templates.–Wenzhong Wang, Oomman K. Varghese, Chuanmin Ruan, Maggie Paulose, and Craig A. Grimes; **18**(12), 2756–2759(L).

Varma, Arvind–Reaction and phase separation mechanisms during synthesis of alloys by thermite type combustion reactions.–Cheryl Lau, Alexander S. Mukasyan, and Arvind Varma; **18**(1), 121–128.

Vartuli, J.S.–Micropatterned lead zirconium titanate thin films.–J.S. Vartuli, M. Özenbaş, C-M. Chun, M. Trau, and I.A. Aksay; **18**(5), 1259–1265.

Vasiliu, F.–Role of fluorite phase formation in the texture selection of sol-gel-prepared $Pb(Zr_{1-x},Ti_x)O_3$ films on Pt electrode layers.–G.J. Norga, F. Vasiliu, L. Fè, D.J. Wouters, and O. Van der Biest; **18**(5), 1232–1238.

Vaudin, M.D.–Partial melt processing of solid-solution $Bi_2Sr_2CaCu_2O_{8+\delta}$ thick-film conductors with nanophase Al_2O_3 additions.–T. Haugan, W. Wong-Ng, L.P. Cook, M.D. Vaudin, L. Swartzendruber, and P.N. Barnes; **18**(5), 1054–1066.

Vecchione, Antonio–Identification of Nd163 phase in melt-textured $NdBa_2Cu_3O_{7-\delta}$ bulk samples.–Marcello Gombos, Vicente Gomis, Anna Esther Carrillo, Antonio Vecchione, Sandro Pace, and Xavier Obradors; **18**(9), 2050–2054.

Venigalla, Rajasekhar–Mechanism and an empirical model of the fixed abrasive polishing process on a web-format tool.–Rajasekhar Venigalla, Laertis Economikos, and S.V. Babu; **18**(7), 1659–1667.

Vertanessian, Alejandro–Agglomerate formation during drying.–Alejandro Vertanessian, Andrew Allen, and Merrilea J. Mayo; **18**(2), 495–506.

Vilar, R.–Characterization of columns grown during KrF laser micromachining of Al_2O_3–TiC ceramics.–V. Oliveira and R. Vilar; **18**(5), 1123–1130.

Vinci, R.P.–Nanoindentation measurements on Cu–Sn and Ag–Sn intermetallics formed in Pb-free solder joints.–R.R. Chromik, R.P. Vinci, S.L. Allen, and M.R. Notis; **18**(9), 2251–2261.

Vittayakorn, Naratip–Perovskite phase formation and ferroelectric properties of the lead nickel niobate–lead zinc niobate–lead zirconate titanate ternary system.–Naratip Vittayakorn, Gobwute Rujijanagul, Tawee Tunkasiri, Xiaoli Tan, and David P. Cann; **18**(12), 2882–2889.

Viviani, M.–Synthesis and characterization of $BaSn(OH)_6$ and $BaSnO_3$ acicular particles.–M.T. Buscaglia, M. Leoni, M. Viviani, V. Buscaglia, A. Martinelli, A. Testino, and P. Nanni; **18**(3), 560–566.

Vleugels, Jozef–Unlubricated tribological performance of advanced ceramics and composites at fretting contacts with alumina.–Bikramjit Basu, Jozef Vleugels, and Omer Van Der Biest; **18**(6), 1314–1324.

Vojtěch, Dalibor–Casting properties of the high-strength AlZnMgCuNiSi alloys.–Dalibor Vojtěch, Elšad Tagiev, Čestmír Barta, Čestmír Barta, Jr., Jan Šerák, Petr Janda, and Ondřej Eckert; **18**(3), 635–641.

W

Wada, Yoshiki–Thermal diffusivity of $(Ca_{1-x}Sr_x)_3Co_4O_9$ thin films using transient grating configuration.–Yoshiaki Takata, Yutaka Adachi, Hajime Haneda, Yoshiki Wada, Takefumi Mitsuhashi, Kenji Itaka, and Hideomi Koinuma; **18**(10), 2473–2477.

Wadhawan, V.K.–Canonical-glass-like behavior of the polycrystalline relaxor ferroelectric $(1-x)PbMg_{1/3}Nb_{2/3}O_3$–$xPbZrO_3$: Heat-capacity study.–Gurvinderjit Singh, V.S. Tiwari, Arun Kumar, and V.K. Wadhawan; **18**(2), 531–536.

Wagner, A.J.–Sputter-deposition and characterization of paramelaconite.–K.J. Blobaum, D. Van Heerden, A.J. Wagner, D.H. Fairbrother, and T.P. Weihs; **18**(7), 1535–1542.

Wakoh, Kimio–Development of laboratory x-ray fluorescence holography equipment.–Yukio Takahashi, Kouichi Hayashi, Kimio Wakoh, Naomi Nishiki, and Eiichiro Matsubara; **18**(6), 1471–1473.

Wallace, Jay S.–Small-angle neutron scattering study of the role of feedstock particle size on the microstructural behavior of plasma-sprayed yttria-stabilized zirconia deposits.–Hacène Boukari, Andrew J. Allen, Gabrielle G. Long, Jan Ilavsky, Jay S. Wallace, Christopher C. Berndt, and Herbert Herman; **18**(3), 624–634.

Wang, Baoquan–Ultrafine-grained microstructure in a Cu–Zn alloy produced by electropulsing treatment.–Yizhou Zhou, Wei Zhang, Baoquan Wang, and Jingdong Guo; **18**(8), 1991–1997.

Wang, C.M.–Microstructural features of Al-implanted 4H–SiC.–C.M. Wang, Y. Zhang, W.J. Weber, W. Jiang, and L.E. Thomas; **18**(4), 772–779.

Wang, Chai-Hui–Phase stability of B_2O_3-added $Ba_2Ti_9O_{20}$ ceramic: Processing effects.–Sea-Fue Wang, Chuang-Chung Chiang, Chai-Hui Wang, and Jinn P. Chu; **18**(1), 201–207.

Wang, Chunyan–Structure and strong ultraviolet emission characteristics of amorphous ZnO films grown by electrophoretic deposition.–Zhijian Wang, Haiming Zhang, Zhijun Wang, Ligong Zhang, Jinshan Yuan, Shenggang Yan, and Chunyan Wang; **18**(1), 151–155.

Wang, H.–Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers.–X. Zhang, A. Misra, H. Wang, T.D. Shen, J.G. Swadener, J.D. Embury, H. Kung, R.G. Hoagland, and M. Nastasi; **18**(7), 1600–1606.

–Growth of thick $YBa_2Cu_3O_{7-\delta}$ films carrying a critical current of over 230 A/cm on single $LaMnO_3$-buffered ion-beam assisted deposition MgO substrates.–M. Paranthaman, T. Aytug, D.K. Christen, P.N. Arendt, S.R. Foltyn, J.R. Groves, L. Stan, R.F. DePaula, H. Wang, and T.G. Holesinger; **18**(9), 2055–2059.

Wang, Hai-Lin–Wet oxidation kinetics of AlAs at elevated temperatures.–Sun-Chien Ko, Sanboh Lee, Hai-Lin Wang, and Y.T. Chou; **18**(5), 1027–1030(L).

Wang, J.B.–Explosion phase formation of nanocrystalline boron nitrides upon pulsed-laser-induced liquid/solid interfacial reaction.–J.B. Wang, X.L. Zhong, C.Y. Zhang, B.Q. Huang, and G.W. Yang; **18**(12), 2774–2778.

Wang, Jiyang–Growth and properties of $KBe_2BO_3F_2$ crystal.–Jiyang Wang, Chenqian Zhang, Yaogang Liu, Jianxiu Zhang, Xiaobo Hu, Minhua Jiang, Chuangtian Chen, Yicheng Wu, and Zuyan Xu; **18**(10), 2478–2485.

Wang, Moo-Chin–Transformation kinetics for mullite in kaolin–Al_2O_3 ceramics.–Yung-Feng Chen, Moo-Chin Wang, and Min-Hsiung Hon; **18**(6), 1355–1362.

Wang, Peinan–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Wang, Ping-chu–Temperature dependence of piezoelectric properties of 0.67 $Pb(Mg_{1/3}Nb_{2/3})O_3$–0.33 $PbTiO_3$ single crystals.–Ping-chu Wang, Xiao-ming Pan, Dong-lin Li, Yuan-wei Song, Hao-su Luo, and Zhi-wen Yin; **18**(2), 537–541.

Wang, Qidong–Microstructural evolution of body-centered cubic structure related Ti–Zr–Ni phases in non-stoichiometric Zr-based Zr–Ti–Mn–V–Ni hydride electrode alloys.–Xueyan Song, Yun Chen, Cesar Sequeira, Yongquan Lei, Qidong Wang, and Ze Zhang; **18**(1), 37–44.

Wang, Ru Ju–Relationship between glass transition temperature and Debye temperature in bulk metallic glasses.–Wei Hua Wang, Ping Wen, D.Q. Zhao, M.X. Pan, Ru Ju Wang; **18**(12), 2747–2751(L).

Wang, Sea-Fue–Phase stability of B_2O_3-added $Ba_2Ti_9O_{20}$ ceramic: Processing effects.–Sea-Fue Wang, Chuang-Chung Chiang, Chai-Hui Wang, and Jinn P. Chu; **18**(1), 201–207.

–Effects of additives on the microstructure and dielectric properties of $Ba_2Ti_9O_{20}$ microwave ceramic.–Sea-Fue Wang, Yung-Fu Hsu, Tzuu-Hsing Ueng, Chung-Chuang Chiang, Jinn P. Chu, and Chi-Yuen Huang; **18**(5), 1179–1187.

–Thermal stability of sputtered copper films containing dilute insoluble tungsten: Thermal annealing study.–C.H. Lin, J.P. Chu, T. Mahalingam, T.N. Lin, and S.F. Wang; **18**(6), 1429–1434.

Wang, Sheng-Chang–Characterization of electroplated Ni/SiC and Ni/Al_2O_3 composite coatings bearing nanoparticles.–Sheng-Chang Wang and Wen-Cheng J. Wei; **18**(7), 1566–1574.

Wang, Wan Lu–Formation, properties, thermal characteristics, and crystallization of hard magnetic Pr–Al–Fe–Cu bulk metallic glasses.–Zheng Li, Hai Yang Bai, Ming Xiang Pan, De Qian Zhao, Wan Lu Wang, and Wei Hua Wang; **18**(9), 2208–2213.

Wang, Wei Hua–Formation, properties, thermal characteristics, and crystallization of hard magnetic Pr–Al–Fe–Cu bulk metallic glasses.–Zheng Li, Hai Yang Bai, Ming Xiang Pan, De Qian Zhao, Wan Lu Wang, and Wei Hua Wang; **18**(9), 2208–2213.

–Relationship between glass transition temperature and Debye temperature in bulk metallic glasses.–Wei Hua Wang, Ping Wen, D.Q. Zhao, M.X. Pan, and Ru Ju Wang; **18**(12), 2747–2751(L).

Wang, Wenzhong–Synthesis of CuO and Cu_2O crystalline nanowires using $Cu(OH)_2$ nanowire templates.–Wenzhong Wang, Oomman K. Varghese, Chuanmin Ruan, Maggie Paulose, and Craig A. Grimes; **18**(12), 2756–2759(L).

Wang, X.J.–Phase transformation of Er^{3+}-doped Al_2O_3 powders prepared by the sol-gel method.–X.J. Wang, M.K. Lei, T. Yang, and L.J. Yuan; **18**(10), 2401–2405.

Wang, X.Z.–Chemical synthesis and characterization of boron/boron nitride core–shell nanostructures.–K.F. Huo, Z. Hu, J.J. Fu, H. Xu, X.Z. Wang, Y. Chen, Y.N. Lü, B.H. Liu, and J. Ding; **18**(7), 1641–1645.

Wang, Y.G.–High-density aligned carbon nanotubes with uniform diameters.–P.J. Cao, Y.S. Gu, H.W. Liu, F. Shen, Y.G. Wang, Q.F. Zhang, J.L. Wu, and H.J. Gao; **18**(7), 1686–1690.

Wang, Y.M.–Composition rule of bulk metallic glasses and quasicrystals using electron concentration criterion.–Y.M. Wang, J.B. Qiang, C.H. Wong, C.H. Shek, and C. Dong; **18**(3), 642–648.

–Nanostructures in Ti processed by severe plastic deformation.–Y.T. Zhu, J.Y. Huang, J. Gubicza, T. Ungár, Y.M. Wang, E. Ma, and R.Z. Valiev; **18**(8), 1908–1917.

Wang, Yan–Aromatic liquid-crystalline polyesters comprising a 2,5-thiophene unit synthesized and studied by the thin-film polymerization method.–Jingmei Xu, Yan Wang, Tai-Shung Chung, and Suat Hong Goh; **18**(7), 1509–1521.

Wang, Yarong–Low-temperature preparation of dense 10 mol%-Y_2O_3-doped CeO_2 ceramics using powders synthesized via carbonate coprecipitation.–Yarong Wang, Toshiyuki Mori, Ji-Guang Li, Takayasu Ikegami, and Yoshiyuki Yajima; **18**(5), 1239–1246.

Wang, Z.G.–What types of grain boundaries can be passed through by persistent slip bands?–Z.F. Zhang, Z.G. Wang, and J. Eckert; **18**(5), 1031–1034(L).

Wang, Z.L.–Preparation of monodisperse silica particles with controllable size and shape.–J.H. Zhang, P. Zhan, Z.L. Wang, W.Y. Zhang, and N.B. Ming; **18**(3), 649–653.

–Sonochemical method for the synthesis of antimony sulfide microcrystallites with controllable morphology.–J.H. Zhang, Z. Chen, Z.L. Wang, and N.B. Ming; **18**(8), 1804–1808.

Wang, Zaosong–Hydrogen storage in Ti–V-based body-centered-cubic phase alloys.–Xuebin Yu, Zhu Wu, Baojia Xia, Taizhong Huang, Jinzhou Chen, Zaosong Wang, and Naixin Xu; **18**(11), 2533–2536(L).

Wang, Zheng-Hua–Fabrication of mesoporous CdS nanorods by chemical etching.–Lin Yang, Jian Yang, Zheng-Hua Wang, Jing-Hui Zeng, Li Yang, and Yi-Tai Qian; **18**(2), 396–401.

Wang, Zhijian–Structure and strong ultraviolet emission characteristics of amorphous ZnO films grown by electrophoretic deposition.–Zhijian Wang, Haiming Zhang, Zhijun Wang, Ligong Zhang, Jinshan Yuan, Shenggang Yan, and Chunyan Wang; **18**(1), 151–155.

Wang, Zhijun–Structure and strong ultraviolet emission characteristics of amorphous ZnO films grown by electrophoretic deposition.–Zhijian Wang, Haiming Zhang, Zhijun Wang, Ligong Zhang, Jinshan Yuan, Shenggang Yan, and Chunyan Wang; **18**(1), 151–155.

Ware, M.E.–Wavelength-dependent Raman scattering of hydrogenated amorphous silicon carbon with red, green, and blue light excitation.–Minseo Park, V. Sakhrani, J-P. Maria, J.J. Cuomo, C.W. Teng, J.F. Muth, M.E. Ware, B.J. Rodriguez, and R.J. Nemanich; **18**(4), 768–771.

Warren, Oden L.–Highly localized acoustic emission monitoring of nanoscale indentation contacts.–Natalia I. Tymiak, Antanas Daugela, Thomas J. Wyrobek, and Oden L. Warren; **18**(4), 784–796.

Watanabe, Mamoru–Photoinduced hydrophilicity and photocatalytic decomposition of endocrine-disrupting chemical pentachlorophenol on hollandite.–Toshiyuki Mori, Mamoru Watanabe, Hiromitsu Nakajima, Masaru Harada, Kenjiro Fujimoto, Satoshi Awatsu, and Yoshio Hasegawa; **18**(5), 1046–1053.

Weber, W.J.–Microstructural features of Al-implanted 4H–SiC.–C.M. Wang, Y. Zhang, W.J. Weber, W. Jiang, and L.E. Thomas; **18**(4), 772–779.

–Atomic-scale simulations of cascade overlap and damage evolution in silicon carbide.–F. Gao and W.J. Weber; **18**(8), 1877–1883.

Wei, Bingqing–Spectral fingerprinting of structural defects in plasma-treated carbon nanotubes.–Nirupama Chakrapani, Seamus Curran, Bingqing Wei, Pulickel M. Ajayan, Alvaro Carrillo, and Ravi S. Kane; **18**(10), 2515–2521.

Wei, Wen-Cheng J.–Characterization of electroplated Ni/SiC and Ni/Al_2O_3 composite coatings bearing nanoparticles.–Sheng-Chang Wang and Wen-Cheng J. Wei; **18**(7), 1566–1574.

Weihs, T.P.–Sputter-deposition and characterization of paramelaconite.–K.J. Blobaum, D. Van Heerden, A.J. Wagner, D.H. Fairbrother, and T.P. Weihs; **18**(7), 1535–1542.

–Bulk processing of high-performance nanocrystalline intermetallics.–C.H. Shang, R.C. Cammarata, C. Van Heerden, T.P. Weihs, and C.L. Chien; **18**(9), 2017–2020(L).

Weiner, B.R.–Synthesis and characterization of sulfur-incorporated microcrystalline diamond and nanocrystalline carbon thin films by hot filament chemical vapor deposition.–S. Gupta, B.R. Weiner, and G. Morell; **18**(2), 363–381.

–Influence of sulfur incorporation on field-emission properties of microcrystalline diamond thin films.–S. Gupta, B.R. Weiner, and G. Morell; **18**(11), 2708–2716.

Weisbecker, P.–Amorphous alloy composition with high glass-formation ability in the pseudoternary Zr–[IQC-$Al_{62}Cu_{25.5}Fe_{12.5}$]–[DQC-$Al_{70}Co_{15}Ni_{15}$] alloy system.–Yi Lei, M. Calvo-Dahlborg, J.M. Dubois, Zukun Hei, P. Weisbecker, and Chuang Dong; **18**(7), 1588–1593.

Weiss, Steve–Fabrication of activated carbon fibers/carbon aerogels composites by gelation and supercritical drying in isopropanol.–Ruowen Fu, Bo Zheng, Jie Liu, Steve Weiss, Jackie Y. Ying, Mildred S. Dresselhaus, Gene Dresselhaus, Joe H. Satcher, Jr., and Theodore F. Baumann; **18**(12), 2765–2773.

Wen, Ping–Relationship between glass transition temperature and Debye temperature in bulk metallic glasses.–Wei Hua Wang, Ping Wen, D.Q. Zhao, M.X. Pan, and Ru Ju Wang; **18**(12), 2747–2751(L).

Wessels, B.W.–Phase stability of epitaxial $KTa_xNb_{1-x}O_3$ thin films deposited by metalorganic chemical vapor deposition.–B.M. Nichols, B.H. Hoerman, J-H. Hwang, T.O. Mason, and B.W. Wessels; **18**(1), 106–110.

–Dielectric properties of plasma-spray-deposited $BaTiO_3$ and $Ba_{0.68}Sr_{0.32}TiO_3$ thick films.–K. Ahn, B.W. Wessels, and S. Sampath; **18**(5), 1227–1231.

Wey, Samuel–Residual strain field in indented GaAs.–Pascal Puech, François Demangeot, Paulo Sergio Pizani, Samuel Wey, and Chantal Fontaine; **18**(6), 1474–1480.

Wilson, Jr., Otto C.–Microwave sintering and properties of AlN/TiB_2 composites.–Geng-fu Xu, Yuval Carmel, Tayo Olorunyolemi, Isabel K. Lloyd, and Otto C. Wilson, Jr.; **18**(1), 66–76.

With, G. de–Erratum: Minima in the strength of MnZn ferrites [J. Mater. Res. 16, 3575 (2001)].–M.A.H. Donners, L.J.M.G. Dortmans, G. de With, and D. de Graaf; **18**(8), 2002(E).

With, Gijsbertus de–Subsurface cracking during indentation on hybrid coatings on polycarbonate.–Victor A. Soloukhin, José C.M. Brokken-Zijp, and Gijsbertus de With; **18**(2), 507–514.

Wolff, U.–Stability of the $Mg_{65}Y_{10}Cu_{15}Ag_{10}$ metallic glass in neutral and weakly acidic media.–R.V. Subba Rao, U. Wolff, S. Baunack, J. Eckert, and A. Gebert; **18**(1), 97–105.

Won, C.W.–Mechanism of combustion and phase formation in the BaO_2–TiO_2–organic compound system.–J.H. Lee, H.H. Nersisyan, M.L. Simkins, and C.W. Won; **18**(8), 1926–1933.

Wong, C.H.–Composition rule of bulk metallic glasses and quasicrystals using electron concentration criterion.–Y.M. Wang, J.B. Qiang, C.H. Wong, C.H. Shek, and C. Dong; **18**(3), 642–648.

Wong, David Shan-hill–Determination of reactive wetting properties of Sn, Sn–Cu, Sn–Ag, and Sn–Pb alloys using a wetting balance technique.–Hsiu-yu Chang, Sinn-wen Chen, David Shan-hill Wong, and Hsiu-Feng Hsu; **18**(6), 1420–1428.

Wong-Ng, W.–Partial melt processing of solid-solution $Bi_2Sr_2CaCu_2O_{8+\delta}$ thick-film conductors with nanophase Al_2O_3 additions.–T. Haugan, W. Wong-Ng, L.P. Cook, M.D. Vaudin, L. Swartzendruber, and P.N. Barnes; **18**(5), 1054–1066.

Woodfield, Brian F.–Grain-growth kinetics of rutile TiO_2 nanocrystals under hydrothermal conditions.–Guangshe Li, Liping Li, Juliana Boerio-Goates, and Brian F. Woodfield; **18**(11), 2664–2669.

Woodward, D.I.–Domain variance and superstructure across the antiferroelectric/ferroelectric phase boundary in $Pb_{1-1.5x}La_x(Zr_{0.9}Ti_{0.1})O_3$.–Jesper Knudsen, D.I. Woodward, and Ian M. Reaney; **18**(2), 262–271.

Wouters, D.J.–Role of fluorite phase formation in the texture selection of sol-gel-prepared $Pb(Zr_{1-x},Ti_x)O_3$ films on Pt electrode layers.–G.J. Norga, F. Vasiliu, L. Fè, D.J. Wouters, and O. Van der Biest; **18**(5), 1232–1238.

Wu, J.L.–High-density aligned carbon nanotubes with uniform diameters.–P.J. Cao, Y.S. Gu, H.W. Liu, F. Shen, Y.G. Wang, Q.F. Zhang, J.L. Wu, and H.J. Gao; **18**(7), 1686–1690.

Wu, Jiada–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Wu, Nae-Lih–Mesoporous crystalline SnO_2 of large surface area.–Chien-Yueh Tung, Nae-Lih Wu, and I.A. Rusakova; **18**(12), 2890–2894.

Wu, Y.–Magnetic and microstructure study of bulk $(Sm_{0.33}Eu_{0.33}Gd_{0.33})Ba_2Cu_3O_y$ with submicron Gd_2BaCuO_5 second-phase particles.–M. Muralidhar, M. Jirsa, N. Sakai, Y. Wu, and M. Murakami; **18**(5), 1073–1080.

Wu, Yicheng–Growth and properties of $KBe_2BO_3F_2$ crystal.–Jiyang Wang, Chenqian Zhang, Yaogang Liu, Jianxiu Zhang, Xiaobo Hu, Minhua Jiang, Chuangtian Chen, Yicheng Wu, and Zuyan Xu; **18**(10), 2478–2485.

Wu, Yong Jun–Synthesis of rutile and anatase TiO_2 nanoparticles from Ti-peroxy compound aqueous solution with polyols.–Naofumi Uekawa, Miki Suzuki, Takahiro Ohmiya, Fumihiko Mori, Yong Jun Wu, and Kazuyuki Kakegawa; **18**(4), 797–803.

Wu, Zhu–Hydrogen storage in Ti–V-based body-centered-cubic phase alloys.–Xuebin Yu, Zhu Wu, Baojia Xia, Taizhong Huang, Jinzhou Chen, Zaosong Wang, and Naixin Xu; **18**(11), 2533–2536(L).

Wusatowska-Sarnek, Agnieszka M.–Characterization of the microstructure and phase equilibria calculations for the powder metallurgy superalloy IN100.–Agnieszka M. Wusatowska-Sarnek, Gautam Ghosh, Gregory B. Olson, Martin J. Blackburn, and Mark Aindow; **18**(11), 2653–2663.

Wyrobek, Thomas J.–Highly localized acoustic emission monitoring of nanoscale indentation contacts.–Natalia I. Tymiak, Antanas Daugela, Thomas J. Wyrobek, and Oden L. Warren; **18**(4), 784–796.

X

Xia, Baojia–Hydrogen storage in Ti–V-based body-centered-cubic phase alloys.–Xuebin Yu, Zhu Wu, Baojia Xia, Taizhong Huang, Jinzhou Chen, Zaosong Wang, and Naixin Xu; **18**(11), 2533–2536(L).

Xie, C.S.–Near-threshold ultraviolet-laser ablation of Kapton film investigated by x-ray photoelectron spectroscopy.–D.W. Zeng, K.C. Yung, and C.S. Xie; **18**(1), 53–59.

Xu, Geng-fu–Microwave sintering and properties of AlN/TiB_2 composites.–Geng-fu Xu, Yuval Carmel, Tayo Olorunyolemi, Isabel K. Lloyd, and Otto C. Wilson, Jr.; **18**(1), 66–76.

Xu, H.–Chemical synthesis and characterization of boron/boron nitride core–shell nanostructures.–K.F. Huo, Z. Hu, J.J. Fu, H. Xu, X.Z. Wang, Y. Chen, Y.N. Lü, B.H. Liu, and J. Ding; **18**(7), 1641–1645.

Xu, J.–Glass formation in a (Ti,Zr,Hf)–(Cu,Ni,Ag)–Al high-order alloy system by mechanical alloying.–L.C. Zhang, Z.Q. Shen, and J. Xu; **18**(9), 2141–2149.

–A new $Mg_{65}Cu_{7.5}Ni_{7.5}Zn_5Ag_5Y_{10}$ bulk metallic glass with strong glass-forming ability.–H. Ma, E. Ma, and J. Xu; **18**(10), 2288–2291(L).

Xu, Jie–Radiative properties of Eu(DBM)$_3$Phen-doped poly(methyl methacrylate).–Hao Liang, Zhiqiang Zheng, Qijin Zhang, Hai Ming, Biao Chen, Jie Xu, and Hui Zhao; **18**(8), 1895–1899.

Xu, Jin-Zhong–Controllable synthesis of palladium nanoparticles via a simple sonoelectrochemical method.–Xiao-Feng Qiu, Jin-Zhong Xu, Jian-Ming Zhu, Jun-Jie Zhu, Shu Xu, and Hong-Yuan Chen; **18**(6), 1399–1404.

Xu, Jingmei–Aromatic liquid-crystalline polyesters comprising a 2,5-thiophene unit synthesized and studied by the thin-film polymerization method.–Jingmei Xu, Yan Wang, Tai-Shung Chung, and Suat Hong Goh; **18**(7), 1509–1521.

Xu, Naixin–Hydrogen storage in Ti–V-based body-centered-cubic phase alloys.–Xuebin Yu, Zhu Wu, Baojia Xia, Taizhong Huang, Jinzhou Chen, Zaosong Wang, and Naixin Xu; **18**(11), 2533–2536(L).

Xu, Ning–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Xu, Shu–Controllable synthesis of palladium nanoparticles via a simple sonoelectrochemical method.–Xiao-Feng Qiu, Jin-Zhong Xu, Jian-Ming Zhu, Jun-Jie Zhu, Shu Xu, and Hong-Yuan Chen; **18**(6), 1399–1404.

Xu, Xin–Fabrication of α-sialon sheets by tape casting and pressureless sintering.–Xin Xu, Sen Mei, and José M.F. Ferreira; **18**(6), 1363–1367.

Xu, Y.–Fabrication of high-critical current density $YBa_2Cu_3O_{7-\delta}$ films using a fluorine-free sol gel approach.–Y. Xu, A. Goyal, N.A. Rutter, D. Shi, M. Paranthaman, S. Sathyamurthy, P.M. Martin, and D.M. Kroeger; **18**(3), 677–681.

Xu, Zuyan–Growth and properties of $KBe_2BO_3F_2$ crystal.–Jiyang Wang, Chenqian Zhang, Yaogang Liu, Jianxiu Zhang, Xiaobo Hu, Minhua Jiang, Chuangtian Chen, Yicheng Wu, and Zuyan Xu; **18**(10), 2478–2485.

Xue, Pengchong–Synthesis of hyperbranched poly(amine–ester)-protected noble metal nanoparticles in aqueous solution.–Chunyan Bao, Ming Jin, Ran Lu, Pengchong Xue, Tierui Zhang, Changhui Tan, and Yingying Zhao; **18**(6), 1392–1398.

Y

Yadoji, Purushotham–Ultralow dielectric constant nickel–zinc ferrites using microwave sintering.–Ramesh Peelamedu, Craig Grimes, Dinesh Agrawal, Rustum Roy, Purushotham Yadoji; **18**(10), 2292–2295(L).

Yajima, Yoshiyuki–Monodispersed Sc_2O_3 precursor particles via homogeneous precipitation: Synthesis, thermal decomposition, and the effects of supporting anions on powder properties.–Ji-Guang Li, Takayasu Ikegami, Toshiyuki Mori, and Yoshiyuki Yajima; **18**(5), 1149–1156.

–Low-temperature preparation of dense 10 mol%-Y_2O_3-doped CeO_2 ceramics using powders synthesized via carbonate coprecipitation.–Yarong Wang, Toshiyuki Mori, Ji-Guang Li, Takayasu Ikegami, and Yoshiyuki Yajima; **18**(5), 1239–1246.

Yamaguchi, M.–Polarization of plastic deformation modes in polysynthetically twinned TiAl crystals.–V. Paidar, K. Kishida, and M. Yamaguchi; **18**(3), 702–708.

Yamamoto, Kazuhiro–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Yamamoto, Sachiko–Recovery of platinum using magnesium vapor.–Toru H. Okabe, Sachiko Yamamoto, Yoshihiro Kayanuma, and Masafumi Maeda; **18**(8), 1960–1967.

Yamamoto, Yoshifumi–Effect of impurities on silicon nitride whiskers synthesized from silica-containing natural substances.–Takeshi Hashishin, Hiroshi Iwanaga, and Yoshifumi Yamamoto; **18**(12), 2760–2764.

Yamauchi, Yukihiko–Effects of rare-earth oxide and alumina additives on thermal conductivity of liquid-phase-sintered silicon carbide.–You Zhou, Kiyoshi Hirao, Yukihiko Yamauchi, and Shuzo Kanzaki; **18**(8), 1854–1862.

–Mechanical and wear properties of Si_3N_4–W composites using tungsten boride powder.–Hideki Hyuga, Mark I. Jones, Kiyoshi Hirao, and Yukihiko Yamauchi; **18**(9), 2262–2267.

Yan, Shenggang–Structure and strong ultraviolet emission characteristics of amorphous ZnO films grown by electrophoretic deposition.–Zhijian Wang, Haiming Zhang, Zhijun Wang, Ligong Zhang, Jinshan Yuan, Shenggang Yan, and Chunyan Wang; **18**(1), 151–155.

Yan, X.Y.–Using electrodeoxidation to synthesize niobium sponge from solid Nb_2O_5 in alkali–alkaline-earth metal chloride melts.–X.Y. Yan and D.J. Fray; **18**(2), 346–356.

Yanagisawa, Masaaki–Bioactive behaviors of porous apatite- and wollastonite-containing glass-ceramic in two kinds of simulated body fluid.–Yunlong Zhang, Mineo Mizuno, Masaaki Yanagisawa, and Hiroaki Takadama; **18**(2), 433–441.

Yang, B.–Crystallization of $Cu_{60}Ti_{20}Zr_{20}$ metallic glass with and without pressure.–J.Z. Jiang, B. Yang, K. Saksl, H. Franz, and N. Pryds; **18**(4), 895–898.

Yang, D.–Nanoindentation study of plasticity length scale effects in LIGA Ni microelectromechanical structures.–J. Lou, P. Shrotriya, T. Buchheit, D. Yang, and W.O. Soboyejo; **18**(3), 719–728.

Yang, Dezhuang–Resistance to vacuum ultraviolet irradiation of nano-TiO_2 modified carbon/epoxy composites.–Lixiang Jiang, Shiyu He, and Dezhuang Yang; **18**(3), 654–658.

Yang, G.W.–Explosion phase formation of nanocrystalline boron nitrides upon pulsed-laser-induced liquid/solid interfacial reaction.–J.B. Wang, X.L. Zhong, C.Y. Zhang, B.Q. Huang, G.W. Yang; **18**(12), 2774–2778.

Yang, H.T.Y.–Semi-inverse method for predicting stress–strain relationship from cone indentations.–A. DiCarlo, H.T.Y. Yang, and S. Chandrasekar; **18**(9), 2068–2078.

Yang, Heejung–Adhesion, passivation, and resistivity of a Ag(Mg) gate electrode for an amorphous silicon thin-film transistor.–Jaegab Lee, Heejung Yang, Jinhyung Lee, Hyunjung Shin, Jiyoung Kim, Changoh Jeong, Beomseok Cho, Kyuha Chung, and Eungu Lee; **18**(6), 1441–1446.

Yang, Jian–Fabrication of mesoporous CdS nanorods by chemical etching.–Lin Yang, Jian Yang, Zheng-Hua Wang, Jing-Hui Zeng, Li Yang, and Yi-Tai Qian; **18**(2), 396–401.

Yang, Li–Fabrication of mesoporous CdS nanorods by chemical etching.–Lin Yang, Jian Yang, Zheng-Hua Wang, Jing-Hui Zeng, Li Yang, and Yi-Tai Qian; **18**(2), 396–401.

Yang, Lin–Fabrication of mesoporous CdS nanorods by chemical etching.–Lin Yang, Jian Yang, Zheng-Hua Wang, Jing-Hui Zeng, Li Yang, and Yi-Tai Qian; **18**(2), 396–401.

Yang, Pin–Field-induced strain associated with polarization reversal in a rhombohedral ferroelectric ceramic.–Pin Yang, George R. Burns, and Mark A. Rodriguez; **18**(12), 2869–2873.

Yang, T.–Phase transformation of Er^{3+}-doped Al_2O_3 powders prepared by the sol-gel method.–X.J. Wang, M.K. Lei, T. Yang, and L.J. Yuan; **18**(10), 2401–2405.

Yang, Zhiqing–Microstructure and thermal stability of an ultrafine Al/Al_2O_3 composite.–Zhiqing Yang, Lianlong He, Ji Chen, Hongtao Cong, and Hengqiang Ye; **18**(2), 272–278.

Yao, B.–Glass-forming ability of Pr–(Cu,Ni)–Al alloys in eutectic system.–Y. Zhang, H. Tan, H.Z. Kong, B. Yao, and Y. Li; **18**(3), 664–671.

Yao, Jiannian–Ultrasound-induced change of microstructure and photochromic properties of polyacrylamide thin films containing a polyoxometalate.–Wei Feng, Tierui Zhang, Jun Liu, Ran Lu, Yingying Zhao, and Jiannian Yao; **18**(3), 709–713.

Yao, Kui–Effects of poly(ethylene glycol) additive molecular weight on the microstructure and properties of sol-gel-derived lead zirconate titanate thin films.–Shuhui Yu, Kui Yao, Santiranjan Shannigrahi, and Francis Tay Eng Hock; **18**(3), 737–741.

Yarborough, K.A.–Microstructural characterization of thick $YBa_2Cu_3O_{7-\delta}$ films on improved rolling-assisted biaxially textured substrates.–K.J. Leonard, S. Kang, A. Goyal, K.A. Yarborough, and D.M. Kroeger; **18**(7), 1723–1732.

Yau, Bao-Shun–Effects of substrate bias on nanocrystal-$(Ti,Al)N_x$/amorphous-SiN_y composite films.–Bao-Shun Yau, Jow-Lay Huang, and Ming-Chi Kan; **18**(8), 1985–1990.

Yavari, A.R.–Mechanical properties of Fe-based bulk glassy alloys in Fe–B–Si–Nb and Fe–Ga–P–C–B–Si systems.–A. Inoue, B.L. Shen, A.R. Yavari, and A.L. Greer; **18**(6), 1487–1492.

Yazdani-Pedram, M.–Porous silica derived from chitosan-containing hybrid composites.–J. Retuert, R. Quijada, V. Arias, and M. Yazdani-Pedram; **18**(2), 487–494.

Ye, C.H.–Tellurium nanowire arrays synthesized by electrochemical and electrophoretic deposition.–A.W. Zhao, C.H. Ye, G.W. Meng, L.D. Zhang, and P.M. Ajayan; **18**(10), 2318–2322.

Ye, Feng–Self-reinforced Y-α-sialon ceramics with barium aluminosilicate as an additive.–Feng Ye, Mikio Iwasa, Caili Su, and Sheng Chen; **18**(10), 2446–2450.

Ye, Hengqiang–Microstructure and thermal stability of an ultrafine Al/Al_2O_3 composite.–Zhiqing Yang, Lianlong He, Ji Chen, Hongtao Cong, Hengqiang Ye; **18**(2), 272–278.

Yin, H.–Electroless polyol deposition of FeNi-based powders and films.–H. Yin and G.M. Chow; **18**(1), 180–187.

Yin, Zhi-wen–Temperature dependence of piezoelectric properties of 0.67 $Pb(Mg_{1/3}Nb_{2/3})O_3$–0.33 $PbTiO_3$ single crystals.–Ping-chu Wang, Xiao-ming Pan, Dong-lin Li, Yuan-wei Song, Hao-su Luo, and Zhi-wen Yin; **18**(2), 537–541.

Ying, Jackie Y.–Fabrication of activated carbon fibers/carbon aerogels composites by gelation and supercritical drying in isopropanol.–Ruowen Fu, Bo Zheng, Jie Liu, Steve Weiss, Jackie Y. Ying, Mildred S. Dresselhaus, Gene Dresselhaus, Joe H. Satcher, Jr., and Theodore F. Baumann; **18**(12), 2765–2773.

Ying, Yongcheng–Low-temperature route to nanoscale P_3N_5 hollow spheres.–Hongzhou Gu, Yunle Gu, Zhefeng Li, Yongcheng Ying, and Yitai Qian; **18**(10), 2359–2363.

Ying, Zhifeng–Synthesis of carbon nitride nanocrystals on Co/Ni-covered substrate by nitrogen-atom-beam-assisted pulsed laser ablation.–Ning Xu, Hao Lin, Li Li, Weijian Pan, Jian Sun, Jiada Wu, Zhifeng Ying, Peinan Wang, Yuancheng Du, and Fuming Li; **18**(11), 2552–2555(L).

Yogo, Toshinobu–Synthesis of a $KNbO_3$ particle/polymer hybrid from metalorganics.–Toshinobu Yogo, Kouichi Banno, Wataru Sakamoto, and Shin-ichi Hirano; **18**(7), 1679–1685.

Yoko, T.–Spontaneous reduction of europium ions below 250 °C in organic–inorganic hybrid low-melting phosphite glasses.–H. Niida, M. Takahashi, T. Uchino, and T. Yoko; **18**(1), 1–3(L).

–Preparation and structure of organic–inorganic hybrid low-melting phosphite glasses from phosphonic acid H_3PO_3.–Haruki Niida, Masahide Takahashi, Takashi Uchino, and Toshinobu Yoko; **18**(5), 1081–1086.

Yokota, Yoshihiro–Fibrous structures on diamond and carbon surfaces formed by hydrogen plasma under direct-current bias and field electron-emission properties.–Koji Kobashi, Takeshi Tachibana, Yoshihiro Yokota, Nobuyuki Kawakami, Kazushi Hayashi, Kazuhiro Yamamoto, Yoshinori Koga, Shuzo Fujiwara, Yasuhito Gotoh, Hironori Nakahara, Hiroshi Tsuji, Junzo Ishikawa, Franz A. Köck, and Robert J. Nemanich; **18**(2), 305–326.

Yoon, Chang-Bun–Effect of lanthanum on the piezoelectric properties of lead zirconate titanate–lead zinc niobate ceramics.–Seung-Ho Lee, Chang-Bun Yoon, Seung-Beom Seo, and Hyoun-Ee Kim; **18**(8), 1765–1770.

Yoon, S.B.–Fabrication of TiO_2 nanospheres by template replication in porous carbon networks.–J.C. Kim, Y.N. Kim, E.O. Chi, N.H. Hur, S.B. Yoon, and J-S. Yu; **18**(4), 780–783.

Yoon, Seok-Hyun–Effect of dopant (Nb) concentration on the grain boundary electrical properties of Nb-doped barium titanate.–Seok-Hyun Yoon and Hwan Kim; **18**(1), 88–96.

Yoon, Soon-Gil–Ultrathin HfO_2 gate dielectric grown by plasma-enhanced chemical vapor deposition using $Hf[OC(CH_3)_3]_4$ as a precursor in the absence of O_2.–Kyu-Jeong Choi, Woong-Chul Shin, and Soon-Gil Yoon; **18**(1), 60–65.

You, Yong Chan–Nanoscale continuous In_2O_3 coating on phosphor particles for improved low-voltage cathodoluminescent properties.–Jin Young Kim, Yong Chan You, Jong Hyuk Kang, Duk Young Jeon, and Il Yu; **18**(7), 1505–1508.

Yu, Dapeng–Shape-controllable synthesis of indium oxide structures: Nanopyramids and nanorods.–Ye Zhang, Hongbo Jia, Dapeng Yu, Xuhui Luo, Zhensheng Zhang, Xihong Chen, and Cheoljin Lee; **18**(12), 2793–2798.

Yu, Il–Nanoscale continuous In_2O_3 coating on phosphor particles for improved low-voltage cathodoluminescent properties.–Jin Young Kim, Yong Chan You, Jong Hyuk Kang, Duk Young Jeon, and Il Yu; **18**(7), 1505–1508.

Yu, J-S.–Fabrication of TiO_2 nanospheres by template replication in porous carbon networks.–J.C. Kim, Y.N. Kim, E.O. Chi, N.H. Hur, S.B. Yoon, and J-S. Yu; **18**(4), 780–783.

Yu, Jin–Study of the reaction mechanism between electroless Ni–P and Sn and its effect on the crystallization of Ni–P.–Y.C. Sohn, Jin Yu, S.K. Kang, W.K. Choi, and D.Y. Shih; **18**(1), 4–7(L).

Yu, Jin-Qiang–Giant magnetoimpedance and stress-impedance effects in multilayered FeSiB/Cu/FeSiB films with a meander structure.–Xin-Hui Mao, Yong Zhou, Ji-An Chen, Jin-Qiang Yu, and Bing-Chu Cai; **18**(4), 868–871.

Yu, P.–Formation of Mg–Mg_2Cu nanostructured eutectic in Mg-based metal matrix composite.–N.G. Ma, C.J. Deng, P. Yu, W.Y. Kwok, M. Aravind, D.H.L. Ng, and S.L.I. Chan; **18**(8), 1934–1942.

Yu, Shuhui–Effects of poly(ethylene glycol) additive molecular weight on the microstructure and properties of sol-gel-derived lead zirconate titanate thin films.–Shuhui Yu, Kui Yao, Santiranjan Shannigrahi, and Francis Tay Eng Hock; **18**(3), 737–741.

Yu, Xuebin–Hydrogen storage in Ti–V-based body-centered-cubic phase alloys.–Xuebin Yu, Zhu Wu, Baojia Xia, Taizhong Huang, Jinzhou Chen, Zaosong Wang, and Naixin Xu; **18**(11), 2533–2536(L).

Yuan, Jinshan–Structure and strong ultraviolet emission characteristics of amorphous ZnO films grown by electrophoretic deposition.–Zhijian Wang, Haiming Zhang, Zhijun Wang, Ligong Zhang, Jinshan Yuan, Shenggang Yan, and Chunyan Wang; **18**(1), 151–155.

Yuan, L.J.–Phase transformation of Er^{3+}-doped Al_2O_3 powders prepared by the sol-gel method.–X.J. Wang, M.K. Lei, T. Yang, and L.J. Yuan; **18**(10), 2401–2405.

Yung, K.C.–Near-threshold ultraviolet-laser ablation of Kapton film investigated by x-ray photoelectron spectroscopy.–D.W. Zeng, K.C. Yung, and C.S. Xie; **18**(1), 53–59.

Z

Zaki, Mohamed I.–Kinetic and characterization studies of the formation of barium monomolybdate in equimolar powder mixture of $BaCO_3$ and MoO_3.–Latifa A. Al-Hajji, Muhammad A. Hasan, and Mohamed I. Zaki; **18**(10), 2339–2349.

Zanotti, C.–Self-propagating high-temperature synthesis of functionally graded materials as thermal protection systems for high-temperature applications.–N. Bertolino, M. Monagheddu, A. Tacca, P. Giuliani, C. Zanotti, F. Maglia, and U. Anselmi Tamburini; **18**(2), 448–455.

Zanotto, Edgar D.–Sintering polydispersed spherical glass particles.–Miguel O. Prado, Edgar D. Zanotto, and Catia Fredericci; **18**(6), 1347–1354.

Zarudi, I.–Microstructure evolution in monocrystalline silicon in cyclic microindentations.–I. Zarudi, L.C. Zhang, and M.V. Swain; **18**(4), 758–761(L).

Zeng, D.W.–Near-threshold ultraviolet-laser ablation of Kapton film investigated by x-ray photoelectron spectroscopy.–D.W. Zeng, K.C. Yung, and C.S. Xie; **18**(1), 53–59.

Zeng, Huidan–Laser-controlled precipitation of gold nanoparticles in silicate glasses.–Xiongwei Jiang, Jianrong Qiu, Huidan Zeng, and Congshan Zhu; **18**(9), 2097–2100.

Zeng, Jing-Hui–Fabrication of mesoporous CdS nanorods by chemical etching.–Lin Yang, Jian Yang, Zheng-Hua Wang, Jing-Hui Zeng, Li Yang, and Yi-Tai Qian; **18**(2), 396–401.

Zerda, T.W.–Micron diamond composites with nanocrystalline silicon carbide bonding.–J. Qian, T.W. Zerda, D. He, L. Daemen, and Y. Zhao; **18**(5), 1173–1178.

Zhai, H.Y.–High critical current density $YBa_2Cu_3O_{7-\delta}$ coatings on $LaMnO_3$-buffered biaxially textured Cu tapes for coated conductor applications.–T. Aytug, A. Goyal, N. Rutter, M. Paranthaman, J.R. Thompson, H.Y. Zhai, and D.K. Christen; **18**(4), 872–877.

Zhan, P.–Preparation of monodisperse silica particles with controllable size and shape.–J.H. Zhang, P. Zhan, Z.L. Wang, W.Y. Zhang, and N.B. Ming; **18**(3), 649–653.

Zhang, C.Y.–Explosion phase formation of nanocrystalline boron nitrides upon pulsed-laser-induced liquid/solid interfacial reaction.–J.B. Wang, X.L. Zhong, C.Y. Zhang, B.Q. Huang, and G.W. Yang; **18**(12), 2774–2778.

Zhang, Chenqian–Growth and properties of $KBe_2BO_3F_2$ crystal.–Jiyang Wang, Chenqian Zhang, Yaogang Liu, Jianxiu Zhang, Xiaobo Hu, Minhua Jiang, Chuangtian Chen, Yicheng Wu, and Zuyan Xu; **18**(10), 2478–2485.

Zhang, Daihua–Controlled growth of gallium nitride single-crystal nanowires using a chemical vapor deposition method.–Song Han, Wu Jin, Tao Tang, Chao Li, Daihua Zhang, Xiaolei Liu, Jie Han, and Chongwu Zhou; **18**(2), 245–249(L).

Zhang, F.–Effects of substrate metallizations on solder/underbump metallization interfacial reactions in flip-chip packages during thermal aging.–F. Zhang, M. Li, C.C. Chum, and C-H. Tung; **18**(6), 1333–1341.

Zhang, Haiming–Structure and strong ultraviolet emission characteristics of amorphous ZnO films grown by electrophoretic deposition.–Zhijian Wang, Haiming Zhang, Zhijun Wang, Ligong Zhang, Jinshan Yuan, Shenggang Yan, and Chunyan Wang; **18**(1), 151–155.

Zhang, J.H.–Preparation of monodisperse silica particles with controllable size and shape.–J.H. Zhang, P. Zhan, Z.L. Wang, W.Y. Zhang, and N.B. Ming; **18**(3), 649–653.

–Sonochemical method for the synthesis of antimony sulfide microcrystallites with controllable morphology.–J.H. Zhang, Z. Chen, Z.L. Wang, and N.B. Ming; **18**(8), 1804–1808.

Zhang, J.Y.–Optical properties and electrical characterization of *p*-type ZnO thin films prepared by thermally oxiding Zn_3N_2 thin films.–B.S. Li, Y.C. Liu, Z.Z. Zhi, D.Z. Shen, Y.M. Lu, J.Y. Zhang, X.W. Fan, R.X. Mu, and Don O. Henderson; **18**(1), 8–13(L).

Zhang, Jianxiu–Growth and properties of $KBe_2BO_3F_2$ crystal.–Jiyang Wang, Chenqian Zhang, Yaogang Liu, Jianxiu Zhang, Xiaobo Hu, Minhua Jiang, Chuangtian Chen, Yicheng Wu, and Zuyan Xu; **18**(10), 2478–2485.

Zhang, L.C.–Microstructure evolution in monocrystalline silicon in cyclic microindentations.–I. Zarudi, L.C. Zhang, and M.V. Swain; **18**(4), 758–761(L).

–Glass formation in a (Ti,Zr,Hf)–(Cu,Ni,Ag)–Al high-order alloy system by mechanical alloying.–L.C. Zhang, Z.Q. Shen, and J. Xu; **18**(9), 2141–2149.

Zhang, L.D.–Sonochemical synthesis of large-scale single-crystal PbS nanorods.–S.M. Zhou, Y.S. Feng, and L.D. Zhang; **18**(5), 1188–1191.

–Tellurium nanowire arrays synthesized by electrochemical and electrophoretic deposition.–A.W. Zhao, C.H. Ye, G.W. Meng, L.D. Zhang, and P.M. Ajayan; **18**(10), 2318–2322.

Zhang, Ligong–Structure and strong ultraviolet emission characteristics of amorphous ZnO films grown by electrophoretic deposition.–Zhijian Wang, Haiming Zhang, Zhijun Wang, Ligong Zhang, Jinshan Yuan, Shenggang Yan, and Chunyan Wang; **18**(1), 151–155.

Zhang, Ming–Transition from brittle fracture to ductile behavior in 4H–SiC.–Ming Zhang, H.M. Hobgood, J.L. Demenet, and P. Pirouz; **18**(5), 1087–1095.

Zhang, Q.F.–High-density aligned carbon nanotubes with uniform diameters.–P.J. Cao, Y.S. Gu, H.W. Liu, F. Shen, Y.G. Wang, Q.F. Zhang, J.L. Wu, and H.J. Gao; **18**(7), 1686–1690.

Zhang, Qijin–Radiative properties of $Eu(DBM)_3$Phen-doped poly(methyl methacrylate).–Hao Liang, Zhiqiang Zheng, Qijin Zhang, Hai Ming, Biao Chen, Jie Xu, and Hui Zhao; **18**(8), 1895–1899.

Zhang, R.F.–Amorphous alloys synthesized by interface-assisted ion beam mixing in the Ag–W system with the largest positive heat of formation.–R.F. Zhang and B.X. Liu; **18**(7), 1499–1501(L).

Zhang, Shuyuan–Synthesis of mesostructured lamellar lead sulfide in acidic media.–Shuxi Zhou, Yanxiong Ke, Jianmin Li, Shemin Lu, Guien Zhou, and Shuyuan Zhang; **18**(3), 549–551(L).

Zhang, Tao–Formation, corrosion behavior, and mechanical properties of bulk glassy Zr–Al–Co–Nb alloys.–Shujie Pang, Tao Zhang, Katsuhiko Asami, and Akihisa Inoue; **18**(7), 1652–1658.

Zhang, Tierui–Ultrasound-induced change of microstructure and photochromic properties of polyacrylamide thin films containing a polyoxometalate.–Wei Feng, Tierui Zhang, Jun Liu, Ran Lu, Yingying Zhao, and Jiannian Yao; **18**(3), 709–713.

–Synthesis of hyperbranched poly(amine–ester)-protected noble metal nanoparticles in aqueous solution.–Chunyan Bao, Ming Jin, Ran Lu, Pengchong Xue, Tierui Zhang, Changhui Tan, and Yingying Zhao; **18**(6), 1392–1398.

Zhang, W.Y.–Preparation of monodisperse silica particles with controllable size and shape.–J.H. Zhang, P. Zhan, Z.L. Wang, W.Y. Zhang, and N.B. Ming; **18**(3), 649–653.

Zhang, Wei–Formation and mechanical properties of Cu–Hf–Al bulk glassy alloys with a large supercooled liquid region of over 90 K.–Akihisa Inoue and Wei Zhang; **18**(6), 1435–1440.

–Evolution of microstructure in TiC/NiCr cermet induced by electropulsing.–W. Zhang, M.L. Sui, Y.Z. Zhou, J.D. Guo, G.H. He, and D.X. Li; **18**(7), 1543–1550.

–Ultrafine-grained microstructure in a Cu–Zn alloy produced by electropulsing treatment.–Yizhou Zhou, Wei Zhang, Baoquan Wang, and Jingdong Guo; **18**(8), 1991–1997.

Zhang, X.–Strengthening mechanisms in nanostructured copper/304 stainless steel multilayers.–X. Zhang, A. Misra, H. Wang, T.D. Shen, J.G. Swadener, J.D. Embury, H. Kung, R.G. Hoagland, and M. Nastasi; **18**(7), 1600–1606.

–Direct inkjet printing of composite thin barium strontium titanate films.–T. Kaydanova, A. Miedaner, C. Curtis, J. Alleman, J.D. Perkins, D.S. Ginley, L. Sengupta, X. Zhang, S. He, and L. Chiu; **18**(12), 2820–2825.

Zhang, Xiao Feng–Thermal modification of microstructures and grain boundaries in silicon carbide.–Xiao Feng Zhang and Lutgard C. De Jonghe; **18**(12), 2807–2813.

Zhang, Y.–Glass-forming ability of Pr–(Cu,Ni)–Al alloys in eutectic system.–Y. Zhang, H. Tan, H.Z. Kong, B. Yao, and Y. Li; **18**(3), 664–671.

–Microstructural features of Al-implanted 4H–SiC.–C.M. Wang, Y. Zhang, W.J. Weber, W. Jiang, and L.E. Thomas; **18**(4), 772–779.

Zhang, Yahong–Energetics of oxidation of RE–Si–Al–O–N glasses.–Yahong Zhang, Alexandra Navrotsky, Dirk Matusch, and Hans Jürgen Seifert; **18**(7), 1607–1613.

Zhang, Ye–Shape-controllable synthesis of indium oxide structures: Nanopyramids and nanorods.–Ye Zhang, Hongbo Jia, Dapeng Yu, Xuhui Luo, Zhensheng Zhang, Xihong Chen, and Cheoljin Lee; **18**(12), 2793–2798.

Zhang, Yunlong–Bioactive behaviors of porous apatite- and wollastonite-containing glass-ceramic in two kinds of simulated body fluid.–Yunlong Zhang, Mineo Mizuno, Masaaki Yanagisawa, and Hiroaki Takadama; **18**(2), 433–441.

Zhang, Z.F.–Tensile and fatigue fracture mechanisms of a Zr-based bulk metallic glass.–Z.F. Zhang, J. Eckert, and L. Schultz; **18**(2), 456–465.

–What types of grain boundaries can be passed through by persistent slip bands?–Z.F. Zhang, Z.G. Wang, and J. Eckert; **18**(5), 1031–1034(L).

Zhang, Zaoli–Uniformly distributed nickel nanoparticles created by heating the carbon nanotube.–Zaoli Zhang and Min Gao; **18**(3), 604–608.

–Compound growth and microstructure of carbon nanotube.–Zaoli Zhang, Lian Ouyang, Zujin Shi, and Zhennan Gu; **18**(10), 2459–2463.

Zhang, Ze–Microstructural evolution of body-centered cubic structure related Ti–Zr–Ni phases in non-stoichiometric Zr-based Zr–Ti–Mn–V–Ni hydride electrode alloys.–Xueyan Song, Yun Chen, Cesar Sequeira, Yongquan Lei, Qidong Wang, and Ze Zhang; **18**(1), 37–44.

Zhang, Zhensheng–Shape-controllable synthesis of indium oxide structures: Nanopyramids and nanorods.–Ye Zhang, Hongbo Jia, Dapeng Yu, Xuhui Luo, Zhensheng Zhang, Xihong Chen, and Cheoljin Lee; **18**(12), 2793–2798.

Zhao, A.W.–Tellurium nanowire arrays synthesized by electrochemical and electrophoretic deposition.–A.W. Zhao, C.H. Ye, G.W. Meng, L.D. Zhang, and P.M. Ajayan; **18**(10), 2318–2322.

Zhao, Chongjun–Photoinduced formation of colloidal Au by a near-infrared femtosecond laser.–Chongjun Zhao, Shiliang Qu, Jianrong Qiu, and Congshan Zhu; **18**(7), 1710–1714.

Zhao, D.Q.–Formation, properties, thermal characteristics, and crystallization of hard magnetic Pr–Al–Fe–Cu bulk metallic glasses.–Zheng Li, Hai Yang Bai, Ming Xiang Pan, De Qian Zhao, Wan Lu Wang, and Wei Hua Wang; **18**(9), 2208–2213.

–Relationship between glass transition temperature and Debye temperature in bulk metallic glasses.–Wei Hua Wang, Ping Wen, D.Q. Zhao, M.X. Pan, and Ru Ju Wang; **18**(12), 2747–2751(L).

Zhao, Hui–Radiative properties of Eu(DBM)$_3$Phen-doped poly(methyl methacrylate).–Hao Liang, Zhiqiang Zheng, Qijin Zhang, Hai Ming, Biao Chen, Jie Xu, and Hui Zhao; **18**(8), 1895–1899.

Zhao, Y.–Micron diamond composites with nanocrystalline silicon carbide bonding.–J. Qian, T.W. Zerda, D. He, L. Daemen, and Y. Zhao; **18**(5), 1173–1178.

Zhao, Yingying–Ultrasound-induced change of microstructure and photochromic properties of polyacrylamide thin films containing a polyoxometalate.–Wei Feng, Tierui Zhang, Jun Liu, Ran Lu, Yingying Zhao, and Jiannian Yao; **18**(3), 709–713.

–Synthesis of hyperbranched poly(amine–ester)-protected noble metal nanoparticles in aqueous solution.–Chunyan Bao, Ming Jin, Ran Lu, Pengchong Xue, Tierui Zhang, Changhui Tan, and Yingying Zhao; **18**(6), 1392–1398.

Zhao, Z.G.–Effect of geometrical parameters on the field-emission properties of single-walled carbon nanotube ropes.–Z.G. Zhao, Y. Tong, C. Liu, and H.M. Cheng; **18**(9), 2188–2193.

Zheng, Bo–Fabrication of activated carbon fibers/carbon aerogels composites by gelation and supercritical drying in isopropanol.–Ruowen Fu, Bo Zheng, Jie Liu, Steve Weiss, Jackie Y. Ying, Mildred S. Dresselhaus, Gene Dresselhaus, Joe H. Satcher, Jr., and Theodore F. Baumann; **18**(12), 2765–2773.

Zheng, X.J.–Dependence of fracture toughness on annealing temperature in $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films produced by metal organic decomposition.–X.J. Zheng, Y.C. Zhou, and H. Zhong; **18**(3), 578–584.

Zheng, Zhiqiang–Radiative properties of Eu(DBM)$_3$Phen-doped poly(methyl methacrylate).–Hao Liang, Zhiqiang Zheng, Qijin Zhang, Hai Ming, Biao Chen, Jie Xu, and Hui Zhao; **18**(8), 1895–1899.

Zhi, Z.Z.–Optical properties and electrical characterization of *p*-type ZnO thin films prepared by thermally oxiding Zn_3N_2 thin films.–B.S. Li, Y.C. Liu, Z.Z. Zhi, D.Z. Shen, Y.M. Lu, J.Y. Zhang, X.W. Fan, R.X. Mu, and Don O. Henderson; **18**(1), 8–13(L).

Zhong, H.–Dependence of fracture toughness on annealing temperature in $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films produced by metal organic decomposition.–X.J. Zheng, Y.C. Zhou, and H. Zhong; **18**(3), 578–584.

Zhong, X.L.–Explosion phase formation of nanocrystalline boron nitrides upon pulsed-laser-induced liquid/solid interfacial reaction.–J.B. Wang, X.L. Zhong, C.Y. Zhang, B.Q. Huang, and G.W. Yang; **18**(12), 2774–2778.

Zhou, Chongwu–Controlled growth of gallium nitride single-crystal nanowires using a chemical vapor deposition method.–Song Han, Wu Jin, Tao Tang, Chao Li, Daihua Zhang, Xiaolei Liu, Jie Han, and Chongwu Zhou; **18**(2), 245–249(L).

Zhou, Guien–Synthesis of mesostructured lamellar lead sulfide in acidic media.–Shuxi Zhou, Yanxiong Ke, Jianmin Li, Shemin Lu, Guien Zhou, and Shuyuan Zhang; **18**(3), 549–551(L).

Zhou, Haoshen–Sol-gel synthesis of porous crystalline TiO_2–P_2O_5 oxide with thermal stability.–Donglin Li, Haoshen Zhou, Mitsuhiro Hibino, and Itaru Honma; **18**(12), 2743–2746(L).

Zhou, S.M.–Sonochemical synthesis of large-scale single-crystal PbS nanorods.–S.M. Zhou, Y.S. Feng, and L.D. Zhang; **18**(5), 1188–1191.

Zhou, Shuxi–Synthesis of mesostructured lamellar lead sulfide in acidic media.–Shuxi Zhou, Yanxiong Ke, Jianmin Li, Shemin Lu, Guien Zhou, and Shuyuan Zhang; **18**(3), 549–551(L).

Zhou, Y.C.–Dependence of fracture toughness on annealing temperature in $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films produced by metal organic decomposition.–X.J. Zheng, Y.C. Zhou, and H. Zhong; **18**(3), 578–584.

Zhou, Y.Z.–Evolution of microstructure in TiC/NiCr cermet induced by electropulsing.–W. Zhang, M.L. Sui, Y.Z. Zhou, J.D. Guo, G.H. He, and D.X. Li; **18**(7), 1543–1550.

Zhou, Yizhou–Ultrafine-grained microstructure in a Cu–Zn alloy produced by electropulsing treatment.–Yizhou Zhou, Wei Zhang, Baoquan Wang, and Jingdong Guo; **18**(8), 1991–1997.

Zhou, Yong–Giant magnetoimpedance and stress-impedance effects in multilayered FeSiB/Cu/FeSiB films with a meander structure.–Xin-Hui Mao, Yong Zhou, Ji-An Chen, Jin-Qiang Yu, and Bing-Chu Cai; **18**(4), 868–871.

Zhou, You–Effects of rare-earth oxide and alumina additives on thermal conductivity of liquid-phase-sintered silicon carbide.–You Zhou, Kiyoshi Hirao, Yukihiko Yamauchi, and Shuzo Kanzaki; **18**(8), 1854–1862.

Zhu, Congshan–Long-lasting phosphorescence and photostimulated long-lasting phosphorescence in Mn^{2+}-doped aluminophosphofluoride glasses irradiated by a femtosecond laser.–Xiongwei Jiang, Jianrong Qiu, Youyu Fan, Hefang Hu, and Congshan Zhu; **18**(3), 616–619.

–Photoinduced formation of colloidal Au by a near-infrared femtosecond laser.–Chongjun Zhao, Shiliang Qu, Jianrong Qiu, and Congshan Zhu; **18**(7), 1710–1714.

–Laser-controlled precipitation of gold nanoparticles in silicate glasses.–Xiongwei Jiang, Jianrong Qiu, Huidan Zeng, and Congshan Zhu; **18**(9), 2097–2100.

Zhu, Jian-Ming–Controllable synthesis of palladium nanoparticles via a simple sonoelectrochemical method.–Xiao-Feng Qiu, Jin-Zhong Xu, Jian-Ming Zhu, Jun-Jie Zhu, Shu Xu, and Hong-Yuan Chen; **18**(6), 1399–1404.

Zhu, Jun-Jie–Controllable synthesis of palladium nanoparticles via a simple sonoelectrochemical method.–Xiao-Feng Qiu, Jin-Zhong Xu, Jian-Ming Zhu, Jun-Jie Zhu, Shu Xu, and Hong-Yuan Chen; **18**(6), 1399–1404.

Zhu, Y.T.–Microstructures and mechanical properties of ultrafine-grained Ti foil processed by equal-channel angular pressing and cold rolling.–Y.T. Zhu, Y.R. Kolobov, G.P. Grabovetskaya, V.V. Stolyarov, N.V. Girsova, and R.Z. Valiev; **18**(4), 1011–1016.

–Nanostructures in Ti processed by severe plastic deformation.–Y.T. Zhu, J.Y. Huang, J. Gubicza, T. Ungár, Y.M. Wang, E. Ma, and R.Z. Valiev; **18**(8), 1908–1917.

Zöllmer, Volker–Diffusion and isotope effect in bulk-metallic glass-forming Pd–Cu–Ni–P alloys from the glass to the equilibrium melt.–Volker Zöllmer, Klaus Rätzke, and Franz Faupel; **18**(11), 2688–2696.

Zong, D.G.–Tensile strength of zinc oxide films measured by a microbridge method.–C.W. Ong, D.G. Zong, M. Aravind, C.L. Choy, and D.R. Lu; **18**(10), 2464–2472.

Zschack, P.–Rapid structural and chemical characterization of ternary phase diagrams using synchrotron radiation.–E.D. Specht, A. Rar, G.M. Pharr, E.P George, P. Zschack, H. Hong, and J. Ilavsky; **18**(10), 2522–2527.

Zuniga, C.–Effect of hydrogen dilution on electronic properties of a-SiH_x films deposited by low-frequency plasma.–A.I. Kosarev, A.J. Torres, C. Zuniga, A.S. Abramov, P. Rosales, and A. Sibaja; **18**(8), 1918–1925.

Zuo, Ruzhong–Viscous Poisson's coefficient determined by discontinuous hot forging.–Ruzhong Zuo, Emil Aulbach, and Jürgen Rödel; **18**(9), 2170–2176.

Zupan, Klementina–Citrate-nitrate gel transformation behavior during the synthesis of combustion-derived NiO-yttria-stabilized zirconia composite.–Marjan Marinšek, Klementina Zupan, and Jadran Maček; **18**(7), 1551–1560.

Zurbuchen, M.A.–New approach to depositing yttria-stabilized zirconia buffer layers for coated conductors.–S. Sambasivan, I. Kim, S. Barnett, M.A. Zurbuchen, J. Ji, B.W. Kang, A. Goyal, P.N. Barnes, and C.E. Oberly; **18**(4), 919–928.